



# Shoe Storage Hall Tree

## CF6032



### **PART LIST**



#### HARDWARE LIST

#1	#2	#3	#4	#5
Φ1/4"*1"	$\Phi$ 8"*30mm		Φ3"*12mm	Φ4"*32mm
Bolt 16 PCS (Extra 2)	Wood Dowel 34 PCS (Extra 2)	Hook 3 PCS	Wood Screw 6 PCS (Extra 1)	Flat Head Screw 3 PCS
#6	#7	#8		
Ф3"*15mm				
Round Head Screw 26 PCS (Extra 2)	Allen Wrench 1 PC	Safety Strap Kit 1 SET		


#### ADDITIONAL TOOLS (Not Provided)

Note: It is not recommended to use power tools during assembly.




Note: Wood dowels are intended for alignment. Additional clearance between wood dowel and pre-drilled hole is intentional for ease of assembly.

Step 1. Attach hooks (part #3) to upper back panel (part A) using wood screws (part #4) and phillips head screwdriver.







Step 2. Attach upper back panel (part A) to shelf (part B) using wood dowels (part #2), flat head screws (part #5) and phillips head screwdriver.




Step 3. Attach upper panels (parts C & D) to assembled unit (parts A & B) using wood dowels (part #2), bolts (part #1) and allen wrench (part #7).




Step 4. Attach seat panel (part E) to upper panels (parts C & D) using wood dowels (part #2), bolts (part #1) and allen wrench (part #7).




Step 5. Attach horizontal panels (part F) into vertical panels (part G).




Step 6. Attach lower panels (parts H & I) to horizontal panels (part F) using wood dowels (part #2).



Step 7. Attach base (part J) to assembled unit (parts G, H & I) using wood dowels (part #2), bolts (part #1) and allen wrench (part #7).




Step 8. Attach assembled unit (parts A, B, C, D & E) to assembled unit (parts F, G, H, I & J) using wood dowels (part #2), bolts (part #1) and allen wrench (part #7).



Step 9. Attached back panels (part K & L) to assembled unit (parts A, C, D, E, H, I & J) using round head screws (part #6) and phillips head screwdriver.

Important: Safety strap kit (part #8) must be installed to prevent tipping, damage and /or injury.



#6 (s) x 26

#8	Α	В	С	D	E
	*************************************		Элэг 5/8"хФ3хD8		0
Safety Strap Kit 1 SET	Long Screw 1 PC	Wall Anchor 1 PC	Short Screw 1 PC	Safety Wall Strap 1 PC	Flat Washer 1 PC

#### SAFETY WALL STRAP INSTALLATION

Note: It is highly recommended to install this safety strap kit to prevent tipping, damage and/or injury.

- 1. Insert short screw (C) through flat washer (E) and safety wall strap (D) and attach to upper back panel (part A) using phillips head screwdriver.
- 2. Drill a 11/32" hole where you want to secure the unit. The drilled hole will be at the same height as the hole in upper back panel (part A) where safety wall strap (D) is attached. Tap wall anchor (B) into the hole.
- 3. Insert long screw (A) through safety wall strap (D) into wall anchor (B) using phillips head screwdriver.

Note: This item is not intended for clothing storage use.

