




Warm, inviting and collaborative work spaces culminate in welcoming interiors that inspire employees to be more productive. The Define Collection contributes to this landscape by offering multiple design aesthetics in carpet tile and broadloom, which coordinate with other Aladdin Commercial flooring products to complete the space.



Construe 358



Construe 689



Construe 859



Construe 862



Construe 883



Construe 884



Construe 955



Construe 983



Construe 999

| | |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Style Name / Number | Denote / 2B125 |
| Construction | Tufted |
| Surface Appearance | Multi-Colored Patterned Loop |
| Gauge | 1/12" (47.00 rows per 10 cm) |
| Dye Method | 69% Solution Dyed / 31% Yarn Dyed |
| Fiber Type | Colorstrand® Nylon |
| Stain Release Technology | Mohawk Protection Plus Stain |
| Soil Release Technology | Mohawk Protection Plus Soil |
| Primary Backing | Woven Polypropylene |
| Secondary Backing | Weldlok® Plus |
| Indoor Air Quality | Green Label Plus Certified # 3802 |
| NSF 140 | Gold |
| Size | 12' width (3.66 m) |
| Pattern Repeat | 0.6" W x 1.0" L |
| Flammability | ASTM E 648 Class 1 (Glue Down) |
| Smoke Density | ASTM E 662 Less than 450 |
| Static Propensity | AATCC-134 Under 3.5 KV |
| Warranties | Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty Lifetime Limited Colorfastness to Light Warranty 10-Year Limited Colorfastness to Atmospheric Contaminants |

DENOTE

| |
|-----------------------------------------------------------------------------------------|
| Construe / 2B126 |
| Tufted |
| Multi-Colored Patterned Loop |
| 1/12" (47.00 rows per 10 cm) |
| 68% Solution Dyed / 32% Yarn Dyed |
| Colorstrand® Nylon |
| Mohawk Protection Plus Stain |
| Mohawk Protection Plus Soil |
| Woven Polypropylene |
| Weldlok® Plus |
| Green Label Plus Certified # 3802 |
| Gold |
| 12' width (3.66 m) |
| 0.6" W x 1.0" L |
| ASTM E 648 Class 1 (Glue Down) |
| ASTM E 662 Less than 450 |
| AATCC-134 Under 3.5 KV |
| Lifetime Limited Wear Warranty |
| Lifetime Limited Static Protection Warranty |
| Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty |
| Lifetime Limited Colorfastness to Light Warranty |
| 10-Year Limited Colorfastness to Atmospheric Contaminants |

CONSTRUE

| |
|-----------------------------------------------------------------------------------------|
| Classify / 2B127 |
| Tufted |
| Multi-Colored Patterned Loop |
| 1/12" (47.00 rows per 10 cm) |
| 67% Solution Dyed / 33% Yarn Dyed |
| Colorstrand® Nylon |
| Mohawk Protection Plus Stain |
| Mohawk Protection Plus Soil |
| Woven Polypropylene |
| Weldlok® Plus |
| Green Label Plus Certified # 3802 |
| Gold |
| 12' width (3.66 m) |
| 0.6" W x 2.4" L |
| ASTM E 648 Class 1 (Glue Down) |
| ASTM E 662 Less than 450 |
| AATCC-134 Under 3.5 KV |
| Lifetime Limited Wear Warranty |
| Lifetime Limited Static Protection Warranty |
| Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty |
| Lifetime Limited Colorfastness to Light Warranty |
| 10-Year Limited Colorfastness to Atmospheric Contaminants |

CLASSIFY



Up to 2,000 sq. yd. available within 10 business days or less