

Design Medley II combines a mixture of textural overlaid framework grids that interweave and create gradual color changes across the pattern for unique and mergeable installations. Design Medley II features six unique multi-colorations inspired by nature's raw beauty, offering beautiful aesthetics that deliver versatility and functionality in order to adapt to today's design trends in commercial interior spaces.

Design Medley II Tile 988 Brick Ashlar, Walk All Over Tile 989
Cover: Design Medley II Tile 959 Multi-Directional, Grass Valley 4913

With mergeable dyelot carpet tile from Aladdin

Commercial, you can now confidently replace worn out carpet tiles without effecting the look of your spaces.

Carpet tile is great for high traffic areas that require periodic tile replacement due to staining and/or general wear and tear. Design Medley II and the Rediscovery Collection allow mergeability of various dyelots.

To achieve desired results, it is important to follow the instructions for either new or replacement installations.

- Able to install tiles from multiple dyelots
- Minimizes need to purchase large quantities of attic stock
- Easy replacement of tiles
- Readily available for future renovation or expansion
- Multi-Directional install method recommended for optimal results



Walk All Over Tile

- Extends the life and appearance of interior floors.
- Traps excess moisture and dirt at the entrance.
- Enhanced safety against slip and falls.
- Decreased maintenance cost over time.

WalkOff Entryway System

Walked in soil and moisture are the main causes of premature wear and eventual replacement of flooring interiors. Effective placement of Aladdin's walkoff carpet tiles can reduce the amount of soil and moisture entering a facility by up to 91%. This means lowered maintenance costs and extended life for all floor coverings beyond the entry.

Performance Innovations:

Aladdin's walkoff carpet tile are designed specifically to protect facilities against excess dirt and moisture, all while providing enhanced safety with a non-slip surface in high moisture areas.


- Aladdin's walkoff carpet tile engineering provides a Class I fire rating - a key aspect when specifying carpet for retail and general public entryways.
- The use of heavy 'scraper' yarns provides for ideal soil removal and collection. Each square yard can hold up to 5.6 lbs. of sand. That's 2.4 times its normal weight.
- Aladdin's walkoff carpet tiles can be easily cleaned by vacuuming or extracting. You can also remove individual tiles for cleaning or to replace damaged areas.

Grass Valley Collection

Redefining the norm of mixing different materials and styles, Grass Valley offers 11 types of wood mixed with 3 stones. Created with deconstructivism in mind, this collection offers freedom of form and endless opportunities for unique artistic expression.

Features:

- 2.5 mm and 4.2 mm overall thickness
 - 8" x 48" wood planks and 12" x 24" stone tiles
 - 12 and 20 mil wear layer
 - M-Force™ 1 Enhanced Urethane Finish
- FloorScore® Certified
 - 10 Year Limited Commercial Warranty
 - 25 Year Limited Residential Warranty
 - Made in America



4913 Dark Greige



872 Toasted Oak



9817 Flint



9411 Gray Mahogany



938 Good Gray



1843 Sienna Walnut



1714 Natural Mahogany



1357 Natural Cherry



32232 Natural Oak



9140 Silver Oak



9211 White Pine



9112 Gray Matter



941 Warm Gray



358 Stippled Gray

colorSTRAND®

SD NYLON

PERFORMANCE & DESIGN

- Wide variety of colors for excellent design flexibility
- Unsurpassed colorfastness to light and to atmospheric contaminants
- Excellent durability and longevity of color
- Resistant to harsh cleaning agents
- Mohawk Protection Plus Soil & Stain Resistant Technology

SUSTAINABILITY


- Contains an average of 40% pre-consumer recycled content
- CRI Green Label Plus® certified

WARRANTY

- Lifetime Limited Wear Warranty
- Lifetime Static Warranty
- Lifetime Limited Colorfastness To Light Warranty
- 10 Year Limited Colorfastness To Atmospheric Contaminants Warranty
- 10 Year Limited Stain Resistance Warranty

UltraSet®

UltraSet is a premium vinyl carpet tile backing system containing a minimum of 39% recycled content. With over 20 years in the marketplace, its ultra dense construction is engineered to offer superior dimensional stability, high tuft bind that is resistant to edge ravel, and is impervious to moisture, while giving enhanced cushioning properties.



PERFORMANCE

- Unsurpassed dimensional stability - no growing or shrinking
- Constructed with an ultra dense five layer cushion backing system
- Carpet tiles are impervious to moisture damage from spills and water extraction cleaning
- Construction features superior tuft bind that is highly resistant to edge ravel
- Proven performance for over 20 years

INSTALLATION

- Direct glue down installation
- Floating installation using FlexLok Tabs


SUSTAINABILITY

- Minimum of 39% pre-consumer recycled content by total weight
- Contributes to LEED credits
- CRI Green Label Plus certified
- NSF/ANSI 140 Gold Certified

WARRANTY

- Limited Lifetime Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty

Replacing carpet tiles from different dye lots just got easier. With Mergeable Dyelot Carpet from Aladdin Commercial you can now confidently replace worn out carpet tiles without effecting the look of your spaces.



STEP 1

REMOVE WORN TILES

Take up and discard worn out/stained carpet tiles from original installation.

STEP 2

MIX NEW TILES FROM MULTIPLE DYELOTS AND/OR CARTONS

Dye lots will vary slightly so mix them.

STEP 3


BLEND IN OLD AND NEW TILES

Take some unworn tiles from other rooms in the installation, replace them with new tiles, then mix them with the mergeable dyelot tiles and replace the worn out tiles you removed.

Specifications

CARPET TILE	Brand.....	Aladdin Commercial
	Style Name / Number	Design Medley II / 2B137
	Construction.....	Tufted
	Surface Appearance.....	Textured Patterned Loop
	Gauge.....	1/12" (47.00 rows per 10 cm)
	Dye Method.....	100% Solution Dyed
	Fiber Type.....	Colorstrand® SD Nylon
	Stain Release Technology	Sentry Plus Stain Protection
	Soil Release Technology.....	Sentry Soil Protection
	Primary Backing.....	Non Woven Synthetic
	Secondary Backing.....	UltraSet®
	Recycled Content.....	Contains 39% pre-consumer recycled content by total product weight
	Indoor Air Quality.....	Green Label Plus Certified # 1098
	NSF 140.....	Gold
	Size.....	24" x 24" (.6096 m x .6096 m)
	Yds./Ctn	8
	Installation Method.....	Monolithic / Vertical Ashlar / Brick Ashlar / Quarter Turn / Multi Directional
	Flammability.....	ASTM E 648 Class 1 (Glue Down)
	Smoke Density.....	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Warranties.....	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty Lifetime Limited Colorfastness to Light Warranty 10 Year Limited Stain Resistance Warranty 10 Year Limited Colorfastness to Atmospheric Contaminants

Installation Instructions:



Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.mohawkflooring.com 1 800.233.4490

