











Aladdin Commercial is dedicated to sustainability and innovation

By utilizing the most innovative materials and processes, Aladdin Commercial offers comprehensive flooring solutions that are created specifically for commercial interiors.

FIBER

ColorStrand® SD

For over 15 years, ColorStrand fiber has continually exceeded the demanding expectations of our customers for their projects. With the design flexibility and color intensity of solution dyed fiber, ColorStrand delivers lasting beauty and value with a third party SCS Global Services certification of 30% recycled content.

- Excellent durability and longevity of color
- Wide variety of colors for excellent design flexibility

BACKING

UltraSet® Matrix

Aladdin Commercial continues its dedication to sustainable solutions with UltraSet Matrix, the next generation in carpet tile backing. Using advanced materials and patented engineering, UltraSet Matrix lowers environmental impact without sacrificing performance:

- Greatly reduces subfloor moisture concerns and saves money on mitigation
- Worry-free installation with no visible moisture present using our FlexLok Tab System.
- Contains a minimum of 40% pre-consumer recycled content based on total product weight*

^{*}Recycled Content Claim third party verified by UL (Underwriters Laboratory)

Colorways for Within the Details Collection



Fired Brick 257



Olive Tree 657



Oswego Tea 868



Blue Fjord 565



Granite Fog 775



Espresso Beans 989

Specifications

CARPET TILE

l	Brand	Aladdin Commercial	Γ
l	Style Name / Number	Material Sensibility / 2B220	_
l	Construction	Tufted	
l	Surface Appearance	Textured Patterned Multicolor Loop	F
l	Gauge	1/12 (47.00 rows per 10cm)	t
l	Density	5,400	2
l	Dye Method	100% Solution Dyed	Š
l	Fiber Type	ColorStrand® SD Nylon	
l	Stain Release Technology	Mohawk Protection Plus Stain	
l	Soil Release Technology	Mohawk Protection Plus Soil	
l	Primary Backing	Non Woven Synthetic	
l	Secondary Backing	UltraSet® Matrix	
l	Indoor Air Quality	Green Label Plus Certified # 1171	
l	NSF 140	Gold	
l	Size	24" x 24" (.6096 m x .6096 m)	
l	Installation Method	Quarter Turn / Brick Ashlar / Vertical Ashlar	
l		Multi-Directional	
l	Flammability		
l	Smoke Density	(ASTM E 662) <450	
l	Static Propensity		
	Warranties	Lifetime Limited Wear Warranty	
		Lifetime Limited Static Protection Warranty	
		Lifetime Limited Edge Ravel, Zippering,	

10 Year Limited Stain Resistance Warranty 10 Year Limited Colorfastness to Atmospheric Contaminants

Aladdin Commercial	\Box	Brand	.Aladdin Commercial
Material Sensibility / 2B220	_	Style Name / Number	.Rhythmic Wave / 2B221
Tufted	11.6	Construction	. Tufted
Textured Patterned Multicolor Loop	- 1	Surface Appearance	. Textured Patterned Multicolor Loop
1/12 (47.00 rows per 10cm)	ᆸ	Gauge	. 1/12 (47.00 rows per 10cm)
5,400	R P	Density	. 4,909
100% Solution Dyed	CA	Dye Method	
ColorStrand® SD Nylon		Fiber Type	. ColorStrand® SD Nylon
Mohawk Protection Plus Stain		Stain Release Technology	. Mohawk Protection Plus Stain
Mohawk Protection Plus Soil		Soil Release Technology	. Mohawk Protection Plus Soil
Non Woven Synthetic		Primary Backing	Non Woven Synthetic
UltraSet® Matrix		Secondary Backing	. UltraSet® Matrix
Green Label Plus Certified # 1171		Indoor Air Quality	. Green Label Plus Certified # 1171
Gold		NSF 140	. Gold
24" x 24" (.6096 m x .6096 m)		Size	. 24" x 24" (.6096 m x .6096 m)
Quarter Turn / Brick Ashlar / Vertical Ashlar		Installation Method	. Quarter Turn / Brick Ashlar / Vertical Ashlar
Multi-Directional			Multi-Directional
(ASTM E 648) Class 1 (Glue Down)		Flammability	. (ASTM E 648) Class 1 (Glue Down)
(ASTM E 662) <450		Smoke Density	. (ASTM E 662) <450
(AATCC-134) Under 3.5 KV		Static Propensity	. (AATCC-134) Under 3.5 KV
Lifetime Limited Wear Warranty		Warranties	. Lifetime Limited Wear Warranty
Lifetime Limited Static Protection Warranty			Lifetime Limited Static Protection Warranty
Lifetime Limited Edge Ravel, Zippering,			Lifetime Limited Edge Ravel, Zippering,
Delamination, and Dimensional Stability Wa	arrant	у	Delamination, and Dimensional Stability Warranty
Lifetime Limited Colorfastness to Light War	ranty		Lifetime Limited Colorfastness to Light Warranty
10 Year Limited Stain Resistance Warranty			10 Year Limited Stain Resistance Warranty
10 Year Limited Colorfastness to			10 Year Limited Colorfastness to

Atmospheric Contaminants

Installation Instructions:











Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. The use of Mohawk branded adhesives is required to ensure optimum results and are the only approved adhesives warranted by Mohawk. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.AladdinCommercial.com I 800.233.4490





