

CASAVIA

CERAMIC TILE




MOHAWK
PORTICO COLLECTION

CASAVIA

MOHAWK
PORTICO COLLECTION



FLOOR TILE




MEDIUM VARIATION



SCRATCH RESISTANCE



WALL TILE



WEAR RESISTANCE (PEI)



CHEMICAL RESISTANT



REVEAL IMAGING™



BACKSPASHES/
COUNTERTOPS



D.C.O.F. (WET)
SLIP RESISTANCE



RECOMMENDED
GROUT JOINT



GLAZED
CERAMIC



TILE SIZES:

Available in 13" x 13, 18" x 18" floor and 9" x 12" wall

BULLNOSE:

3" x 13" floor bullnose and 3" x 9" wall bullnose

CASAVIA CERAMIC FLOOR



BLANC
T821P-C001



CRÈME
T821P-C002



GRIS
T821P-C003

PRODUCT BY CHANNEL

CERAMIC TILE	REVEAL IMAGING™	DCOF	PEI	SHADE RANGE	FROST RATING	SCRATCH HARDNESS		
	N/A	<0.42	4	Medium V2	Resistant	8		
PORTICO	COLOR	USE	SIZE	SF/CT	PC/CT	LBS/CT	UOM/PL	UNIT
P16589	Blanc	F/W/C	18X18	17.68	8	69.35	424.32	SQ. FT.
P16590	Crème	F/W/C	18X18	17.68	8	69.35	424.32	SQ. FT.
P16591	Gris	F/W/C	18X18	17.68	8	69.35	424.32	SQ. FT.
P16585	Blanc	F/W/C	13x13	16.52	14	55.19	726.88	SQ. FT.
P16586	Crème	F/W/C	13x13	16.52	14	55.19	726.88	SQ. FT.
P16587	Gris	F/W/C	13x13	16.52	14	55.19	726.88	SQ. FT.
P16889	Blanc	W	9X12 Wall	11.25	15	32.51	675	SQ. FT.
P16890	Crème	W	9X12 Wall	11.25	15	32.51	675	SQ. FT.
P16891	Gris	W	9X12 Wall	11.25	15	32.51	675	SQ. FT.
P16892	Blanc	W	3x9 Wall		54	38.88	2592	PC
P16893	Crème	W	3x9 Wall		54	38.88	2592	PC
P16894	Gris	W	3x9 Wall		54	38.88	2592	PC
P16638	Blanc	F/W/C	3x13 BN		32	33.60	1920	PC
P16639	Crème	F/W/C	3x13 BN		32	33.60	1920	PC
P16640	Gris	F/W/C	3x13 BN		32	33.60	1920	PC