

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Mohawk Industries

508 East Morris Street, Dalton, Georgia 30721, United States

For the following product(s):

Vinyl Tile:

ATW25/ Atwell 5.0, Bentwood Tile 2.5, Bentwood Tile 5.0, Bolder 2.5, Bolder 5.0, Chromascope 2.5, Chromascope 5.0, Connectd 2.5, Connectd 5.0, Mycotexture Flex 2.5, Mycotexture Flex 5.0, PMT13/Marriott C Exp 5.0, QIN8/ Quality Inn 5.0, Secoya 2.5, Secoya 5.0, STR07/ Studio Res 5.0, Terrazzo 2.5, Terrazzo 5.0, Transfiguration 2.5, Transfiguration 5.0

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-20343

Valid from: May 29, 2025 to January 31, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board

ACCREDITED

ISO/IEC 17065

PRODUCT CERTIFICATION BODY



A handwritten signature in black ink, appearing to read "Diana Kirsanova Phillips".

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services