




Artisanal

Blended Twist Threaded Craft



The Artisanal Collection was inspired by the introspective and artistic process of creating textiles by hand. Two carpet tile patterns embody rich visuals of varied textures, evoking the quality of a skilled craftsman that is both a designer and a maker. Tiles can be arranged in different patterns or at random. By integrating solid ColorBeat tiles or a range of complementary hard surface flooring, the Artisanal Collection allows you to incorporate your creativity into flooring spaces.



Cover: Blended Twist 879 Dusk, Threaded Craft 879 Dusk (Brick Ashlar Installation)
ColorBeat 996 Black Bean (Border)







Threaded Craft 879 Dusk (Monolithic Installation)



Antiek 931 Nimbus (Random Installation), Blended Twist 879 Dusk (Brick Ashlar Installation)

Living Local COORDINATING LVT

Living Local Premium Wood LVT is a revitalization of our original Living Local collection. The color line showcases our favorite classic colors and now includes some fresh new additions. The plank size is slightly larger and features our M-Force™ Ultra performance.

Premium Wood contains an array of contemporary and classic visuals in a wide range of colors. The diverse line and versatility of this product specification make this the perfect solution for almost any project.



PERFORMANCE

Living Local LVT features M-Force™ Ultra defense technology providing exceptional scratch, puncture and stain resistance for lasting beauty.



MADE IN THE USA

Living Local LVT is made in our US resilient facility, offering industry-leading serviceability and supporting our local economies.



BEYOND CARBON NEUTRAL

Living Local collection is Beyond Carbon Neutral, for a Net-Positive impact.



Premium Wood, 939 Bay Leaf, 989 Lead



ColorBeat

Solid, all loop textured tile available in 48 colors as 24x24 tile with select colors available as 12x36 plank. Install as a border, inset or accent tile.

ColorBeat Colorways

 Lemon Zest 121 <input type="checkbox"/> <input type="checkbox"/>	 Ground Turmeric 142 <input type="checkbox"/> <input type="checkbox"/>	 Mustard Seed 168 <input type="checkbox"/> <input type="checkbox"/>	 Electric Orange 252 <input type="checkbox"/> <input type="checkbox"/>	 Cajun Spice 258 <input type="checkbox"/> <input type="checkbox"/>	 Sundried Tomato 352 <input type="checkbox"/> <input type="checkbox"/>
 Tango 353 <input type="checkbox"/> <input type="checkbox"/>	 Mulled Wine 354 <input type="checkbox"/> <input type="checkbox"/>	 Scarlet 374 <input type="checkbox"/> <input type="checkbox"/>	 Aubergine 384 <input type="checkbox"/> <input type="checkbox"/>	 Kaleidoscope 453 <input type="checkbox"/> <input type="checkbox"/>	 Passion Purple 483 <input type="checkbox"/> <input type="checkbox"/>
 Sterling Gray 529 <input type="checkbox"/> <input type="checkbox"/>	 Kingfisher 545 <input type="checkbox"/> <input type="checkbox"/>	 Jazz 546 <input type="checkbox"/> <input type="checkbox"/>	 Moroccan Tile 555 <input type="checkbox"/> <input type="checkbox"/>	 Hazy 559 <input type="checkbox"/> <input type="checkbox"/>	 Aquatic 566 <input type="checkbox"/> <input type="checkbox"/>
 Indigo Batik 575 <input type="checkbox"/> <input type="checkbox"/>	 National Blue 595 <input type="checkbox"/> <input type="checkbox"/>	 Spanish Moss 629 <input type="checkbox"/>	 Wheatgrass 631 <input type="checkbox"/>	 Limeade 641 <input type="checkbox"/> <input type="checkbox"/>	 Parakeet 646 <input type="checkbox"/> <input type="checkbox"/>
 Calypso 655 <input type="checkbox"/> <input type="checkbox"/>	 Cypress Grove 675 <input type="checkbox"/>	 Zucchini 676 <input type="checkbox"/> <input type="checkbox"/>	 Driftwood 678 <input type="checkbox"/>	 Hemlock 686 <input type="checkbox"/>	 Secret Garden 699 <input type="checkbox"/>
 Eggshell 717 <input type="checkbox"/>	 Toasted Almond 721 <input type="checkbox"/>	 Jute 726 <input type="checkbox"/>	 Malt 758 <input type="checkbox"/> <input type="checkbox"/>	 Latte 833 <input type="checkbox"/>	 Tarnished Brass 841 <input type="checkbox"/> <input type="checkbox"/>
 Tree Bark 862 <input type="checkbox"/> <input type="checkbox"/>	 Henna 863 <input type="checkbox"/> <input type="checkbox"/>	 Portobello 866 <input type="checkbox"/> <input type="checkbox"/>	 Espresso 883 <input type="checkbox"/> <input type="checkbox"/>	 Peppercorn 889 <input type="checkbox"/> <input type="checkbox"/>	 Chalk Dust 917 <input type="checkbox"/> <input type="checkbox"/>
 Lunar 933 <input type="checkbox"/> <input type="checkbox"/>	 Stainless 934 <input type="checkbox"/>	 Graphite 964 <input type="checkbox"/> <input type="checkbox"/>	 Brushed Metal 976 <input type="checkbox"/> <input type="checkbox"/>	 Inkwell 985 <input type="checkbox"/>	 Black Bean 996 <input type="checkbox"/> <input type="checkbox"/>

24BY24

12BY36



Transparency SUSTAINABLE LEADERSHIP

Mohawk Group leads the building products industry in transparency with the largest selection of products with Declare Labels, Health Product Declarations (HPDs), and Environmental Product Declarations (EPDs). What's more, we offer over 500 Red List Free Declared products.



OUR COMMITMENT

As a Gaia sponsor of the International Living Future Institute (ILFI), we are committed to revolutionary programs that are redefining the green building movement. These include the ILFI's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. We offer you:

- The most products with Declare Labels
- The most Red List Free products

We have eliminated the mystery of product ingredients so you get total product transparency.*

Declare.

Nylon Modular Tile on EcoFlex Matrix
Mohawk Group

Final Assembly: Glasgow, VA, USA
Life Expectancy: 15 Years
End of Life Options: Take Back Program (Various Locations), Recyclable

Ingredients:

Coating: Ethylene-Propylene Copolymer, Butadiene Acrylate, Ammonium Lauryl Sulfate, Carbon Black Amorphous, Calcium Carbonate, Limestone, Polypropylene, Tris(2,4-Di-Tert-Butylphenyl) Phosphite, Sodium Polyacrylate Thickener, 2,5-Furandione, Polymer with Ethene and 1-Propene; **Primary:** Polyethylene Terephthalate, Propylene Homopolymer; **Scrim:** Filament Glass Fibers, Polyester, Nylon 6, Carbon Black Amorphous; **Yarn:** Nylon 6, Nylon 6,6, Titanium Dioxide; **Topical:** 2-Propenoic Acid, 2-Methyl-, Butyl Ester, Polymer with Butyl 2-Propenoate and Methyl 2-Methyl-2-Propenoate, Potassium Lauryl Phosphate, 4,4-Dihydroxydiphenylsulfone-Formaldehyde-p-Phenolsulfonic Acid Copolymer

Living Building Challenge Criteria:

MHK-0016	EXP: 01 NOV 2018
VOC Content: N/A	VOC Emissions: CDPH Compliant
Declaration Status	<input checked="" type="checkbox"/> LBC Red List Free
	<input type="checkbox"/> LBC Compliant
	<input type="checkbox"/> Declared

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ declareproducts.com

Mohawk Group utilizes multiple platforms for disclosing our transparency information, including Mindful Materials and the Declare Database.*



*Transparency documentation can be found at mohawkgroup.com



Elemental Edges FINISHING ACCESSORIES



At Mohawk Group we believe in providing project solutions that are easy to select and readily available. Elemental Edges is a complete portfolio of free-to-ship accessories for all your flooring installation and finishing needs. The program is offered in 14 QuickShip colors that coordinate perfectly with our full suite of soft and hard surface products.

Explore more by visiting mohawkgroup.com/products/elemental-edges



Wall Base



Seamlessly coordinate your wall base and Mohawk Group floor covering from our variety of QuickShip wall base offerings.

AVAILABLE IN

- Rubber
- Vinyl
- 4" or 6" in height
- Cove or straight
- 4' lengths or 96' & 120' rolls
- 1/8" gauge
- .080" gauge (4" Cove vinyl)



Installation Accessories



Add a functional finishing touch to your coordinated color scheme with Mohawk Group installation accessories. Proprietary Rubber formulations are shrink and crack-proof, and won't fade, even in direct sunlight.

CHOOSE FROM

- Universal Transitions
- Reducers
- Adaptors
- Cove Stick



Stair Solutions



Specify 12.5" regular tread or 20" integrated tread/riser, available in 48" and 72" lengths. Round and hammered finishes are available with standard square nose. All profiles are available with or without visually impaired strips.

CHOOSE FROM

- Stair Treads
- Resilient Landing Tiles
- Risers
- Nosings



Architectural Wall Base

Complement your space with the rich detail of Elemental Edges Architectural Wall Base, offered in a variety of designs, sizes and running line colors. Superior performance and durability allowing your project finishes to remain remarkable.

AVAILABLE IN

- 8 design profiles
- 14 color-coordinated options

Specifications

Blended Twist BT413
Threaded Craft BT414

DESIGN

Size	24" x 24" (.6096m x .6096m)
Surface Appearance	Textured Patterned Loop
Fiber Type	Colorstrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic / Quarter Turn / Brick Ashlar / Vertical Ashlar / Multi-Directional
Colors Available	6

PERFORMANCE

Construction	Tufted
Gauge	1/12" (47.00 rows per 10cm)
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing Material	EcoFlex Matrix
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV


SUSTAINABILITY

Certification	Living Product Challenge Petal Certified; Declared
Indoor Air Quality	Green Label Plus #1171
NSF 140	Gold
Carbon	Net Positive Carbon (Neutral +5%)
Water	Net Positive Water (Neutral +5%)

SERVICE

Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static
------------	--

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com



877-3RE-CYCL

Produced with recycled materials

Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
1-800-554-6637
mohawkgroup.com

QSART PHOTO BROCHR LT