

Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
800.554.6637
mohawkgroup.com

Assembled Travertine

Angular Layer Slabbed

Assembled Travertine

Assembled Travertine honors stone not only as a material shaped by time, but as an expression of the artisan’s hand. Inspired by the enduring beauty of natural travertine, this LVT collection interprets stone through the lens of craft, exploring how makers engage and transform an ancient material. Like facets carefully chosen and placed, each style in the collection reveals how individual cuts become meaningful composition.

Each available in five soft, organic colorways, the styles can be combined in limitless layouts, bringing refined creativity to contemporary interiors. The 5mm thickness also allows for seamless transitions to soft surface, including Assembled Threads, the coordinating carpet tile collection.

Explore the beauty of making made visible with Assembled Travertine.

Learn more at mohawkgroup.com

Cover: Angular Layer, 838 Sandset, Slabbed, 828 Silt, Custom Installation
Assembled Threads, Threadline, 848 Fawn Felt

Angular Layer, 929 Stratum and Slabbed, 939 Cinder
Assembled Woods, Planked, 128 Goldenrod Oak and Angular Grain, 842 Thistle Oak



Slabbed, 828 Silt, Monolithic
Assembled Threads, Contour Drift, 738 Pebble Stitch, Quarter Turn



Angular Layer, 849 Driftstone
Custom Installation

Angular Layer COLORWAYS

Angular Layer reimagines classic stone parquet through abstracted cuts arranged into a rhythmic 18” x 18” format. The geometry feels intentional yet organic, echoing the quiet precision of hand-set stonework. Light and shadow shift across the surface, creating depth that feels both architectural and warmly tactile.

Slabbed COLORWAYS

In contrast, Slabbed embraces scale and simplicity. Its expansive 18” x 36” format reflects the grandeur of quarried stone, softened by subtle veining and tonal variation. The effect is grounded and elemental—a calm, confident foundation crafted to endure.

Angular Layer



729 Dawn



838 Sandset

Slabbed



719 Veil



828 Silt

Angular Layer



849 Driftstone



929 Stratum



949 Ridge

Slabbed



839 Fossil



919 Mineral



939 Cinder

Angular Layer, 949 Ridge, Slabbed, 939 Cinder, 919 Mineral
Custom Installation



Angular Layer, 729 Dawn, Monolithic
Assembled Threads, Composite Ground, 821 Sand Grain, Brick Ashlar

Limitless Installation Options

Assembled Travertine provides creative freedom for your flooring layouts. Mix the tiles to form completely new patterns. The juxtaposed visuals amp up every design instantly. Below are just a few possibilities.

Framing



Drop Step



Basket Weave




Mixed Herringbone



Mixed Install





Ultra Performance and Worry Free Solutions for Any Project

Assembled Travertine offers a seamless transition to a variety of soft surfaces, helping you meet the needs of different projects. Designed with a 20 mil heavy commercial wear layer and our premium M-Force® Ultra technology, delivering a complete performance system for LVT.



5.0MM FLEX

Reducing installation time and costs, no transition strips are needed between the 5.0mm platform and EcoFlex® ONE or EcoFlex® AIR backed carpet tile.

- May contribute toward LEED/WELL
- UL certified EPD
- HPD Available
- Can be used as a loose lay installation
- No ortho-phthalates
- FloorScore® certified for low VOCs
- Has a high IIC rating
- Hides subfloor imperfections

M-Force® Ultra

Our M-Force® Ultra technology provides exceptional resistance, to scratches, stains and dents and easy maintenance for lasting beauty.

Beyond Carbon Neutral 5

All Mohawk Group products are carbon neutral PLUS an additional 5% handprint for a net-positive impact on the environment.

Elemental Edges
Wall Base

A portfolio of architectural and wall base featuring a range of colors that coordinate with our full product line. Elemental Edges also offers 14 Quickship colors in cove wall base.

Mohawk Group

Angular Layer, 729 Dawn, Quarter Turn
Assembled Threads, Threadline, 738 Pebble Stitch, Quarter Turn



Loomed Harmony, 426 Weathered Oak | HW102 Running Line Rug with Hand Knotted Edge
Slabbed, 828 Silt, Brick Ashlar

Running Line Rug Program

Unlock your creative freedom with our innovative Running Line Rug Program. Dive in and explore our carefully curated styles, mix and match colors, sizes, and edge treatments to create the perfect rug for your space.

Specifications

Angular Layer 5.0mm (C3624)
Slabbed 5.0mm (C3625)

DESIGN

Product Type	Luxury Vinyl Tile - Flexible
Overall Thickness	5mm
Wear Layer	20 mil (0.5mm)
Finish	M-Force® Ultra
Colors	
Angular Layer	5
Slabbed	5
Size	
Angular Layer (Actual & Nominal)	18” x 18”
Slabbed (Actual & Nominal)	18” x 36”
Emboss	Overall
Edge Profile	Squared Edge
Installation & Adhesive	Loose Lay
Packaging	
Angular Layer	12 pcs per carton / 27.02 sq ft per carton / 48 ctns per pallet 20 pallets per container
Slabbed	6 pcs per carton / 27.00 sq ft per carton / 46 ctns per pallet 20 pallets per container
	For detailed adhesive and installation information visit mohawkgroup.com

PERFORMANCE

Construction	Commercial Flexible Luxury Vinyl Tile
Classification	ASTM F1700 - Class III, Type B - Embossed
Squareness	ASTM F2421 - Passes - ±0.10” max
Size and Tolerance	ASTM F2421 - Passes - ±0.016”/linear foot
Thickness	ASTM F386 - Passes, as specified ± .005”
Flexibility	ASTM F137 - Passes - 1” mandrel
Dimensional Stability	ASTM F2199 - Passes - 0.020”/linear foot max
Static Load Limit	ASTM F970 - Passes, modified at 1000 psi
Residual Indentation	ASTM F1914 - Passes, Avg less than 8%, Max Single Reading 10%
Resistance to Chemicals	ASTM F925 - Passes - No more than a slight change
Resistance to Light	ASTM F1515 - Passes, $\Delta E \leq 8$
Resistance to Heat	ASTM F1514 - Passes, $\Delta E \leq 8$
Critical Radiant Flux	ASTM E648 - Class 1 (>0.45 W/cm2)
Smoke Density	ASTM E662 - Meets, 450 or less
Slip Resistance	NFSI B101.1/B101.3 Slip Resistant Certified

SUSTAINABILITY

Certification	FloorScore® Certified
Carbon	Net-Positive Carbon (Neutral +5%)
Recycled Content	Yes

SERVICE

Warranties	Limited 20 Year M-Force® Ultra Commercial For detailed warranty information visit mohawkgroup.com

RECOVER
RECYCLING PROGRAM

Through Mohawk’s ReCover Recycling Program over 160 million pounds of flooring has been diverted from landfills and giving a second life. We accept flooring from any manufacturer and will manage your entire recycling process.