

Rivers and waterways are an intrinsic part of our innate reverence towards nature. As the foundation of life, water sustains humankind, animals and plants, creating unquestionable interconnectivity. A stream or river is more than just the flowing water that can be seen on the surface. Often the smaller facets that are overlooked are the most beautiful and profound.

Crossing Current's biophilic design mimics the natural sediments found along riverbanks and throughout the riverbed.

A selection of 8 colorways reference the nutrient-rich sediment of the Hyporheic zone — the part of the river that supports the ecosystem through natural filtration. Both styles feature a subtle color wash that pays tribute to the mesmerizing natural palette found in the riverbed.





Crossing Current

Beyond its poetic relationship to our waterways, **Crossing Current** is designed for both beauty and performance. At the confluence of the Maury and James rivers in Glasgow, VA, we create these 24" X 24" modular carpet tiles at our Living Site facility using our ColorStrand® solution-dyed nylon fiber and dematerialized EcoFlex™ Matrix backing.



LIVING PRODUCT CERTIFICATION

Produced at our Living
Site, Crossing Current
is Net Positive for both
carbon and water, and
achieves Living Product
Certification from the
International Living Future
Institute by complying with
multiple imperatives of all
seven petals.



MERGEABILITY

Crossing Current is crafted with the mergeability of various dye lots, so ongoing maintenance and selective tile replacement will keep your flooring installation looking great for years to come.

FLEXLOK

EASY INSTALLATION

Worry-free installation with FlexLok tabs that can be installed with no moisture testing, provided no signs of visible moisture are present.



QUICKSHIP

Crossing Current is available through Mohawk Group's QuickShip and Ready to Ship programs. Visit mohawkgroup.com to view available colors and inventories.




SEAMLESS TRANSITIONS

No transition strips are needed when coordinating Crossing Current with any of our 2.5mm LVT products, reducing installation time and costs.

ADDITIONAL FEATURES

- Lifetime Limited Carpet Tile Warranty
- LEED, WELL & LBC Eligible
- Declare Red List Free
- CRI Green Label Plus
- NSF 140 Gold







Coordinated Solutions


Mohawk Group's innovative flooring solutions offer customers a simple specifying experience with different products working together for one purpose. Complete your project with ease with coordinated products and colors across our full portfolio of soft and resilient flooring, as well as finishing accessories.

LIVING LOCAL STONEWORK

Crossing Current can be paired seamlessly with our hard surface 2.5mm LVT products like Living Local Stonework. This worry-free solution offers design flexibility and superior performance to create beautiful, productive spaces.



Stonework 985 Stamped Concrete



Refined Pass 989 Dakota



ELEMENTAL EDGES

Elemental Edges is a complete portfolio of free-to-ship accessories for all your flooring installation and finishing needs. The program is offered in 14 QuickShip colors that coordinate perfectly with the Crossing Current collection, allowing for a full flooring solution that is easy to select and readily available.



Refined Pass 989 Dakota





Wall Base 002 Night Skies



Filtering Form colorways


Filtering Form is an overall texture that simulates the distribution of water and sediment.







Refined Pass colorways

Refined Pass is a larger scale pattern that retraces the flow of the current and the exchange of nutrients in the river.





Elemental Edges finishing accessories



At Mohawk Group we believe in providing project solutions that are easy to select and readily available. Elemental Edges is a complete portfolio of freeto-ship accessories for all your flooring installation and finishing needs. The program is offered in 14 QuickShip colors that coordinate perfectly with our full suite of soft and hard surface products.

Explore more by visiting mohawkgroup.com/products/elemental-edges



Wall Base



Seamlessly coordinate your wall base and Mohawk Group floor covering from our variety of QuickShip wall base offerings.

AVAILABLE IN

- Rubber
- Coved or straight
- 1/8" gauge

- Vinyl
- 4' lengths or 96' & 120'
- .080" gauge (4" Cove vinyl)

- 4" or 6" in height

Installation Accessories



Add a functional finishing touch to your coordinated color scheme with Mohawk Group installation accessories. Proprietary Rubber formulations are shrink and crack-proof, and won't fade, even in direct sunlight.

CHOOSE FROM

- Universal Transitions
- Reducers
- Adaptors
- Cove Stick



Stair Solutions



Specify 12.5" regular tread or 20" integrated tread/riser, available in 48" and 72" lengths. Round and hammered finishes are available with standard square nose. All profiles are available with or without visually impaired strips.

CHOOSE FROM

- Stair Treads
- Resilient Landing Tiles
- Risers
- Nosings



Architectural Wall Base

Complement your space with the rich detail of Elemental Edges Architectural Wall Base, offered in a variety of designs, sizes and running line colors. Superior performance and durability allowing your project finishes to remain remarkable.

AVAILABLE IN

- 8 design profiles
- 14 color-coordinated options

Specifications

Refined Pass (BT582) Filtering Form (BT583)

DESIGN

Size 24" x 24" (.6096m x .6096m)

Surface Appearance Patterned Loop
Fiber Type Colorstrand® SD Nylon

Dye Method Solution Dyed
Installation Methods Quarter Turn / Brick Ashlar / Multi-Directional

Installation Methods Colors Available

Refined Pass 8 Filtering Form 8

PERFORMANCE

Construction Tufted

Gauge 1/12" (47.00 rows per 10cm)
Stain Release Technology EcoSentry Plus Stain Protection
Soil Release Technology EcoSentry Soil Protection

Backing Material EcoFlex™ Matrix

Flammability ASTM E 648 - Class 1 (Glue Down)
Smoke Density ASTM E 662 - Less than 450
Static Propensity AATCC - 134 Under 3.5 KV

SUSTAINABILITY

Certification Living Product Challenge Petal Certified; Declare Red List Free

Indoor Air Quality Green Label Plus Certified #1171

NSF 140 Gold

Carbon Net Positive Carbon Water Net Positive Water

SERVICE

Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness

to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants,

10 Year Stain Warranty, 10 Year Limited Static

Installation Instructions

Quarter Turn I ↑ ↑ → ↑

Brick Ashlar



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared property. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com











