

Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
800.554.6637
mohawkgroup.com

Hot & Heavy II

Neutral Timber 2.5 Neutral Timber 5.0

Neutral Timber 2.5 | 5.0

In busy spaces, calm can be a powerful design choice. Neutral Timber 2.5 | 5.0 brings that sense of quiet balance to commercial interiors, with oak visuals that are refined, linear, and understated. Free from knots and prominent graining, the look remains clean and serene—never competing for attention, always grounding the environment.

Neutral Timber 2.5 | 5.0 is ideal for creating seamless continuity across spaces. As part of the Hot & Heavy II collection, the style is available in 2.5mm and 5.0mm thicknesses, which eliminates the need for transition strips to any of our carpet tile products. For even easier coordination, the palette was designed to harmonize with our latest soft surface collections.

Delivering calm aesthetics and thoughtful design solutions, Neutral Timber 2.5 | 5.0 steadies the spaces it inhabits. A quiet foundation for a world in motion.

Learn more at mohawkgroup.com

Cover: Neutral Timber 2.5, 811 Canvas Oak, 828 Harvest Oak, 868 Umber Oak



Ultra Performance and Worry-Free Solutions for Any Project

Neutral Timber is available in two thicknesses, offering a seamless transition to a variety of soft surfaces and helping you meet the needs of different projects. All products are designed with a 20 mil heavy commercial wear layer and our premium M-Force® Ultra technology, which delivers a complete performance system for LVT.

M-Force® Ultra


Hot & Heavy II features our M-Force® Ultra technology providing exceptional scratch, stain and dent resistance, and easy maintenance for lasting beauty.

Quicker Installation

The 5.0 thickness can be installed loose-lay; larger areas need only a perimeter spread of releasable adhesive. The 2.5 thickness can be installed with the same releasable adhesive. No wet-set installation needed.

Beyond Carbon Neutral +5


All our flooring products go Beyond Carbon Neutral, meaning they are 100% carbon neutral plus an additional 5% carbon offset for a Net-Positive impact.



2.5MM FLEX

Reducing installation time and costs, no transition strips are needed between the 2.5mm platform and EcoFlex® Matrix backed carpet tile products. The 2.5mm tiles use the same releasable adhesive as the 5.0mm tiles. No wet-set installation is needed.

- May contribute toward LEED/WELL
- UL certified EPD
- No ortho-phthalates
- FloorScore® certified for low VOCs



5.0MM FLEX

Reducing installation time and costs, no transition strips are needed between the 5.0mm platform and EcoFlex® ONE or EcoFlex® AIR backed carpet tile products. The 5.0mm tiles may be installed loose-lay; areas larger than 20’ in any direction require a perimeter spread of releasable adhesive. The added thickness reduces telegraphing of subfloor imperfections.

- May contribute toward LEED/WELL
- UL certified EPD
- No ortho-phthalates
- FloorScore® certified for low VOCs

Neutral Timber 2.5, 828 Harvest Oak, 848 Cocoa Oak



Neutral Timber 2.5, 917 Cloud Oak

Colorways

From warm undertones to cooler neutrals, the seven colorways of Neutral Timber 2.5 | 5.0 work seamlessly with any project palette. The tones also coordinate with our carpet collections, allowing a unified design language across spaces with different flooring types.



811 Canvas Oak



828 Harvest Oak



848 Cocoa Oak



868 Umber Oak



917 Cloud Oak



949 Smoked Oak



979 Midnight Oak



Neutral Timber 2.5, 917 Cloud Oak, 979 Midnight Oak



Deep Tint, 132 Golden Honey, 359 Charred Cherry, 517 Frosted Sky, 525 Harbor Blue, 631 Citrus Leaf
Whisper Grain, 816 Meadow Grain, 915 Glacier Grain

Tinted Timber COORDINATING COLLECTION

Expand your palette into colorful dimensions by pairing Neutral Timber 2.5 with its sister collection, Tinted Timber. The two styles of Tinted Timber offer oak visuals with subtle to saturated infusions of color, bringing creative expression to any space.



Elemental Edges WALL BASE

Elemental Edges is a portfolio of architectural and wall base for your finishing needs. Featuring a range of colors that coordinate with our full product line, Elemental Edges also offers 14 stocked colors in cove wall base.

Specifications

Neutral Timber 2.5mm (C2138)
Neutral Timber 5.0mm (C2139)

DESIGN

Product Type	Luxury Vinyl Tile - Flexible
Overall Thickness	2.5mm 5.0mm
Wear Layer	20 mil (0.5mm)
Finish	M-Force® Ultra
Colors	7
Size	
2.5mm Actual	7” x 48”
2.5mm Nominal	7” x 48”
5.0mm Actual	9.84” x 59.60”
5.0mm Nominal	10” x 60”
Emboss	Overall
Edge Profile	Squared Edge
Installation & Adhesive	2.5mm Glue Down 5.0mm Loose Lay
Packaging	
2.5mm	18 pcs per carton / 41.994 sq ft per carton / 60 ctns per pallet
5.0mm	6 pcs per carton / 24.22 sq ft per carton / 68 ctns per pallet

For detailed adhesive and installation information visit mohawkgroup.com

PERFORMANCE

Construction	Commercial Flexible Luxury Vinyl Tile
Classification	ASTM F1700 - Class III, Type B - Embossed
Squareness	ASTM F2421 - Passes - ±0.10” max
Size and Tolerance	ASTM F2421 - Passes - ±0.016”/linear foot
Thickness	ASTM F386 - Passes, as specified ± .005”
Flexibility	ASTM F137 - Passes - 1” mandrel
Dimensional Stability	ASTM F2199 - Passes - 0.020”/linear foot max
Static Load Limit	ASTM F970 - Passes, modified at 1000 psi
Residual Indentation	ASTM F1914 - Passes, Avg less than 8%, Max Single Reading 10%
Resistance to Chemicals	ASTM F925 - Passes - No more than a slight change
Resistance to Light	ASTM F1515 - Passes, $\Delta E \leq 8$
Resistance to Heat	ASTM F1514 - Passes, $\Delta E \leq 8$
Critical Radiant Flux	ASTM E648 - Class 1 (>0.45 W/cm2)
Smoke Density	ASTM E662 - Meets, 450 or less
Slip Resistance	NFSI B101.1/B101.3 Slip Resistant Certified

SUSTAINABILITY

Certification	FloorScore® Certified
Carbon	Net-Positive Carbon (Neutral +5%)
Recycled Content	Yes

SERVICE

Warranties	Limited 20 Year M-Force® Ultra Commercial

For detailed warranty information visit mohawkgroup.com

RECOVER
RECYCLING PROGRAM

Give your old flooring a second life with our award-winning ReCover Recycling Program. We will take away flooring made by any manufacturer, recycle it for you, and provide a certificate showing your positive impact on the planet.