



# Hot & Heavy

Grown Up





Grown Up is the newest addition to Hot & Heavy, our award winning collection of loose lay enhanced resilient tile. European hardwood visuals receive Emboss-In-Register texture to match the grain beautifully, providing the most realistic and distinctive visual of long-plank hardwoods on the market today. Grown Up boasts a phthalate-free construction made with a minimum 8% of rapidly renewable bio-based content. Hefty 5 mm planks create a seamless transition to carpet and offer excellent acoustics, while the oversize, loose lay format ensures a quick installation.



Grown Up 138 Kingsley  
Cover: Grown Up 758 Hermes and 958 Cole





Mohawk Group



Grown Up 958 Cole



Grown Up 758 Hermes





Mohawk Group

Grown Up Colorways



132 Vera



138 Kingsley



241 Knox



322 Finn



358 Jackson



628 Lenox



758 Hermes



851 Butler



853 Emerson



958 Cole


Grown Up 758 Hermes, 958 Cole





# Moving Floors

Designed to change dynamically based on the user's point of view, Moving Floors was inspired by the geometry and illusion of op-art and the multi-layered and dimensional beauty of our cultural landscape. This collection empowers designers to create kinetic floor scapes through limitless combinations of geometric patterning and coordinating textured solids. Available in five unique patterns across ten style dependent colorways in a 24" x 24" tile size.



Grown Up 138 Kingsley, Diagonal Relief 846 Teak

Plane High, Plane Low, Fade Relief, Diagonal Relief 656 Green, Plane Low 929 Light Grey



# Grown Up

LOOSE LAY ERT

## PERFORMANCE


- Emboss-In-Register texture over high definition wood visuals to create one of the most realistic loose lay resilient planks in the industry today
- Oversized 9" x 59" planks install over large areas quickly
- 5mm overall thickness and 20 mil commercial wear layer for superior durability
- M-Force™ Enhanced Urethane finish for stain and wear resistance
- Twice as thick as traditional enhanced resilient tile for seamless transition with Mohawk Group carpet tiles
- Non-skid backing keeps tiles in place
- Minimum of 8% bio-based rapidly renewable resource content by total product weight helps avoid harmful phthalates

## LOOSE LAY ERT CONSTRUCTION

Hot & Heavy loose lay enhanced resilient tile features a 20 mil commercial wear layer, M-Force™ Enhanced Urethane and polish-optional finish for versatile, cost-effective maintenance. The weight of the product and the unique non-skid backing texture allows for loose lay installation.

## LOOSE LAY SELLING FEATURES

- Install with Mohawk recommended adhesives and Mohawk AccuSound™ underlayment for improved sound absorption.



# Specifications

## Grown Up C0075

### DESIGN

Size	9" x 59" (228.6mm x 1516.9mm)
Overall Gauge	.20" (5mm)
Wear Layer	20 mil (0.5mm)
Finish	M-Force™ Enhanced Urethane
Texture	Emboss-In-Register
Colors Available	10
Packaging	22.4 sq. ft. per carton / 6 pcs per carton / 40.77 lbs per carton

### PERFORMANCE

Construction	Commercial Grade Loose Lay Enhanced Resilient Tile
Classification	ASTM F-1700 - Class III, Type A - Smooth, Type B - Embossed
Squareness	ASTM F2055 - Passes - 0.010 in. max
Size and Tolerance	ASTM F2055 - Passes - ± 0.016 in. per linear foot
Thickness	ASTM F386 - Passes - Nominal ± 0.005 in.
Flexibility	ASTM F137 - Passes - ≤ 1.0 in. mandrel
Dimensional Stability	ASTM F2199 - Passes - ≤ 0.020 in. per linear foot
Static Load Limit	ASTM F970 - Passes - modified - 1000 psi
Residual Indentation	ASTM F1914 - Passes - Average less than 8%
Resistance to Chemicals	ASTM F925 - Passes - No Change or Slight Change
Resistance to Light	ASTM F1515 - Passes - ΔE < 8
Resistance to Heat	ASTM F1514 - Passes - ΔE < 8
Critical Radiant Flux	ASTM E648 - Passes - >.45 watts/cm², Class 1
Smoke Density	ASTM E662 Part A - < 450

### SUSTAINABILITY

Certification	FloorScore® Certified
Renewable Resource Content	Minimum of 8% bio-based rapidly renewable resource content by total product weight

\*For detailed warranty, adhesive and installation information visit [mohawkgroup.com](http://mohawkgroup.com)



