



Hot & Heavy

Metal



Metal loose lay luxury vinyl tile's 18" x 36" format creates bold installations with innovative modern textures. With pops of metallic sheen, this flooring solution appears multi-dimensional and coordinates beautifully with Iconic Earth and other Mohawk Group carpet collections for textural layering and harmonic patterning.



Cover: Metal 859 On The Line





Metal

LOOSE LAY LVT

PERFORMANCE


- 12 Metal colors deliver a comprehensive and versatile resilient tile collection
- Oversized 18" x 36" tiles install over large areas quickly
- 5mm overall thickness and 20 mil commercial wear layer for superior durability
- M-Force™ Ultra finish for stain and wear resistance
- Twice as thick as traditional LVT for seamless transition with Mohawk Group carpet tiles
- Non-skid backing keeps tiles in place

LOOSE LAY LVT CONSTRUCTION

Hot & Heavy loose lay luxury vinyl tile features a 20 mil commercial wear layer, M-Force™ Ultra and polish-optional finish for versatile, cost-effective maintenance. The weight of the product and the unique non-skid backing texture allows for loose lay installation.

LOOSE LAY SELLING FEATURES

- Install with Mohawk recommended adhesives and Mohawk AccuSound™ underlayment for improved sound absorption.



Metal

COLORWAYS



352 Golden Yellow



258 Viva Gold



268 My Precious



353 Rave Red



464 Vogue Violet



525 Freshwater Blue



556 Tempo Teal



631 Lemon Lime



585 Blue Steel



859 On The Line



929 Proper Gray



959 So Fetch






Metal 585 Blue Steel, Biomorph 955 Medium Cool Grey



Metal 859 On The Line, Metalmorphic 358 Classic Ridge Metallic

Iconic Earth COORDINATING CARPET TILE

Iconic Earth is a carpet tile collection with patterns that draw inspiration from natural stone formations. The stone visuals celebrate natural processes of geology with pops of sheen morphing and shifting throughout the floor. The Iconic Earth Collection features innovative metallic yarns allowing for a unique lustrous effect that mimics the look of oxidized minerals.



- Available in three styles: Metalmorphic, Drifted Ground and Statement Stone
- Metalmorphic and Drifted Ground available as 12" x 36" Carpet Planks
- Statement Stone available as 24" x 24" carpet tile
- ColorStrand® Nylon
- EcoFlex™ Matrix Backing
- NSF/ANSI 140 Gold



Metalmorphic 358 Classic Ridge Metallic



Floor 1
Men's
Women's
Women's Fitting Rooms

Floor 2
Men's
Women's
Kids' Store
Kids' Shoes
Kids' Outerwear
Kids' Accessories

Specifications

Metal (C0059)

DESIGN

Product Type	Luxury Vinyl Tile - Flexible
Size	457.2 mm x 914.4 mm (actual) 18"W x 36"L (nominal)
Overall Thickness	.2" (5mm)
Wear Layer	20 mil (.5mm)
Finish	M-Force™ Ultra
Edge Profile	Straight Edge
Emboss	Overall
Colors Available	12
Packaging	18 sqft per carton / 4 pcs per carton / 34 lbs per carton

*For detailed warranty, adhesive and installation information visit mohawkgroup.com

PERFORMANCE

Construction	Commercial Grade Flexible LVT
Installation	Floating / Loose Lay
Classification	ASTM F1700 - Class III, Type A - Smooth, Type B - Embossed
Squareness	ASTM F2055 - Passes - 0.010 in. max
Size and Tolerance	ASTM F2055 - Passes - ± 0.016 in. per linear foot
Thickness	ASTM F386 - Passes - as specified ± 0.005 in. (± 0.13 mm)
Flexibility	ASTM F137 - Passes - ≤ 1.0 in., no cracks or breaks
Dimensional Stability	ASTM F2199 - Passes - ≤ 0.024 in. per linear foot
Residual Indentation	ASTM F1914 - Passes - Average less than 8%
Resistance To Chemicals	ASTM F925 - Passes - No Change or Slight Change
Resistance To Light	ASTM F1515 - Passes - $\Delta E \leq 8$
Resistance To Heat	ASTM F1514 - Passes - $\Delta E \leq 8$
Critical Radiant Flux	ASTM E648 - Passes - ≥ 0.45 watts/cm ² , Class 1

SUSTAINABILITY

Certification	FloorScore® certified
Carbon	Net Positive Carbon (Neutral +5%)

Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
1-800-554-6637
mohawkgroup.com

C0059 12PAG BROCHR LT