



Art Style

Metallic Path Shared Path



Art, in any form, has the power to advance human connection in an increasingly fragmented world. As a universal language and change agent, art intervenes to inspire, heal and unite. Mohawk Group celebrates the interconnectivity of artistic form and expression with an imaginative collection of products with universal appeal. Representing a truly global product launch, the patterns, textures and colors originate from unexpected art interventions. Manufactured in our facilities around the world, these products are globally accessible.

Metallic Path Shared Path

Designers often choose the path less taken to create memorable spaces. Art Style's product duo makes the journey more exciting with Shared Path, a nuanced textured pattern with universal appeal and Metallic Path which adds a luminous metallic accent yarn to the product. Mohawk Group believes design can be transformative, and we invite you to create your own art intervention with Art Style.





Metallic Path 559 Cadet Blaze, Shared Path 569 Cadet (Random)
Cover: Metallic Path 949 (Half-Lap)



Metallic Path Colorways



Metallic Path 559 Cadet Blaze



Metallic Path 859 Fallow Reflection



Metallic Path 929 Platinum Gleam



Metallic Path 939 Ecru Glimmer



Metallic Path 949 Slate Burst



Metallic Path 979 Charcoal Spark

Shared Path Colorways



Shared Path 569 Cadet



Shared Path 853 Fallow



Shared Path 924 Platinum



Shared Path 958 Ecru



Shared Path 959 Slate



Shared Path 989 Charcoal





Shared Path 959 Slate, 989 Charcoal (Basket Weave) and Metal 959 So Fetch (Monolithic)

Hot & Heavy

COLLECTION

Metal enhanced resilient tile, 18"x36" loose lay format creates bold installations with innovative modern textures. Drawing inspiration from oxidized metal textures, Metal is beautiful, versatile and eclectic. With pops of sheen, this flooring solution appears multi-dimensional and coordinates beautifully with Art Style and other Mohawk collections for textual layering and a total flooring solution that transitions seamlessly from space to space.



METAL

The natural oxidation of metal when exposed to the elements inspires this pattern, which is available in twelve colors.

- Loose Lay ERT with a 20 mil wear layer and 0.20"/5mm gauge create durability that holds up under heavy commercial traffic
- M-Force™ Enhanced Urethane finish provides the utmost in longevity and extends the life of the product
- Twice as thick as conventional ERT and heavy enough to keep tiles in place
- Built-in enhanced acoustical layer for sound reduction in high traffic areas, eliminating the need for underlayment
- Non-skid backing ensures post-installation movement is minimized
- Installs quickly with only perimeter glue
- Quickship available
- Limited 10 year commercial warranty






Installation Inspirations


The installation ideas featured here are a small sampling of the infinite possibilities offered in the Art Style Collection.



Metallic Path 559 Cadet Blaze (Basket Weave)




Metallic Path 949 Slate Burst (Monolithic Stepping)






Shared Path 959 Slate, 989 Charcoal (Random)



Shared Path 959 Slate, 989 Charcoal (Basket Weave)





Shared Path 924 Platinum. Disruptive Path 915 Blue Dusk (Monolithic Stepping)

Colorstrand FIBER

For over 15 years, Colorstrand fiber has continually exceeded the demanding expectations of our customers for their projects. With the design flexibility and color intensity of solution dyed fiber, Colorstrand delivers lasting beauty and value. And, Colorstrand has the added benefit of third party SCS Global Services certified 30% recycled content.

PERFORMANCE

- Unsurpassed colorfastness to light, atmospheric contaminants, and harsh cleaning agents in Colorstrand SD
- EcoSentry Plus Soil and Stain protector keeps your investment looking newer longer
- Can be engineered to achieve the most severe TARR ratings

BUDGET

- Internally extruded fiber allows cost control of products
- Numerous broadloom and modular products available at value engineered budgets

SUSTAINABILITY

- Colorstrand contains a minimum of 30% pre-consumer recycled content by total weight*
- Mohawk products tufted with Colorstrand are CRI Green Label Plus® certified for VOC emissions
- Recyclable through Mohawk's ReCover Program

DESIGN

- A wide variety of colors for excellent design flexibility

SERVICE

- Quickship Styles available within 10 days providing what you need when you need it
- 100% vertically integrated providing unsurpassed lead times and service reliability

*Recycled content claim third party verified by SCS Global Services



EcoFlex[™] NXT

CARPET TILE BACKING

EcoFlex NXT is a polyolefin carpet tile backing that is up to 40% lighter than similar competitive products, making it easier to install and less expensive to ship. It also incorporates a minimum of 35% pre-consumer recycled content.

PERFORMANCE


- Provides permanent tile dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Main body of tile provides an effective moisture barrier (not applicable at the seams)
- Available on select running line products and on special order basis with low minimums on all Mohawk carpet tile product
- Construction features superior tuft bind that is highly resistant to edge ravel

SUSTAINABILITY

- Contains no plasticizers
- Contains a minimum of 35% pre-consumer recycled content based on total product weight**
- Certified at the Gold Level in accordance with NSF/ANSI 140
- EcoFlex NXT may contribute to or comply with LEED®, WELL and Living building Challenge
- CRI Green Label Plus certified
- Declare Red List Free
- Recyclable through Mohawk's ReCover program

INSTALLATION

- Simplifies complex floor preparation with no need to encapsulate old adhesives*
- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our Flexlok Tab System
- Superior construction offers reliability for the life of your installation



*Consult Mohawk Group Installation Instructions for any applicable restrictions
**Recycled content claim third party verified by UL (Underwriters Laboratory)

Transparency

SUSTAINABLE LEADERSHIP

Mohawk Group leads the building products industry in transparency with the largest selection of products with Declare Labels, Health Product Declarations (HPDs), and Environmental Product Declarations (EPDs). What’s more, we offer over 500 Red List Free Declared products.



OUR COMMITMENT

As a Gaia sponsor of the International Living Future Institute (ILFI), we are committed to revolutionary programs that are redefining the green building movement. These include the ILFI’s Living Building Challenge and Declare programs.

Declare Labels are a ‘nutrition label’ for the building industry, providing ingredients, source and manufacturing locations. We offer you:

- The most products with Declare Labels
- The most Red List Free products

We have eliminated the mystery of product ingredients so you get total product transparency.*

Commercial Nylon Modular Tile on EcoFlex NXT
Mohawk Group

Final Assembly: Glasgow, VA, USA
Life Expectancy: 15 Years
End of Life Options: Take Back Program (Various Locations)
Ingredients:

Coating: Limestone, Ethylene-Propylene Copolymer, Butadiene Acrylate, Tackifier, Propylene Homopolymer, Polyethylene, Ammonium Lauryl Sulfate, Carbon Black Amorphous, Sodium Polyacrylate Thickener, Calcium Carbonate, Ethylene Maleic Anhydride Copolymer; **Primary:** Polyethylene Terephthalate, Propylene Homopolymer; **Scrim:** Filament Glass Fibers, Modified Acrylic Copolymer; **Yarn:** Nylon 6, Nylon 6,6, Titanium Dioxide; **Topical:** 2-Propenoic Acid, 2-Methyl-, Butyl Ester, Polymer with Butyl 2-Propenoate and Methyl 2-Methyl-2-Propenoate, Potassium Lauryl Phosphate, 4,4-Dihydroxydiphenylsulfone-Formaldehyde-p-Phenolsulfonic Acid Copolymer; **Dyes:** Red Colorant, Yellow Colorant, Black Colorant, Blue Colorant, Orange Colorant, Red Colorant, Yellow Pigment

Living Building Challenge Criteria:

MHK-3009
VOC Content: N/A

Declaration Status

VOC Emissions: CDPH Compliant
☒ LBC Red List Free
☐ LBC Compliant
☐ Declared

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ declareproducts.com

Mohawk Group utilizes multiple platforms for disclosing our transparency information, including: Mindful Materials and the Declare Database.”



*Transparency documentation can be found at mohawkgroup.com




Visual Interactive Studio

Mohawk Group's VISUAL INTERACTIVE STUDIO (VIS) offers a suite of design services to help you craft and perfect every aspect of your flooring selection.

Visit our website to customize the colors of a range of carpet patterns with our Ready to Design tool, or create striking layouts in carpet tile with the DesignFlex Visualizer. The VIS can provide hi-res renderings of 2D floor perspectives and 3D room scenes for all your design needs.

The Ready to Design color customization tool provides you with the creative flexibility you want, the ability to order the quantity you need—without excessive minimum purchase requirements—and speedy delivery options!

At our showrooms, you can explore your flooring options in photorealistic environments with our state-of-the-art, fully immersive virtual reality system. Contact your local Mohawk Group sales representative to experience this amazing VR tool for yourself.



To learn more or to get started on your next project, visit us at mohawkgroup.com

Specifications

Art Style Collection
Metallic Path/ BT431 / QB429
Shared Path / BT429 / QB429

DESIGN

Size	12" x 36" (.3048 m x .9144 m)
Surface Appearance	Level Multi-Colored Patterned Loop
Fiber Type	Colorstrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	
Metallic Path	Monolithic, Monolithic Stepping, Half-Lap, Plank Half-Lap, Brick Ashlar, Random, Herringbone, Basket Weave
Shared Path	Monolithic, Monolithic Stepping, Half-Lap, Plank Half-Lap, Brick Ashlar, Random, Herringbone, Basket Weave
Colors Available	
Metallic Path	6
Shared Path	6

PERFORMANCE

Construction	Tufted
Gauge	1/12" (47.00 rows per 10cm)
Stain Release Technology	EcoSentry Plus Stain Protection
GSA Stain Release Technology	Passes
Soil Release Technology	EcoSentry Soil Protection
Backing Material	EcoFlex NXT
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV


SUSTAINABILITY

Certification	Declare Red List Free
Indoor Air Quality	Green Label Plus #1171
NSF 140	Gold

SERVICE

Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static
------------	--

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com



