



Sketch Effect

Framed Structure Shaded Lines





Shaded Lines 937 Steel (Quarter Turn Installation)
Opposite: Framed Structure 937 Steel (Monolithic Installation)
Cover: Shaded Lines 937 Steel, 979 Pencil Lead (Vertical Ashlar Installation)



Living Local COORDINATING LVT

Living Local celebrates the vibrant spirit of our local communities. Proudly manufactured in the USA, this collection features two product formats and multiple styles that work seamlessly together, including 6" X 48" wood planks and 12" X 24" stone, terrazzo and abstract visuals. All styles in this collection feature our M-Force Ultra technology, providing a complete performance system for LVT. All commercial LVT, including Living Local are manufactured using our SCS Certified 100% recycled content allocation system. Living Local, living beautifully.



20-YEAR WARRANTY

Living Local LVT features M-Force Ultra technology, backed by our Limited 20-Year M-Force Ultra Warranty.




MADE IN THE USA

Living Local collection is proudly manufactured in Dalton, GA and helps to support our local economies.



BEYOND CARBON NEUTRAL

Living Local collection is Beyond Carbon Neutral, for a Net-Positive impact.



Stonework 925 Tinsmith, Terrazzo 725 Randazzo, Optic Hues 698 Indigo, Chromascope 910 Winter Mood

EcoFlex[™] Matrix SUSTAINABLE CARPET TILE BACKING

Mohawk Group continues its dedication to sustainable solutions with EcoFlex[™] Matrix, the next generation in carpet tile backing. Using advanced materials and patent pending engineering, EcoFlex Matrix lowers environmental impact without sacrificing performance. EcoFlex Matrix simplifies floor preparation and installation, greatly reduces sub-floor moisture concerns, and is easier to ship and handle.

PERFORMANCE


- Provides permanent dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Up to Lifetime Limited Carpet Tile Warranty for: Wear, Static Protection, Edge Raveling/Zippering, Delamination, Dimensional Stability*
- Seamless transitions between carpet and hard surface flooring with Mohawk Group's 2.5mm ERT resilient products

INSTALLATION

- Simplifies complex floor preparation with no need to encapsulate old adhesives**
- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our Flexlok Tab System
- Superior construction offers reliability for the life of your installation

SUSTAINABILITY

- EcoFlex Matrix is manufactured using less energy than other carpet tile products
- Polyolefin backing contains no plasticizers
- Contains a minimum of 40% pre-consumer recycled content based on total product weight***
- May contribute to or comply with LEEDv4, Living Building Challenge, and WELL Building Standard
- CRI Green Label Plus certified
- Declare Red List Free
- Recyclable through Mohawk's ReCover Program
- Able to ship more per box resulting in a lower environmental impact from transportation



* Lifetime or 10 Year Limited Warranty varies by fiber type. Please see specifications for details

**Consult Mohawk Group Installation Instructions for any applicable restrictions

***Recycled content claim third party verified by UL (Underwriters Laboratory)



Transparency SUSTAINABLE LEADERSHIP

Mohawk Group leads the building products industry in transparency with the largest selection of products with Declare Labels, Health Product Declarations (HPDs), and Environmental Product Declarations (EPDs). What's more, we offer over 500 Red List Free Declared products.



OUR COMMITMENT

As a Gaia sponsor of the International Living Future Institute (ILFI), we are committed to revolutionary programs that are redefining the green building movement. These include the ILFI's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. We offer you:

- The most products with Declare Labels
- The most Red List Free products

We have eliminated the mystery of product ingredients so you get total product transparency.*



Nylon Modular Tile on EcoFlex Matrix Mohawk Group

Final Assembly: Glasgow, VA, USA
Life Expectancy: 15 Years
End of Life Options: Take Back Program (Various Locations), Recyclable

Ingredients:

Coating: Ethylene-Propylene Copolymer, Butadiene Acrylate, Ammonium Lauryl Sulfate, Carbon Black Amorphous, Calcium Carbonate, Limestone, Polypropylene, Tris(2,4-Di-Tert-Butylphenyl) Phosphite, Sodium Polyacrylate Thickener, 2,5-Furandione, Polymer with Ethene and 1-Propene; **Primary:** Polyethylene Terephthalate, Propylene Homopolymer; **Scrim:** Filament Glass Fibers, Polyester, Nylon 6, Carbon Black Amorphous; **Yarn:** Nylon 6, Nylon 6,6, Titanium Dioxide; **Topical:** 2-Propenoic Acid, 2-Methyl-, Butyl Ester, Polymer with Butyl 2-Propenoate and Methyl 2-Methyl-2-Propenoate, Potassium Lauryl Phosphate, 4,4-Dihydroxydiphenylsulfone-Formaldehyde-p-Phenolsulfonic Acid Copolymer

Living Building Challenge Criteria:

MHK-0016	VOC Emissions: CDPH Compliant
VOC Content: N/A	<input checked="" type="checkbox"/> LBC Red List Free
Declaration Status	<input type="checkbox"/> LBC Compliant
	<input type="checkbox"/> Declared

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ declareproducts.com

Mohawk Group utilizes multiple platforms for disclosing our transparency information, including Mindful Materials and the Declare Database.*



*Transparency documentation can be found at mohawkgroup.com

Specifications

Framed Structure / BT436
Shaded Lines / BT437

DESIGN

Size	24" x 24" (.6096m x .6096m)
Surface Appearance	Textured Patterned Loop
Fiber Type	Colorstrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	
Framed Structure	Monolithic / Vertical Ashlar / Brick Ashlar / Quarter Turn / Multi-Directional
Shaded Lines	Vertical Ashlar / Quarter Turn
Colors Available	6

PERFORMANCE

Construction	Tufted
Gauge	1/12" (47.00 rows per 10cm)
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing Material	EcoFlex Matrix
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV


SUSTAINABILITY

Certification	Living Product Challenge Petal Certified; Declare Red List Free
Indoor Air Quality	Green Label Plus #1171
	May contribute to or comply with LEEDv4, Living Building Challenge and WELL Building Standard
Carbon	Net Positive Carbon (Neutral +5%)
Water	Net Positive Water (Neutral +5%)

SERVICE

Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static
------------	--

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com



Produced with recycled materials

Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
1-800-554-6637
mohawkgroup.com

QSSEF PHOTO BROCHR LT