


Variant Form explores the idea that form and function can be equally beautiful. Three patterns recall the aesthetics of exposed architectural elements – trusses, beams, railings – and the raw, unexpected textures and light/shadow interplay that they bring to spaces. Variant Form's styles and colors can be combined to create shifting floorscapes that integrate industrial elements with creative possibility for exciting, inspiring designs.







Integrate 983 Masonry (Brick Ashlar Installation)





Lineate COORDINATING LVT

Lineate Luxury Vinyl Tile combines ombré gradations of color with textile-like striations, resulting in a richly dimensional visual. Colors can be mixed or used singularly to create abstract, modern flooring designs. Lineate is inspired by two of the hottest trends in surface visuals: ombre/gradient and striated textile looks. The color ebbs and flows across the plank to give the illusion of depth on a flat surface, enhancing the dimension of any space.

FEATURES

- 12 colorways include on-trend color pops to warm and cool neutrals
- Oversized 9" x 59" planks install over large areas quickly
- 5 mm overall thickness and 20 mil commercial wear layer for superior durability
- M-Force[™] Ultra and polish-optional finish for versatile, cost effective maintenance
- Non-skid backing keeps planks in place
- Twice as thick as traditional LVT for seamless transition with EcoFlex NXT carpet tiles
- 60% Recycled Content: 23% pre-consumer and 37% post-consumer





Colorstrand FIBER

For over 15 years, Colorstrand fiber has continually exceeded the demanding expectations of our customers for their projects. With the design flexibility and color intensity of solution dyed fiber, Colorstrand delivers lasting beauty and value.

PERFORMANCE

- Unsurpassed colorfastness to light, atmospheric contaminants, and harsh cleaning agents in Colorstrand SD
- EcoSentry Plus Soil® and Stain Protector keeps your investment looking newer longer
- Can be engineered to achieve the most severe TARR ratings

BUDGET

- Internally extruded fiber allows cost control of products
- Numerous broadloom and modular products available at value engineered budgets

SUSTAINABILITY

- Mohawk products tufted with Colorstrand are CRI Green Label Plus® certified for VOC emissions
- Recyclable through Mohawk's ReCover Program

DESIGN

 A wide variety of colors for excellent design flexibility

SERVICE

- Quickship Styles available within 10 days providing what you need when you need it
- 100% vertically integrated providing unsurpassed lead times and service reliability

EcoFlex Matrix sustainable carpet tile backing

Mohawk Group continues its dedication to sustainable solutions with EcoFlex™ Matrix, the next generation in carpet tile backing. Using advanced materials and patent pending engineering, EcoFlex Matrix lowers environmental impact without sacrificing performance. EcoFlex Matrix simplifies floor preparation and installation, greatly reduces sub-floor moisture concerns, and is easier to ship and handle.


PERFORMANCE

- Provide permanent dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Up to Lifetime Limited Carpet Tile Warranty for: Wear, Static Protection, Edge Raveling/Zippering, Delamination, Dimensional Stability*
- Seamless transitions between carpet and hard surface flooring with Mohawk Group's 2.5mm LVT resilient products

INSTALLATION

SUSTAINABILITY

- EcoFlex Matrix is manufactured using less energy than other carpet tile products
- Thermoplastic backing contains no plasticizers
- Contains a minimum of 40% pre-consumer recycled content based on total product weight***
- CRI Green Label Plus certified
- Declare Red List Free
- Recyclable
- Able to ship more per box resulting in a lower environmental impact from transportation



^{*} Lifetime or 10 Year Limited Warranty varies by fiber type. Please see specifications for details

^{**}Consult Mohawk Group Installation Instructions for any applicable restrictions

^{***}Recycled content claim third party verified by UL (Underwriters Laboratory)




Elemental Edges FINISHING ACCESSORIES









Explore more by visiting mohawkgroup.com/products/elemental-edges



Wall Base



Seamlessly coordinate your wall base and Mohawk Group floor covering from our variety of QuickShip wall base offerings.

AVAILABLE IN

■ 4" or 6" in height

- Rubber
- Coved or straight
- 1/8" gauge

- Vinyl
- 4' lengths or 96' & 120'
- .080" gauge (4" Cove vinyl)



Installation Accessories



Add a functional finishing touch to your coordinated color scheme with Mohawk Group installation accessories. Proprietary Rubber formulations are shrink and crack-proof, and won't fade, even in direct sunlight.

CHOOSE FROM

- Universal Transitions
- Reducers
- Adaptors
- Cove Stick



Stair Solutions



Specify 12.5" regular tread or 20" integrated tread/riser, available in 48" and 72" lengths. Round and hammered finishes are available with standard square nose. All profiles are available with or without visually impaired strips.

CHOOSE FROM

- Stair Treads
- Resilient Landing Tiles
- Risers
- Nosings



Architectural Wall Base

Complement your space with the rich detail of Elemental Edges Architectural Wall Base, offered in a variety of designs, sizes and running line colors. Superior performance and durability allowing your project finishes to remain remarkable.

AVAILABLE IN

- 8 design profiles
- 14 color-coordinated options

Specifications

Integrate BT423 Reconstruct BT424 Diffuse BT425

DESIGN

Size

Integrate, Reconstruct

Diffuse

12" x 24" (.6096m x .6096m)

12" x 36" (.3048m x .9144m)

Surface Appearance

Textured Patterned Loop

Fiber Type

Colorstand® SD Nylon

Dye Method

Solution Dyed

Installation Methods

Integrate Quarter Turn / Brick Ashlar / Multi Directional

Reconstruct Quarter Turn / Brick Ashlar / Vertical Ashlar / Monolithic /

Multi Directional

Diffuse Monolithic / Half-Lap / Brick Ashlar / Basket Weave / Plank Half-Lap /

Monolithic Stepping / Random / Herringbone

Colors Available

Integrate 6
Reconstruct 6
Diffuse 6

PERFORMANCE

Construction Tufted

Gauge 1/12" (47.00 rows per 10cm)
Stain Release Technology EcoSentry Plus Stain Protection
Soil Release Technology EcoSentry Soil Protection

Backing Material EcoFlex Matrix
Flammability ASTM E 648 - Class 1 (Glue Down)
Smoke Density ASTM E 662 - Less than 450

SUSTAINABILITY

Static Propensity

Certification Living Product Challenge Petal Certified; Declared

AATCC - 134 Under 3.5 KV

Indoor Air Quality CRI Green Label Plus #1171

NSF 140 Gold


Carbon Net Positive Carbon (Neutral +5%)
Water Net Positive Water (Neutral +5%)

SERVICE

Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to light, 10 Year Colorfastness to Atmospheric Contaminants,

10 Year Stain Warranty, Lifetime Static

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling. Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from die lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com









♠ Produced with recycled materials

