



Assembled Woods

Change your viewpoint with Assembled Woods, a new LVT that reimagines the look of wood flooring. This dynamic faceted wood visual brings a contemporary geometric look through two styles that offer flexibility and creative freedom in your space.

Angular Grain sets the stage with abstract cut wood inlays. This 18" x 18" tile offers a different angle on classic parquet flooring. Where traditional parquet tiles have straight inset planks, Angular Grain departs from this look through angled cuts that break up the rectilinear surface meeting at distinct points.

To complement this, the collection also offers Planked, a 6" x 36" oak visual with subtle grain movement. Each Angular Grain colorway is thoughtfully paired with two corresponding Planked colorways. The wood tones match, allowing for complete design flexibility in pattern and arrangement. These styles are versatile to support and accommodate complex layouts with the ease of this simple LVT platform, available in two sizes and one 5.0 mm thickness.

Enhance your space with the visuals of bespoke craftsmanship and natural beauty.




Learn more at mohawkgroup.com

Cover: Angular Grain, 842 Thistle Oak Planked, 832 Harvest Oak, 852 Clay Oak









Angular Grain, 842 Thistle Oak Multi-Directional

Angular Grain COLORWAYS

Where traditional parquet tiles have straight inset planks, Angular Grain departs from this look through angled cuts that break up the rectilinear surface, meeting at distinct points. Each colorway coordinates with two Planked colorways to enable unique designs.

Planked COLORWAYS

As a complement to Angular Grain or used on its own, Planked provides a 6" x 36" oak visual with subtle grain movement.

Angular Grain



138 Blanched Oak



Planked



128 Goldenrod Oak



148 Butterscotch Oak



829 Wheat Oak



849 Autumn Oak

839 Driftwood Oak

Angular Grain



941 Riverstone Oak



842 Thistle Oak



853 Sienna Oak

Planked



931 Windy Oak



951 Umber Oak



832 Harvest Oak



852 Clay Oak



843 Safari Oak



863 Tobacco Oak

Limitless Installation Options

Assembled Woods provides total creative freedom for your flooring layouts. Use the 6" x 36" planks to create a perfect herringbone with almost no waste, or mix the planks and 18" x 18" tiles to form completely new patterns. The two sizes fit together in all types of configurations, and the juxtaposed visuals amp up every design instantly. Below are just a few possibilities for patterns.









Planked, 832 Harvest Oak, 852 Clay Oak, 843 Safari Oak, 863 Tobacco Oak Custom Ombre Installation



Ultra Performance and Worry-Free Solutions for Any Project

Assembled Woods is designed with a 20 mil heavy commercial wear layer and our premium M-Force® Ultra technology, which delivers a complete performance system for LVT. The 5.0 mm thick platform offer multiple advantages that reduce installation time and costs.

M-Force® Ultra

This product features our M-Force® Ultra technology providing exceptional scratch, stain and dent resistance, and easy maintenance for lasting beauty.

Quicker Installation

At 5.0 mm thick, this product can be installed looselay; larger areas need only a perimeter spread of releasable adhesive. No transition strips are needed when using EcoFlex® ONE or EcoFlex® AIR backed carpet tile.



All our flooring products go Beyond Carbon Neutral, meaning they are 100% carbon neutral plus an additional 5% carbon offset for a Net-Positive impact.



Running Line Rug Program

Unlock your creative freedom with our innovative Running Line Rug Program. Dive in and explore our carefully curated styles, mix and match colors, sizes, and edge treatments to create the perfect rug for your space.





Elemental Edges WALL BASE

At Mohawk Group we believe in providing project solutions that are easy to select and readily available. Elemental Edges is a portfolio of architectural and cove wall base for your finishing needs. Featuring a range of colors that coordinate with our full product line, Elemental Edges also offers 14 stocked colors in cove wall base.



ELEMENTAL EDGES ACCESSORIES

Specifications

Planked (C2132) Angular Grain (C2133)

DESIGN

Product Type Luxury Vinyl Tile - Flexible

 Overall Thickness
 5.0 mm

 Wear Layer
 20 mil (0.5mm)

 Finish
 M-Force® Ultra

 Colors
 Planked: 10

 Angular Grain: 5
 Planked: 6" x 36"

Angular Grain: 18" x 18"
Emboss Overall

Edge Profile Squared Edge Installation & Adhesive Loose Lay

For detailed adhesive and installation information

visit mohawkgroup.com

PERFORMANCE

Construction
Classification
ASTM F1700 - Class III, Type B - Embossed
Squareness
Squareness
ASTM F2421 - Passes - ±0.10" max
Size and Tolerance
ASTM F2421 - Passes - ±0.016"/linear foot
Thickness
ASTM F386 - Passes, as specified ± .005"
Flexibility
ASTM F137 - Passes - 1" mandrel
Dimensional Stability
ASTM F2199 - Passes - 0.020"/linear foot ma

Dimensional Stability ASTM F2199 - Passes - 0.020"/linear foot max Static Load Limit ASTM F970 - Passes, modified at 1000 psi

Residual Indentation ASTM F1914 - Passes, Avg less than 8%, Max Single Reading 10%

Resistance to Chemicals ASTM F925 - Passes - No more than a slight change

Resistance to Light ASTM F1515 - Passes, $\Delta E \le 8$ Resistance to Heat ASTM F1514 - Passes, $\Delta E \le 8$ Critical Radiant Flux ASTM E648 - Class 1 (>0.45 W/cm2) Smoke Density ASTM E662 - Meets, 450 or less

SUSTAINABILITY

Certification FloorScore® Certified

Carbon Net-Positive Carbon (Neutral + 5%)

SERVICE

Warranties Limited 20 Year M-Force® Ultra Commercial

For detailed warranty information visit mohawkgroup.com







