



Specifications

Fly By Wire AIR19

DESIGN

Size 12' width (3.66m) Surface Appearance Level Loop

Fiber Type duracolor® Premium Nylon

Dye Method Solution Dyed

Colors Available

PERFORMANCE

Construction Woven
Pile Height .10" (2.54mm)
Rows Per Inch/Centimeter 8" (3.12cm)

216

Yarn Weight \pm 10% 14.0 oz per yd² (475 gs per mtr²) Total Weight \pm 10% 44.8 oz per yd² (1519 gs per mtr²)

Primary Backing 100% Synthetic
Back Coating Woven - Aircraft with FR

Flammability FAR 25.853 (12-second vertical burn)
Smoke Density Airbus ABD0031 & Boeing BSS 7238
Toxicity Airbus ABD0031 & Boeing BSS 7239

SERVICE


Warranties 4-Year Limited Woven Wear Warranty, Duracolor Stain Warranty,

Lifetime Static

Fly By Wire AIR19 Colorways







789 Overcast 575 Azure 589 Militant



Specifications

Abeam AIR16

DESIGN

Size 12' width (3.66m) Surface Appearance Level Loop

Fiber Type duracolor® Premium Nylon

Dye Method Solution Dyed

Colors Available

PERFORMANCE

Construction Woven
Pile Height .10" (2.54mm)
Rows Per Inch/Centimeter 9" (3.51cm)

Pitch 216

 Yarn Weight ± 10%
 14.0 oz per yd² (475 gs per mtr²)

 Total Weight ± 10%
 39.5 oz per yd² (1339 gs per mtr²)

Primary Backing 100% Synthetic Back Coating Woven - Aircraft with FR

Flammability FAR 25.853 (12-second vertical burn)
Smoke Density Airbus ABD0031 & Boeing BSS 7238
Toxicity Airbus ABD0031 & Boeing BSS 7239

SERVICE

Warranties 4-Year Limited Woven Wear Warranty, Duracolor Stain Warranty,

Lifetime Static

Abeam AIR16 Colorways



555 Atlantic



596 Black Sea



779 Granite



789 Slate



999 Ebony



878 Peat



Specifications

Throttle Back AIR17

DESIGN

Size 12' width (3.66m) Surface Appearance Level Loop

Fiber Type duracolor® Premium Nylon

Dye Method Solution Dyed

Colors Available

PERFORMANCE

Construction Woven
Pile Height .10" (2.54mm)
Rows Per Inch/Centimeter 9" (3.51cm)

tch 216

Yarn Weight \pm 10% 16.0 oz per yd² (543 gs per mtr²) Total Weight \pm 10% 42.5 oz per yd² (1443 gs per mtr²)

Primary Backing 100% Synthetic Back Coating Woven - Aircraft with FR

Flammability FAR 25.853 (12-second vertical burn)
Smoke Density Airbus ABD0031 & Boeing BSS 7238
Toxicity Airbus ABD0031 & Boeing BSS 7239


SERVICE

Warranties 4-Year Limited Woven Wear Warranty, Duracolor Stain Warranty,

Lifetime Static

Throttle Back AIR17 Colorways







579 Striker 989 Mungo 589 Draft



Woven NYLON CARPET

Woven nylon is inherently stronger than any other carpet construction. Its longer life cycle stretches your investment further, offering a significant cost savings over time. Woven carpet is also more sustainable, using less nylon and performing 300% longer than other carpet constructions before replacement. That means less energy is required to make and haul replacement carpet, and less waste goes to our landfills. In addition, all of our woven carpet qualifies for Mohawk Group's carpet recycling program, ReCover, meaning all of our aviation carpet can be processed into raw material for other products to reduce environmental impact.

PERFORMANCE

- Superior construction with denser face construction
- Interlaced components to eliminate zippering
- Inherent stability—no secondary backing
- Greater appearance retention and resiliency

DESIGN

- Classic craftsmanship and innovative design technology
- Unparalleled, time-tested textures and patterns

RECYCLABLE

- All of Mohawk Group's woven carpet qualifies for our carpet recycling program—ReCover. This affiliated reclamation program has helped keep millions of pounds of used carpet out of landfills, thus reducing the impact on our environment.
- PVC-free, chlorine-free, and no 4-PCH

BUDGET


- Woven construction to extend the life of carpet three times longer than tufted
- Longer life cycle for less cost over time

SERVICE

 Quality and experience to offer unique construction not available through all manufacturers

Mohawk Group

Woven construction is the oldest method of textile production. In the weaving process, pile yarns are intricately interlaced into the foundation, creating a structure whereby backing and face yarns become one. The art of weaving also creates a denser face construction than tufted carpet for enhanced appearance retention. Time has proven that woven carpet outperforms any other construction.



Nylon vs. Wool

100% COMPLIANT

 Mohawk Group aviation nylon carpet meets all Airbus, Boeing and FAA requirements.

MORE DURABLE

 Nylon carpet outwears wool by as much as 6 to 1, which means fewer reinstallations per year.

MORE COLORFAST

Nylon outperforms wool 3 to 1 for colorfastness.

LONG TERM VALUE

 Initial cost and total cost of ownership of our nylon carpet per square yard is significantly lower than comparable wool products.

LIGHTER WEIGHT

 Mohawk Group Aviation carpet is typically far lighter than comparable aircraft carpets.
 Reduced flying weight results in fuel savings that add up over the long life of the carpet.

EASIER TO MAINTAIN

 Mohawk Group aviation carpet repels stains and dries quickly when cleaned.

HIGHER QUALITY

 Mohawk Group aviation carpet resists shrinking, will not smell or mildew when wet, and retains permanent built-in static protection.

Duracolor[®] Stain Resistance Promise

Duracolor has been developed to meet precise color requirement for aviation brand experience. Duracolor nylon is forever stain free, forever sustainable and forever beautiful. Carpet is easy to maintain with inherent stain resistance and water-only stain removal. With more than 300 beautiful colors that last, Duracolor is the right choice forever.



PERFORMANCE

- Passes AATCC Test Method 175 for stain resistance
- Lifetime Warranty: We guarantee it for Life*
- 100% Solution
- Antistatic protection < 2 kV
- FAR 25.853 compliant

DESIGN

- Unmatched design flexibility without compromising color retention or stain resistance
- Proven track record of success over the past 20 years
- Multiple levels of luster
- Water clean-up means less money spent on cleaning chemicals

SUSTAINABILITY

- Made with 30% recycled content: 25% pre-consumer and 5% post-consumer
- No chemicals required: 96% of all common stains clean with just water
- Waterless dye process
- GreenCircle third party certification
- Unsurpassed colorfastness to light and atmospheric contaminants so colors won't fade

BUDGET & SERVICE

- New Duracolor products offer access to high performance products even with increasingly tighter budgets
- Reduced maintenance demands are a big perk for tight budgets; many styles are also available
- Excellent lead times and service reliability through vertical integration
- Waterless dye process
- High bulk / low weight capability

^{*} See Mohawk Group official warranty documents for further details at mohawkgroup.com

DURACOLOR® LIFETIME LIMITED STAIN RESISTANT WARRANTY*

PERMANENT STAIN PROTECTION AGAINST ACID TYPE SPILLS: LIFETIME

Carpets incorporating the DURACOLOR® technology will retain permanent stain protection against acid type spills as measured by General Services Administration (GSA) Test for Permanence SIN 31-8 (note 11). AATCC 175 modified by exposing sample to 100 revolutions of the Taber Abrader (1,000 gram weight per H-18 wheel) then stain testing in the abraded area. Rating of 8.0 or better on the AATCC Red 40 Stain Scale.

COLORFASTNESS (WET AND DRY): LIFETIME

Carpets incorporating the DURACOLOR® technology will resist color transfer from wear for the life of the Carpet. DURACOLOR® carpets will exhibit permanent colorfastness (wet or dry) for the lifetime of the installation as measured by AATCC Test Method 165. Minimum stain ratings of 4 or better compared to AATCC Color Transference Scale.

WETFASTNESS: LIFETIME

Carpets incorporating the DURACOLOR® technology will resist color change after exposure to water damage for the life of the carpet. DURACOLOR® carpets will exhibit permanent wetfastness for the lifetime of the installation as measured by AATCC Test Method 107. Minimum shade change should be no less than International Gray Scale Rating of 4.

STATIC PROTECTION: LIFETIME

All carpets incorporating Duracolor technology will offer protection from static discharge in excess of 2.5 KV for the life of the carpet.

LIGHTFASTNESS: 10 YEARS

Carpets incorporating the DURACOLOR® technology will resist color loss from light exposure as measured by AATCC Test Method 16E–International Gray Scale. Rating after 160 AFU's (Xenon Arc) should be 3-4 or better.

ATMOSPHERIC CONTAMINANTS: 10 YEARS

Carpets incorporating the DURACOLOR® technology will resist color loss from atmospheric contamination as measured by AATCC Test Method 129. Ozone minimum shade change rating after five cycles should be no less than International Gray Scale Rating of 3.

DURACOLOR® PASSES THE GSA TEST METHOD

The U.S. federal government sets a high standard for stain resistant carpet. Under the GSA Test Method, carpet must pass the stain test after simulated traffic. Duracolor is the only stain resistant system for yarn dyed carpets that meets this standard.

- Carpet samples are subjected to 100 cycles with a Taber Abrader to simulate traffic and cleaning.
- Samples are stained, and stains are allowed to set for 24 hours.
- After cleaning, the samples must score at least 8.0 on the 10-point AATCC Red 40 Stain Scale.
- Only Duracolor passes this rigorous test.
- Duracolor passes this test because it is not a topical "treatment", but an inherent property of the carpet; it cannot wash or wear away.



