



ORIGINAL
MADE WITH 30%
NIKE GRIND RUBBER
HERO
RUBBER
MADE WITH
NIKE GRIND

MOE MEETS ORIGINAL










APPLICATION











TO BE CONTINUED...


ORIGINAL

MADE WITH NIKE GRIND


MADE WITH 30% NIKE GRIND RUBBER



111 SHINE

242 SPARK



565 NAVIGATE


636 GROW



656 BLOOM


333 IGNITE



347 THRIVE



368 PULSE



738 DREAM


848 ROOT


878 BUILD


434 ELEVATE


535 FOCUS


537 SWIM


937 PLAY



938 BALANCE



987 HUSTLE

Better For Performance



Nike Grind Story





Specifications

Original Rubber 4mm (C3603)
Original Rubber 8mm (C3604)
Original Rubber 12mm (C3605)

DESIGN

Product Type	Rubber
Overall Thickness	4mm, 8mm, 12mm

Product	Nominal Size (Actual Size)	Sizes Available	Colorways Available	Glue Down	Loose Lay
Original 4mm	24x24 (24"x24")	✓	17	✓	
	48x72 (48"x72")	✓	17	✓	
Original 8mm	24x24 (24"x24")	✓	17	✓	
	48x72 (48"x72")	✓	17	✓	
	24x24 Interlocking (23.37"x23.37")	✓	17	✓	✓
	48x72 Interlocking (46.82"x71.37")	✓	17	✓	✓
	48x25' Roll (48"x300")	✓	17	✓	
Original 12mm	24x24 (24"x24")	✓	17	✓	
	48x72 (48"x72")	✓	17	✓	
	24x24 Interlocking (23.37"x23.37")	✓	17	✓	✓
	48x72 Interlocking (46.82"x71.37")	✓	17	✓	✓

For detailed adhesive and installation information visit mohawkgroup.com.

PERFORMANCE

Construction	Rubber
Breaking Load	ASTM D412 65.91 lbs.
Elongation	ASTM D412 75.83%
Tensile	ASTM D412 271.8 lbs/sq. inch
Static Coefficient of Friction	ASTM C1028 Dry 0.85; Wet 1.01
Hardness Shore A Durometer	ASTM D2240 70
Density	ASTM D3676 67.2 lbs/ft^3
Static Load	ASTM F970 0.029 inch residual compression


SUSTAINABILITY

Certification	FloorScore® Certified, Declare Red List Free, EPD available
Recycled Content	30% Nike Grind

SERVICE

Warranties	Limited 10 Year Commercial For detailed warranty information visit mohawkgroup.com

NFSI SLIP RESISTANT



24x24 Straight Edge | 48x72 Straight Edge | 48x72 Interlocking | 24x24 Interlocking

RECOVER RECYCLING PROGRAM

Give your old flooring a second life with our award-winning ReCover Recycling Program. We will take away flooring made by any manufacturer, recycle it for you, and provide a certificate showing your positive impact on the planet.



HERO FLOORING

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
800.554.6637
mohawkgroup.com

MG823.8PAG.BROCHR.LT

Mohawk Group