

# InstaMatch Repair Kit Coloring Tints

Safety Data Sheet (SDS)

Substance key: 000000313378

Version: 1 – 1 / CHI

Revision Date: 23.2.2015

Date: 25.06.2008

## 1. Identification of the substance/preparation and company

### Trade name

InstaMatch Repair Kit Coloring Tints

**Material number:** 230375

### Identification of the company

Performance Accessories  
7834 C.F. Hawn Freeway  
Dallas, TX 75217  
888-387-9882

### Information about the substance/preparation

- Colanyl oxide R132-CN
- Clariant Division Pigments & Additives

**End Uses:** Coloring Tints

## 2. Composition/information on ingredients

### Chemical characterization

C.I. Pigment Yellow 42 in aqueous dispersion containing propylene glycol

**Hazardous ingredients (China):**

## 3. Hazards identification

### Hazards to health:

According to the present state of knowledge, provided this product is handled correctly, there is no known danger to humans.

### Hazards to the environment:

According to the present state of knowledge, provided this product is handled correctly, there is no known danger to environment

## 4. First aid measures

### General Information

Seek medical assistance if discomfort continues

### After inhalation

Remove the casualty into fresh air and keep him calm.

### After contact with skin

In case of contact with skin, clean with soap and water.

### After contact with eyes

Rinse the affected eye with plenty of water, at the same time keep the unaffected eye well protected.

# InstaMatch Repair Kit Coloring Tints

Safety Data Sheet (SDS)

Substance key: 000000313378  
Version: 1 – 1 / CHI

Revision Date: 23.2.2015  
Date: 25.06.2008

## After ingestion

If swallowed do not induce vomiting, seek medical advice and show safety datasheet or label

## 5. Fire-fighting measures

### Suitable extinguishing media

Water spray jet  
Dry powder  
Carbon dioxide  
Alcohol-resistant foam

### Extinguishing media that must not be used for safety reasons

Full water jet

### Special hazards from the substance itself, its combustion products or from its vapors

In case of fires, hazardous combustion gases are formed: Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

### Special protective equipment for fire/fighting

Use self-contained breathing apparatus

## 6. Accidental release measures

### Personal precautions

Wear suitable personal protective equipment.

### Environmental precautions

Do not allow entry to drain, water courses or soil.

### Methods for cleaning up/taking up

Take up with absorbent material (eg sand, kieselguhr, universal binder)  
When picked up, treat material as prescribed under heading "Disposal"

## 7. Handling and storage

### Advice on safe handling

When used and handled appropriately no special measures are needed

### Advice on protection against fire and explosion

Observe the general rules of industrial fire protection

### Further information on storage conditions

Keep container lightly closed  
- Sensitive to frost–In case of the product becoming opaque, thickening or being frozen due to the effects of cold, allow to thaw slowly at room temperature. Stir briefly before use. Protect from direct sunlight  
- Exposing the product to direct sunlight can result in localized drying, causing it to thicken or solidify. Protect from heat

# InstaMatch Repair Kit Coloring Tints

## Safety Data Sheet (SDS)

Substance key: 000000313378  
Version: 1 – 1 / CHI

Revision Date: 23.2.2015  
Date: 25.06.2008

### 8. Exposure controls/personal protection

#### General protective measures

Observe the usual precautions for handling chemicals.

#### Hygiene measures

Wash hands before breaks and after work

Use barrier skin cream.

Remove soiled or soaked clothing immediately and clean thoroughly before using again.

#### Hand protection:

Nitrile rubber gloves

Minimum breakthrough time (glove): not determined

Minimum thickness (glove): not determined

Observe the information of the glove manufacturers on permeability and breakthrough times and other workplace requirements

#### Eye protection:

Safety glasses

#### Body protection:

Working clothes

### 9. Physical and chemical properties

#### Form:

Liquid

#### Color:

#### Odor:

Not specified

:

>100°C (1.013 hPa)

#### Flash point:

No flash point – Measure made up to the boiling point

#### Ignition temperature:

Not tested.

#### Vapor pressure:

Not tested.

#### Density:

2 g/cm<sup>3</sup> (10°C)

#### Solubility in water:

Miscible

#### pH value:

7.2 (20°C)

Determined in the undiluted form

#### Octanol/water partition

Not tested

#### Coefficient (log Pow):

#### Viscosity (dynamic):

2,000 mPa.s (23°C)

#### Use of the substance/preparation.

Industry sector:

Industrial Performance Chemicals

Paints, lacquers and varnishes industry

Polymers industry

Printing industry

Type of use:

Colorant preparation

# InstaMatch Repair Kit Coloring Tints

Safety Data Sheet (SDS)

Substance key: 000000313378  
Version: 1 – 1 / CHI

Revision Date: 23.2.2015  
Date: 25.06.2008

## 10. Stability and reactivity

**Thermal decomposition:** >100°C  
with dehydration

### Hazardous reactions

When handled and stored appropriately no dangerous reactions are known

### Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known

## 11. Toxicological information

**Acute oral toxicity:** LD50 >2.000 mg/kg  
**Irritant effect on skin:** Non-irritant  
**Irritant effect on eyes:** Non-irritant

## 12. Ecological information

**Biodegradability:** This property is substance-specific and therefore cannot be given for the preparation.  
**Fish toxicity:** Not tested  
**Daphnia toxicity:** Not tested  
**Algae toxicity:** Not tested  
**Bacteria toxicity:** Not tested

### Remarks

Do not allow to enter soil, waterways or waste water

## 13. Disposal considerations

### Product

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities.

### Uncleaned packaging

Packaging that cannot be cleaned should be disposed of as product waste

## 14. Transport information

**IATA** Not restricted  
**IMDG** Not restricted

# InstaMatch Repair Kit Coloring Tints

Safety Data Sheet (SDS)

Substance key: 000000313378  
Version: 1 – 1 / CHI

Revision Date: 23.2.2015  
Date: 25.06.2008

---

<b>ADR</b>	Not restricted
<b>RID</b>	Not restricted

## 15. Regulatory information

### Labeling CN

According to GB 6944-2005, no hazard labeling is required

### Labeling in accordance with EC-Directives

Hazard warning labeling not compulsory

## 16. Other information

The data are based on the current state of our knowledge, and are intended to describe the product with regard to the requirements of safety. The data should not be taken to imply any guarantee of a particular or general specification. It is the responsibility of the user of the product to ensure to his satisfaction that the product is suitable for the intended purpose and method of use. We do not accept responsibility for any harm caused by the use of this information. In all cases, our general conditions of sale apply.

# InstaMatch Repair Kit Clear Water -Based Lacquer

Safety Data Sheet (SDS)

## 1. Identification of the substance/preparation and company

**Trade name:** InstaMatch Repair Kit Clear Water-based Lacquer

**End Uses:** Floor Patch Shining

### Identification of the company:

Performance Accessories  
7834 C.F. Hawn Freeway  
Dallas, TX 75217  
888-387-9882

## 2. Composition/information on ingredients

**Description:** Mixture of substances listed below with additions.

Components Name:	CAS No.	Weigh Percent (%)
Butyl acrylate	141-32-2	20.9%
Acrylic resin	---	3%
Methyl acrylate	96-33-3	11.1%
Surfactant	---	3.5%
Polyoxyethylene aliphatic alcohol	---	1.5%
Aqua (Water)	7732-18-5	60%

## 3. Hazards identification

**NFPA ratings (scale 0-4)**



Healthy = 1; Fire = 0; Reactivity = 0

**HMIS ratings (scale 0-4)**

HEALTH	1
FIRE	0
REACTIVITY	0

Healthy = 1; Fire = 0; Reactivity = 0

# InstaMatch Repair Kit Clear Water -Based Lacquer

## Safety Data Sheet (SDS)

### Hazard description:



Xi: Irritant  
Xn: Harmful

**Information concerning particular hazards for human and environment:** The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations Of the EU" in the latest valid version.

**Routes of Entry:** Eye contact, Ingestion.

### Potential Acute health Effects:

**Eyes:** Slightly hazardous by the following route of exposure: of eye contact (slightly irritant)

**Skin:** No known acute effects of this product resulting from skin contact in a short time, long time contact skin will irritate the skin. However in light of good industrial hygiene, exposure to any chemical should be kept to a minimum.

**Inhalation:** The volatile smell have a small amount of inhaled will be no risk, much inhaled will irritate respiratory tract.

**Ingestion:** The product is expected harmful to Ingestion, directly swallowing the product will lead abdominal pain, diarrhea etc. and harmful if swallowed.

### Potential Chronic Health Effects:

**CARCINOGENIC EFFECTS:** Not available.

**MUTAGENIC EFFECTS:** Not available.

**TERATOGENIC EFFECTS:** Not available.

**Medical Conditions Aggravated by Overexposure:** There is no known effect from chronic exposure to this product. Repeated or prolonged exposure is not known to aggravate any medical condition.

**Overexposure/Signs/Symptoms:** No information available.

## 4. First aid measures

**After inhalation:** If there have unwell feeling, supply fresh air; consult doctor in case of complaints.

**After skin contact:** Timely wash with water and soap and rinse thoroughly.

**After eye contact:** Immediately flush eyes with plenty of water for a few minutes, occasionally lifting the upper and lower eyelids. If the symptoms can not be eased. Get medical aid immediately.

**After swallowing:** Gargle with water and to drink enough water or milk to emetic, if symptoms persist consult doctor.

## 5. Fire-Fighting measures

**Protective equipment:** Wear fully protective suit. Mouth respiratory protective device. Do not inhale explosion gases or combustion gases.

**Extinguishing Media:** CO<sub>2</sub>, sand, extinguishing power...

**Flash point:** Not available

**Auto ignition Temperature:** Not Applicable.

**Special fire & explosion hazards:** None.

**Extinguishing media:** Dry Chemical, Carbon Dioxide, and Foam

**Unusual Fire or Explosion Hazards:** None.

# InstaMatch Repair Kit Clear Water -Based Lacquer

## Safety Data Sheet (SDS)

### 6. Accidental release measures

**Person-related safety precautions:** Wear protective equipment.

**Measures for environmental protection:** Do not allow much product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

**Measures for cleaning/collecting:** Small leak: Mix absorb leaked material with (sand, diatomite, sawdust) then Cleaning and placed into a suitable container handling and scrub the area with towel and water.  
Much leak: Isolation accident area to prevent the leak products to be contaminated and then to recycling collection the leak products...

### 7. Handling and storage

**Information for safe handling:** Store in cool, dry place in rightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.

**Information about fire- and explosion protection:** Keep ignition sources away. Do not smoke.

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Store away from flammable substances.

**Further information about storage conditions:** Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.

### 8. Exposure controls/personal protection

**Ventilation and Engineering controls:** No special ventilation and engineering controls are required.

**Respiratory Protection:** No special respiratory protection is required for use of these products. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHS Standard, applicable U.S. State regulation, or the Canadian CSA standard.

**Body Protection:** General protective clothing.

**Protective Gloves:** Unnecessary, if use choose Rubber or plastic acid-resistant gloves with elbow-length gauntlet.

**Eye Protection:** Unnecessary, when necessary wear chemical goggles of face shield.

### 9. Physical and chemical properties

#### General Information

<b>Form:</b>	Liquid
<b>Color:</b>	Transparent or milky
<b>Odor:</b>	Odorless
<b>Change in condition</b>	
<b>Melting point/melting range:</b>	<0°C (Estimate)
<b>Boiling point/Boiling range:</b>	150°C
<b>Flash point:</b>	120°C
<b>Self-igniting:</b>	Not
<b>Danger explosion:</b>	Product does not present an explosion hazard
<b>Density:</b>	
<b>Relative density:</b>	1.1 (water=1)
<b>Vapor density:</b>	Not available
<b>Evaporation rate:</b>	Not available



# InstaMatch Repair Kit Clear Water -Based Lacquer

## Safety Data Sheet (SDS)

### Solubility in/Miscibility with

<b>Water:</b>	Soluble
<b>PH-Value:</b>	6-8
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not available

### 10. Stability and reactivity

**Chemical Stability:** The product is stable.

**Hazardous Decomposition Products:** The following combustion products may be generated: carbon dioxide, carbon monoxide, water vapor, and trace volatile organic compounds.

**Hazardous Polymerization:** Hazardous polymerization will not occur.

### 11. Toxicological information

#### Toxicity to Animals:

LD50: Not available.

LC50: Not available.

**Chronic Effects on Humans:** CARCINOGENIC EFFECTS: Classified NONE by NTP: NONE by OSHA 3.  
(Not classifiable for human) by IARC.

**Other Toxic Effects on Humans:** None .

**On the skin:** Irritating effect possible.

**On the eye:** Irritating effect possible.

**Carcinogenicity:** Not available.

**Mutagenicity:** Not available.

**Teratogenicity:** Not available.

### 12. Ecological information

**Information about elimination (persistence and degradability):** Removable from water.

**Mobility and bioaccumulation potential:** Not available.

**Ecotoxicological effects:** Not available

**Aquatic toxicity:** Not available

**General notes:** Water hazard class 1 (German Regulation) (Self-assessment): Slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13. Disposal considerations

**Product:** Must be disposed of in accordance with applicable Federal, state, and local regulations.

**Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:** Recommendation Disposal must be made according to official regulations.

### 14. Transport information

**DOT Classification for Bulk Shipments (non bulk shipments may differ):** Not a DOT control material (United States).

**DOT Proper Shipping Name:** Not applicable.

**UN Number:** Not applicable.

# InstaMatch Repair Kit Clear Water -Based Lacquer

## Safety Data Sheet (SDS)

**Packing Group:** III

**Marine Pollutant:** Yes.

**Hazardous Substance Reportable Quantity:** Not available

**Special Provisions for Transport:** Not applicable.

**ADR/RID Classification:** Not controlled under ADR (Europe)

**ICAO/IATA Classification:** Not controlled under IATA.

### 15. Regulatory information

**HCS Classification:** This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

**U.S. Federal Regulation:**

**TSCA inventory:** All components are listed or exempted.

**SARA 301/302/303:**

No chemicals in this product are listed as extremely hazards substances in 40 CFR 355. Emergency Planning and Notification.

**SARA 304:** No chemicals in this product require reporting under the requirement of 40 CFR 355. Emergency Planning and Notification (SARA extremely hazardous substances listed in Appendix A to Part 355 or CERCLA hazardous substances listed in Table 302.4 of 40 CFR part 302).

**SARA 313:**

This material contains Butyl acrylate (CAS# 141-32-2, 20.9%) and Methyl acrylate (CAS# 96-33-3, 11.1%), which are subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Specific state and local regulations should be consulted to determine if there are any additional requirements. Because many States and localities have added requirements or incorporated the Federal contents in their own forms; Tier I & II forms should be obtained from the State Emergency Response Commission (SERC).

**European/International Regulations:**

European Labeling in Accordance with EC Directives

Hazard Symbols: Xi, Xn

**Risk phrases:**

22 Harmful if swallowed.

36/37/38 Irritating to eyes, reparatory system and skin.

**Safety phrases:**

2 Keep out of the reach of children.

25 Avoid contact with eye.

46 If swallowed, seek medical advice immediately and show this container or label.

### 16. Other information

*The contents and format of this SDS are in accordance with ISO Commission Directive ISO11014-1:1994*

#### DISCLAIMER OF LIABILITY

*The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handing, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may be applicable.*

# InstaMatch Repair Kit Putty

Safety Data Sheet (SDS)

## 1. Identification of the substance/preparation and company

**Trade name:** InstaMatch Repair Kit Putty

**End Uses:** Floor Patching Repair

### Identification of the company:

Performance Accessories  
7834 C.F. Hawn Freeway  
Dallas, TX 75217  
888-387-9882

## 2. Composition/information on ingredients

**Description:** Mixture of substances listed below with additions.

Components Name:	CAS No.	Weight Percent (%)
Calcium carbonate	471-34-1	34%
Acrylic resin	---	26.8%
Water	7732-18-5	10.7%
Additives	---	8.5%

## 3. Hazards identification

**NFPA ratings (scale 0-4)**



Healthy = 1; Fire = 1; Reactivity = 0

**HMIS ratings (scale 0-4)**

HEALTH	1
FIRE	1
REACTIVITY	0

Healthy = 1; Fire = 1; Reactivity = 0

**Hazard description:**



Xi: Irritant  
Xn: Harmful

**Information concerning particular hazards for human and environment:** The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations Of the EU" in the latest valid version.

# InstaMatch Repair Kit Putty

## Safety Data Sheet (SDS)

**Routes of Entry:** Eye contact, Skin contact, Ingestion

**Potential Acute health Effects:**

**Eyes:** Slightly hazardous by the following route of exposure: of eye contact (slightly irritant)

**Skin:** No known acute effects of this product resulting from skin contact in a short time, long time contact skin will irritate to the skin. However in light of good industrial hygiene, exposure to any chemical should be kept to a minimum.

**Inhalation:** The volatile smell have a small amount of inhaled will be no risk, much inhaled will irritate respiratory tract.

**Ingestion:** The product is expected harmful to Ingestion, directly swallowing the product will lead abdominal pain, diarrhea etc. and harmful if swallowed.

**Potential Chronic Health Effects:**

**CARCINOGENIC EFFECTS:** Not available.

**MUTAGENIC EFFECTS:** Not available.

**TERATOGENIC EFFECTS:** Not available.

**Medical Conditions Aggravated by Overexposure:** There is no known effect from chronic exposure to this product. Repeated or prolonged exposure is not known to aggravate any medical condition.

**Overexposure/Signs/Symptoms:** No information available.

#### 4. First aid measures

**After inhalation:** If there have unwell feeling, supply fresh air; consult doctor in case of complaints.

**After skin contact:** Timely wash with water and soap and rinse thoroughly.

**After eye contact:** Immediately flush eyes with plenty of water for a few minutes, occasionally lifting the upper and lower eyelids. If the symptoms can not be eased. Get medical aid immediately.

**After swallowing:** Gargle with water and to drink enough water or milk to emetic, if symptoms persist consult doctor.

#### 5. Fire-Fighting measures

**Protective equipment:** Wear fully protective suit. Mouth respiratory protective device. Do not inhale explosion gases or combustion gases.

**Extinguishing Media:** CO<sub>2</sub>, sand, extinguishing power...

**Flash point:** Not available

**Auto ignition Temperature:** Not Applicable.

**Special fire & explosion hazards:** None.

**Extinguishing media:** Dry Chemical, Carbon Dioxide, and Foam

**Unusual Fire or Explosion Hazards:** None.

#### 6. Accidental release measures

**Person-related safety precautions:** Wear protective equipment.

**Measures for environmental protection:** Do not allow much product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

**Measures for cleaning/collecting:** Small leak: Mix absorb leaked material with (sand, diatomite, sawdust) then Cleaning and placed into a suitable container handling and scrub the area with towel and water.

Much leak: Isolation accident area to prevent the leak products to be contaminated and then to recycling collection the leak products...

#### 7. Handling and storage

**Information for safe handling:** Store in cool, dry place in rightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.

**Information about fire- and explosion protection:** Keep ignition sources away. Do not smoke.

# InstaMatch Repair Kit Putty

## Safety Data Sheet (SDS)

### Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from flammable substances.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.

### 8. Exposure controls/personal protection

**Ventilation and Engineering controls:** No special ventilation and engineering controls are required.

**Respiratory Protection:** No special respiratory protection is required for use of these products. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHA Standard, applicable U.S. State regulation, or the Canadian CSA standard.

**Body Protection:** General protective clothing.

**Protective Gloves:** Unnecessary, if use choose Rubber or plastic acid-resistant gloves with elbow-length gauntlet.

**Eye Protection:** Unnecessary, when necessary wear chemical goggles or face shield.

### 9. Physical and chemical properties

#### General Information

<b>Form:</b>	Viscous Liquid
<b>Color:</b>	White
<b>Odor:</b>	Odorless
<b>Change in condition</b>	
<b>Melting point/melting range:</b>	Not available
<b>Boiling point/Boiling range:</b>	Not available
<b>Flash point:</b>	Not available
<b>Self-igniting:</b>	Not
<b>Danger explosion:</b>	Product does not present an explosion hazard
<b>Density:</b>	
<b>Relative density:</b>	>1 (water=1)
<b>Vapor density:</b>	Not available
<b>Evaporation rate:</b>	Not available
<b>Solubility in/Miscibility with</b>	
<b>Water:</b>	Insoluble
<b>PH-Value:</b>	Not available
<b>Viscosity:</b>	
<b>Dynamic:</b>	>10 mpa.s (25°C)

### 10. Stability and reactivity

**Chemical Stability:** The product is stable.

**Hazardous Decomposition Products:** The following combustion products may be generated: carbon dioxide, carbon monoxide, water vapor, and trace volatile organic compounds.

**Hazardous Polymerization:** Hazardous polymerization will not occur.

# InstaMatch Repair Kit Putty

## Safety Data Sheet (SDS)

### 11. Toxicological information

**Toxicity to Animals:**

LD50: Not available.

LC50: Not available.

**Chronic Effects on Humans:** CARCINOGENIC EFFECTS: Classified NONE by NTP: NONE by OSHA 3.

(Not classifiable for human) by IARC.

**Other Toxic Effects on Humans:** None .

**On the skin:** Irritating effect possible.

**On the eye:** Irritating effect possible.

**Carcinogenicity:** Not available.

**Mutagenicity:** Not available.

**Teratogenicity:** Not available.

### 12. Ecological information

**Information about elimination (persistence and degradability):** Removable from water.

**Mobility and bioaccumulation potential:** Not available.

**Ecotoxicological effects:** Not available

**Aquatic toxicity:** Not available

**General notes:** Water hazard class 1 (German Regulation) (Self-assessment): Slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13. Disposal considerations

**Product:** Must be disposed of in accordance with applicable Federal, state, and local regulations.

**Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:** Recommendation Disposal must be made according to official regulations.

### 14. Transport information

**DOT Classification for Bulk Shipments (non bulk shipments may differ):** Not a DOT control material (United States).

**DOT Proper Shipping Name:** Not applicable.

**UN Number:** Not applicable.

**Packing Group:** III

**H.S. Number:** 3214109000

**Marine Pollutant:** Yes.

**Hazardous Substance Reportable Quantity:** Not available

**Special Provisions for Transport:** Not applicable.

**TDG Classification:** Not controlled under TDG (Canada)

**ADR/RID Classification:** Not controlled under ADR (Europe)

**IMO/IMDG Classification:** Not controlled under IMDG.

**ICAO/IATA Classification:** Not controlled under IATA.

### 15. Regulatory information

**HCS Classification:** This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

**U.S. Federal Regulation:**

**TSCA inventory:** All components are listed or exempted.

# InstaMatch Repair Kit Putty

## Safety Data Sheet (SDS)

### **SARA 301/302/303:**

No chemicals in this product are listed as extremely hazardous substances in 40 CFR 355. Emergency Planning and Notification.

**SARA 304:** No chemicals in this product require reporting under the requirement of 40 CFR 355. Emergency Planning and Notification (SARA extremely hazardous substances listed in Appendix A to Part 355 or CERCLA hazardous substances listed in Table 302.4 of 40 CFR part 302).

**SARA 313:** This product contains no chemicals in excess of the applicable de minimis concentration that are subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 (Table 372.65).

Specific state and local regulations should be consulted to determine if there are any additional requirements. Because many States and localities have added requirements or incorporated the Federal contents in their own forms; Tier I & II forms should be obtained from the State Emergency Response Commission (SERC).

### **European/International Regulations:**

European Labeling in Accordance with EC Directives

Hazard Symbols: Xi, Xn

### **Risk phrases:**

22 Harmful if swallowed.

36/37/38 Irritating to eyes, respiratory system and skin.

### **Safety phrases:**

2 Keep out of the reach of children.

25 Avoid contact with eye.

46 If swallowed, seek medical advice immediately and show this container or label.

## **16. Other information**

*The contents and format of this SDS are in accordance with ISO Commission Directive ISO11014-1:1994*

### **DISCLAIMER OF LIABILITY**

*The information in this SDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may be applicable.*