



Link Step

Link Step brings more than just flooring to a space—it tells a story of design, inclusivity, and transformation. Crafted to merge elegance with accessibility, it's a collection born from the belief that everyone deserves to live in beautiful, well-designed spaces. With Link Step, each step becomes part of a larger narrative, where thoughtful design meets aspiration, and where individuality is celebrated within the harmony of a shared environment.

Link Step offers three distinct styles—
Solid Bonds, a timeless wood visual;
Shared Strides, a textured striated wood;
and Harmonic Waves, an abstract
design inspired by nature's fluidity. Each
plank or tile, available in two versatile sizes,
becomes a canvas of possibility, creating
spaces that feel both personal
and universal.

The curated color palette, from soft, calming neutrals to bold, energizing hues, enhances any space, making it warm and inviting. Link Step offers more than durability—it offers a sense of belonging, a chance to step into a space where design embraces life's unique and shared moments.



Learn more at mohawkgroup.com

Cover:

Link Step | Solid Bonds 842 Unified Tone, Harmonic Waves 848 Haute Confluence







Solid Bonds colorways



818 Elevated Silver



838 Affinity Suede



842 Unified Tone



848 Haute Confluence



868 Embracing Ember



942 Radiating Shadow



945 Connecting Cool



Shared Strides COLORWAYS



818 Elevated Silver



838 Affinity Suede



842 Unified Tone



848 Haute Confluence



868 Embracing Ember



942 Radiating Shadow



945 Connecting Cool



Harmonic Waves colorways




818 Elevated Silver



838 Affinity Suede



842 Unified Tone




848 Haute Confluence



868 Embracing Ember



942 Radiating Shadow



945 Connecting Cool



Better for People and Planet

Our future depends on the work we do today. At Mohawk Group, commitment to our planet extends beyond just products and processes: it's how we challenge ourselves to do and be better every day, how we make decisions, how we reinvest in our people and our planet, and how we define what matters most as we work to deliver value for generations to come.



Human Health

Health Product Declaration Green Label Plus Certification

Mohawk Group is proud to provide products free of Red List chemicals with verified documentation of their impact throughout the lifecycle, with Green Label Plus certification for better indoor air quality.



Climate Health

UL Certified EPD

Beyond Carbon Neutral

Carbon Neutral PLUS an additional 5% carbon offset for a net-positive impact on the environment.

Net Zero Carbon Emissions by 2040

We've signed The Climate Pledge to be net zero by 2040 and have already started major changes to reduce our carbon footprint.

Circular Economy

End of Life Options

Salvageable/Reusable in its Entirety Take Back Program (ReCover)

Ecosystem Health

Neutral Is Not Enough

With the holistic improvement of the lifecycle of our flooring products – from full product transparency, to reduced water usage in manufacturing, to carbon neutrality and beyond – better is just the beginning.

Water Positive

Mohawk Group balances all water on its Living Product Challenge Petal Certified carpet tiles by 105% for a net-positive impact on our waterways.



Specifications

Solid Bonds (C2099) Shared Strides (C2100) Harmonic Waves (C2101)

DESIGN

Product Type Luxury Vinyl Tile - Flexible

Overall Thickness 2mm (.079")
Wear Layer 12 mil (0.3mm)
Finish Enhanced Urethane

Colors

Size (Actual)

Solid Bonds, Shared Strides
Harmonic Waves
18" x 36"
Emboss
Overall
Edge Profile
Squared
Installation & Adhesive
Glue Down

Packaging

Solid Bonds, Shared Strides 27 pcs per carton / 54 sq ft per carton Harmonic Waves 12 pcs per carton / 54 sq ft per carton

For detailed adhesive and installation information

visit mohawkgroup.com

PERFORMANCE

Construction
Light Commercial Luxury Vinyl Tile
Classification
ASTM F1700 - Class III, Type B - Embossed
Squareness
ASTM F2421 - Passes - ±0.10" max
Size and Tolerance
ASTM F2421 - Passes - ±0.016"/linear foot
Thickness
ASTM F386 - Passes, as specified ± .005"
Flexibility
ASTM F137 - Passes - 1" mandrel

Dimensional Stability ASTM F2199 - Passes - 0.020"/linear foot max Static Load Limit ASTM F970 - Passes, modified at 1000 psi

Residual Indentation ASTM F1914 - Passes, Avg less than 8%, Max Single Reading 10%

Resistance to Chemicals ASTM F925 - Passes - No more than a slight change

Resistance to Light ASTM F1515 - Passes, $\Delta E \le 8$ Resistance to Heat ASTM F1514 - Passes, $\Delta E \le 8$ Critical Radiant Flux ASTM E648 - Class 1 (>0.45 W/cm2) Smoke Density ASTM E662 - Meets, 450 or less

SUSTAINABILITY

Certification FloorScore® Certified

Carbon Net-Positive Carbon (Neutral +5%)

SERVICE

Warranties Limited 10-Year Light Commercial Warranty

25-Year Residential Warranty

For detailed warranty information visit mohawkgroup.com









Mohawk Group

Mohawk Group 160 South Industrial Blvd. Calhoun, GA. 30701 800.554.6637 mohawkgroup.com

MG792 12PG BROCHR LT 0143C_Sep/2024