



Living Local

Premium Wood

Premium Wood

Living Local Premium Wood LVT is a revitalization of our original Living Local collection. The color line has been curated to showcase our favorite classic colors and now includes some fresh new additions. The plank size is slightly larger and the product now includes the M-Force Ultra performance.

Premium Wood contains an array of contemporary and classic visuals in a wide range of colors. The diversity of this line and the versatility of this product specification make this the perfect solution for almost any project.

Learn more at mohawkgroup.com



Cover: Premium Wood, 939 Bay Leaf, 958 Two Tone; Filtering Form, 978 Alder
Above: Premium Wood, 330 Almond, 889 Cocoa, 95 Studio, 210 Fawn, 958 Two Tone

Premium Wood

Living Local Premium Wood is a 2.5 mm thick, 7.75" x 52" plank LVT that provides flexibility of design with high performance. Featuring a 20 mil heavy commercial wear layer, our premium M-Force Ultra technology – a complete performance system for LVT, and sustainable manufacturing in our Dalton, GA resilient facility, designers can be proud of and confident in their specification.



PERFORMANCE FOR LIFE

Living Local features our M-Force Ultra technology providing exceptional scratch, stain and dent resistance, and easy maintenance for lasting beauty.



SEAMLESS TRANSITIONS

No transition strips needed when coordinating Living Local with any of our EcoFlex Matrix backed carpet tile products, reducing installation time and costs.



QUICKSHIP

Select colors available through Mohawk Group's QuickShip and Ready to Ship programs. Visit mohawkgroup.com to view available colors and inventories.



MADE IN THE USA

Living Local collection is proudly manufactured in Dalton, GA and helps to support our local economies.

ADDITIONAL FEATURES

- 20-Year M-Force Ultra Commercial Warranty
- Floorscore Certified for Low VOCs
- May Contribute toward LEED/WELL
- No Ortho-Phthalates



SUSTAINABLE

All commercial LVT manufactured in our Dalton, GA resilient facility utilizes our certified manufacturing recycling process to repurpose 100% of our post-industrial material into new product and divert it from landfills.





Premium Wood, 123 Western Woods, 332 Cedar

Mohawk Group

Premium Wood COLORWAYS

2.5mm LVT | 7.75" x 52"

123 Western Woods



210 Fawn



235 Scone



330 Almond



332 Cedar



358 Brick



560 Bisque Ware



812 Tan Tone



829 Sandy



Premium Wood

COLORWAYS

2.5mm LVT | 7.75" x 52"



838 Beagle



889 Cocoa



918 Silver



939 Bay Leaf




949 Gorgeous Gray



958 Two Tone



95 Studio



966 Shadow



989 Lead




Premium Wood, 939 Bay Leaf, 989 Lead

M-Force™

COMPLETE PERFORMANCE SYSTEM FOR LVT

Staff moving equipment, students dragging chairs, employees spilling coffee—for all the life that goes on in your space, your floors will be protected with M-Force: the complete performance system that makes your floor look better longer.



Three-Part Protection

M-Force is a combination of the finish layer, wear layer and design layer. We develop each layer individually for optimal performance, and then we bond the layers in a proprietary process that makes their performance exponentially greater together.

As a result, your floor looks better longer, with superior protection against scratches, stains, dents and wear, all while providing a crisp, clear visual and easy maintenance.


Performance for Life

You need a floor that beautifully supports all the life in your facility. And life doesn't stop where the industry testing standards stop. Foot traffic keeps walking, spills keep splashing, and heavy loads keep rolling. That's why we continually test M-Force floors to perform beyond the industry standards.

We work to exceed the standards, because M-Force works to ensure your floor looks better longer for everything that happens in your space. M-Force means you get performance for life.

When Life Gets Extreme

For more specialized or extreme areas of use, ask your Mohawk Group rep about M-Force Ultra—we engineered M-Force Ultra to provide even greater durability against scratches, dents and wear, and even higher resistance to the toughest stains.



The M-Force Warranty

- M-Force flooring carries a limited 15-year commercial warranty.
- M-Force Ultra flooring carries a limited 20-year commercial warranty.

Specifications

Premium Wood (C0194)

DESIGN

| | |
|------------------------|--|
| Product Type | Luxury Vinyl Tile - Flexible |
| Size | 7.72" x 51.97" Actual 7.75" x 52" Nominal |
| Overall Thickness | 2.5mm |
| Wear Layer | 20 mil (0.5mm) |
| Finish | M-Force™ Ultra |
| Edge Profile | Micro Bevel |
| Emboss | Overall |
| Colors Available | 18 Colors |
| Packaging | |
| Pieces per carton | 13 pcs/ctn |
| Square feet per carton | 36.22 sqft/ctn |
| Lbs per carton | 30.44 lbs/ctn |

*For detailed warranty, adhesive and installation information visit mohawkgroup.com

PERFORMANCE

| | |
|-------------------------|---|
| Construction | Commercial Grade Flexible LVT |
| Installation | Glue Down |
| Classification | ASTM F1700 - Class III, Type A - Smooth, Type B - Embossed |
| Squareness | ASTM F 2421 - Passes - ± 0.10 " max |
| Size and Tolerance | ASTM F2421 - Passes - ± 0.16 "/linear foot |
| Thickness | ASTM F386 - Passes - as specified ± 0.005 " |
| Flexibility | ASTM F137 - Passes - 1" mandrel |
| Dimensional Stability | ASTM F2199 - Passes - 0.020"/linear foot max |
| Static Load Limit | ASTM F970 - Passes, modified at 1000 psi |
| Residual Indentation | ASTM F1914 - Passes - Average less than 8% maximum single reading 10% |
| Resistance to Chemicals | ASTM F925 - Passes - No more than a slight change |
| Resistance to Light | ASTM F1515 - Passes - $\Delta E < 8$ |
| Resistance to Heat | ASTM F1514 - Passes - $\Delta E < 8$ |
| Critical Radiant Flux | ASTM E648 - Class 1 (>0.45 W/cm ²) |
| Smoke Density | ASTM E662 Part A - Less than 450 |

SUSTAINABILITY

| | |
|------------------------|-----------------------|
| Certification | FloorScore® Certified |
| Manufacturing Location | Made in the USA |

SERVICE

| | |
|----------|--|
| Warranty | Limited 20-Year M-Force Ultra Warranty |
|----------|--|

Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit [www.mohawkgroup.com](http://mohawkgroup.com)





Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
800.554.6637
mohawkgroup.com

C0194 12PG BROCHR LT