

M92X Engineered Wood Flooring Adhesive

Safety Data Sheet (SDS)

According to US Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication

SECTION 1 - IDENTIFICATION

TRADE NAME: M92X

DESCRIPTION: Recommended use of the chemical and restriction on use: installation of flooring materials over approved subfloor – glue-down installation of All Engineered flooring.

Manufacturer or supplier's details

COMPANY NAME OF SUPPLIER Mohawk Group

ADDRESS 160 South Industrial Blvd.
Calhoun, GA 30701

TELEPHONE (888) 387-9881

EMERGENCY TELEPHONE 1-800-424-9300 (CHEMTREC)

OTHER MEANS OF IDENTIFICATION Chemical Family: Modified Silane Blend

SECTION 2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF THE PRODUCT: No need for classification according to GHS criteria for this product.

LABEL ELEMENT: This product does not require a hazard warning label in accordance with GHS criteria.

HAZARDS NOT OTHERWISE CLASSIFIED None known if used according to instructions.

EMERGENCY OVERVIEW Caution: May cause skin irritation if not removed after skin contact.
Use with local exhaust ventilation.
Use protective equipment for eyes, skin protection.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

CAS NUMBER	Content	Chemical Name
TRADE SECRET	15-30	Silyl Terminated Polyether
TRADE SECRET	15-30	Plasticizer
1317-65-3	4560	Additives

SECTION 4 - FIRST AID MEASURES

GENERAL ADVICE: Upon contact, remove material from skin, eyes, and clothing. If irritation persists, seek medical attention.

IF INHALED: Remove individual to fresh air if needed.

IF ON SKIN: Wash with mild soap and water.

IF IN EYES: Open eyelids and flush with running water for at least 15 minutes.

IF SWALLOWED: Do not induce vomiting. Seek medical help immediately.

M92X Engineered Wood Flooring Adhesive

Safety Data Sheet (SDS)

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: Not expected due to non- classification of the product.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NOTE TO PHYSICIAN: Treatment: Symptomatic treatment

SECTION 5 - FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: Use Water spray, foam, dry powder when needed.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: Material is a mixture of organic compounds. Compounds of carbon may arise during burning.

ADVICE FOR FIRE-FIGHTERS: Wear self-contained breathing apparatus and turn out gear. Use water to keep the containers cool.

FURTHER INFORMATION: Dispose debris and contaminated clothing in accordance with regulations.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

FURTHER ACCIDENTAL RELEASE MEASURES: Slip hazard when spilled.

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Use personal protective clothing. Avoid contact with skin and eyes.

ENVIRONMENTAL PRECAUTIONS: Do not release spilled material into natural waters

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Remove material using absorbents. Scrape off excess and place in closed DOT approved containers for disposal.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Do not puncture. Keep out of the reach of children.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep from freezing. Avoid extreme temperatures.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: NIOSH respirator if needed. Use local exhaust ventilation. Do not use closed air-circulating system.

SKIN PROTECTION: Chemical resistant gloves, apron, coveralls, and boots to prevent unnecessary contact.

EYE PROTECTION: Safety glasses, goggles, or face shield.

GENERAL SAFETY AND HYGIENE SAFETY MEASURES: Wash hands and face after use. Launder contaminated clothing before re-use. Always use protective equipment to avoid direct contact.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

FORM: Medium viscosity liquid

ODOR: Mild

ODOR THRESHOLD: No data

COLOR: Off white

PH VALUE: Not applicable Melting point: not applicable Boiling point: no data

FLASH POINT: Not applicable

M92X Engineered Wood Flooring Adhesive

Safety Data Sheet (SDS)

FLAMMABILITY:	Non-flammable
LOWER EXPLOSION LIMIT:	Not applicable Upper Explosion Limit: not applicable Vapor Pressure: low
DENSITY:	9.4 – 10.1 lbs. per gallon Relative density: 1.13 – 1.21 grams / cm ³ Vapor density: low
PARTITION COEFFICIENT N-OCTANOL /WATER (LOG POW):	No data
SELF- IGNITION TEMPERATURE:	Not applicable
SOLUBILITY IN WATER:	Insoluble Miscibility in water: not miscible Evaporation rate: low

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY:	Stable
CHEMICAL STABILITY:	Stable
POSSIBILITY OF HAZARDOUS REACTIONS:	None, product is stable.
CONDITIONS TO AVOID:	Extreme temperatures.
INCOMPATIBLE MATERIALS:	Water. Product is a moisture curing material.
HAZARDOUS DECOMPOSITION PRODUCTS:	None known.

SECTION 11 - TOXICOLOGICAL INFORMATION

No data available

Primary routes of exposure: Respiratory, eyes, skin. Ingestion is not likely but might cause gastric disturbances

Acute Toxicity / Effects

Acute toxicity: May cause irritation upon contact.

Chronic Toxicity Effects

Repeated dose toxicity:	No data available
Genetic toxicity:	No data available
Carcinogenicity:	Not carcinogenic
Reproductive toxicity:	No data available
Teratogenicity:	No data available

SECTION 12 - ECOLOGICAL INFORMATION

No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

Abide by all State, federal and local regulations

M92X Engineered Wood Flooring Adhesive

Safety Data Sheet (SDS)

SECTION 14 - TRANSPORT INFORMATION

Proper Shipping name:	Not applicable
Proper Hazard Class:	Not hazardous
Hazard Code:	None hazardous
Bill of Lading Description:	Adhesives, NOI
Land transport USDOT:	Not considered as a dangerous goods under transport regulations
Sea transport IMDG:	Not considered as a dangerous goods under transport regulations
Air transport IATA:	Not considered as a dangerous goods under transport regulations

SECTION 15 - REGULATORY INFORMATION

Federal Regulations

Registration status

TSCA: Chemicals contained in the product are either listed or exempt in the U.S. EPA TSCA inventory list.

SARA Title III, Section 312 Hazard Class: None

EPA SARA Title III Section 312: None

State regulations:

NFPA Hazard Codes

Health: 1	Fire: 0	Reactivity: 0	Special: N/A
HMIS rating: N/A	Health: 1	Flammability: 0	Physical hazard: 0

SECTION 16 - OTHER INFORMATION

SDS prepared by: Mohawk Industries SDS Group

SDS prepared on: April 6, 2017

Disclaimer/Statement of Liability

Mohawk Industries believes the data set forth herein are accurate as of the date hereof. Mohawk Industries makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.