

HPD UNIQUE IDENTIFIER: 363200999424

CLASSIFICATION: 09 68 00 Carpeting

PRODUCT DESCRIPTION: Woven carpet is one of the most sustainable flooring options, as it lasts up to 3 times longer than tufted carpet. Because woven carpet lasts longer than other carpet constructions, it can outlive the building occupants, avoiding the need to replace it or recycle. Woven construction is the oldest method of producing textiles. In the weaving process, pile yarns are intricately interlaced into the foundation, creating a structure whereby backing and face yarns become one. The art of weaving allows for a construction that is denser than other carpet constructions, resulting in a beautiful carpet that retains its original appearance over time.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Completed	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

WOVEN NYLON BROADLOOM CARPET [NYLON 6,6 LT-UNK NYLON 6 LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-P1 LIMESTONE; CALCIUM CARBONATE BM-3dg STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR)) LT-UNK POLYPROPYLENE LT-UNK 2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE (2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE) LT-UNK 2-PROPENOIC ACID, 2-METHYL-, BUTYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK ALUMINA TRIHYDRATE (ALUMINA TRIHYDRATE) BM-2 SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All inventory reported to threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CRI Green Label Plus - Carpets

Red List Free: ILFI Declare - Red List Free

: NSF/ANSI 140-2007e - Gold

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-02-02
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2024-02-02
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2027-02-02

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

WOVEN NYLON BROADLOOM CARPET

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on best practices of raw material suppliers, MHK's EHS policies, and enrollment in CRI's GLP program for IAQ.

OTHER PRODUCT NOTES: Mohawk's EHS policies considered for residuals and impurities for each raw material. The residuals have been evaluated.

NYLON 6,6

ID: 32131-17-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:00		
%: 0.0000 - 65.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The range is controlled by the pattern and aesthetics requested by the customer. The fiber layer is the largest component in the carpet structure.					

NYLON 6

ID: 25038-54-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:01		
%: 0.0000 - 65.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The range is controlled by the selection of pattern and the aesthetics required by the customer. The fiber layer is the largest component of the carpet structure.					

POLYETHYLENE TEREPHTHALATE (PET)				ID: 25038-59-9	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:01		
%: 10.0000 - 20.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Backing Yarns					

LIMESTONE; CALCIUM CARBONATE				ID: 1317-65-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:01		
%: 0.0000 - 20.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Coating Adhesive Filler					

STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR))				ID: 9003-55-8	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:02		
%: 5.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Back Coating					

POLYPROPYLENE				ID: 9003-07-0	
---------------	--	--	--	---------------	--

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:02		
#: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Backing Yarn					

2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE (2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE)

ID: 26949-30-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:02			
#: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
None found			No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No listings found on Additional Hazard Lists			
SUBSTANCE NOTES: Backing Yarn						

2-PROPENOIC ACID, 2-METHYL-, BUTYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 25322-99-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-02 8:36:03		
#: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Fiber Treatment					

ALUMINA TRIHYDRATE (ALUMINA TRIHYDRATE)

ID: 21645-51-2

%: **0.0000 - 1.0000**

GreenScreen: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Component is bound in backing compounds and is not inhalable in the finished product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Eden NC CERTIFICATE URL: http://www.carpet-rug.org CERTIFICATION AND COMPLIANCE NOTES: Pre-dyed Nylon with SB Latex Unitary Backing	ISSUE DATE: 2004-10-28 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: CRI
MULTI-ATTRIBUTE	ILFI Declare - Red List Free	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Eden NC CERTIFICATE URL: http://www.mohawkgroup.com CERTIFICATION AND COMPLIANCE NOTES: Red List Free	ISSUE DATE: 2016-11-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: ILFI
MULTI-ATTRIBUTE	NSF/ANSI 140-2007e - Gold	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Eden NC CERTIFICATE URL: http://mohawkgroup.com CERTIFICATION AND COMPLIANCE NOTES: NSF140	ISSUE DATE: 2009-07-13 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: NSF

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

NUBROADLOK PREMIUM MULTI-PURPOSE ADHESIVE
MANUFACTURER (OR GENERIC): Mohawk Group
HPD URL: http://www.mohawkgroup.com ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Use of Mohawk's Nubroadlok Premium Multi-Purpose Adhesive is required for full warranties. NuBroadlok® Premium Multi-Purpose Adhesive is specially designed to install all Mohawk Group broadloom products. NuBroadlok® Premium Multi-Purpose Adhesive is nonflammable and has low odor and low VOC's which makes it ideal for use in schools, health care facilities, public buildings, and anywhere odor is a concern. The adhesive is CRI Green Label Plus approved and meets or exceeds California SCQAMD Rule 1168.

Section 5: General Notes

Woven carpets deliver unparalleled, time-tested textures and patterns. Extended life of the woven carpets means less carpet to the landfill. Compliant with LEED IEQ 4.1 Low-Emitting Materials. May contribute to or comply with LEED credits MR 4.0, MR 5.0, IEQ 4.3 and Innovation credit for ANSI/NSF 140. Quality and experience combine to offer a unique construction not available through all manufacturers.

MANUFACTURER INFORMATION

MANUFACTURER: **Mohawk Group**
 ADDRESS: **160 South Industrial Blvd**
Calhoun, GA 30701
 COUNTRY: **USA**

WEBSITE: **http://www.mohawkkind.com**
 CONTACT NAME: **Riley Kagele**
 TITLE: **Sustainability Coordinator**
 PHONE: **706-879-6572**
 EMAIL: **riley_kagele@mohawkkind.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

