



# SwitchCode

Prosigns | Prosigns Tint | Umpteen | Umpteen Tone





Cover: Umpteen Tone 946, Prosigns 949, Prosigns Tint 965 | Vertical Ashlar Installation  
Umpteen Tone 946, Umpteen 949 | Vertical Ashlar Installation



Mohawk Group's SwitchCode collection features innovative product constructions and a system of enhancements to deliver high-performance modular carpet for demanding environments. Ease your mind with a full-system solution that offers the right combination of technologies to address the most common flooring issues in challenging environments. From fiber to backing and installation, trust you have selected the most durable products that will provide years of value, performance and design.



Produced at our Living Site, SwitchCode is Net Positive for both carbon and water and achieves Petal Certification from the International Living Future Institute by complying with multiple imperatives of all seven petals.

### EcoFlex™ Matrix

#### BACKING

Using advanced materials and patent engineering, EcoFlex Matrix reduces environmental impact, simplifies floor preparation and installation, greatly reduces sub-floor moisture concerns, and is easier to ship and handle. NSF-140 Gold certified.

### FLEXLOK+

#### EASY INSTALLATION

Fast and easy installation with FlexLok+ tabs streamlines floor preparation and eliminates the need for wet adhesives.



#### QUICKSHIP

SwitchCode is made in the USA and is available through Mohawk Group's QuickShip and Ready to Ship programs. Visit [mohawkgroup.com](http://mohawkgroup.com) to view available colors and inventories.



#### FIBER

For over 15 years, Colorstrand fiber has continually exceeded the demanding expectations of our customers for their products. With the design flexibility and color intensity of solution-dyed fiber, Colorstrand delivers unsurpassed colorfastness to light, atmospheric contaminants, and harsh cleaning agents.



#### MERGEABILITY

SwitchCode is designed to allow the mergeability of various dye lots, so ongoing maintenance and selective tile replacement will keep your flooring installation looking great for years to come.



#### SEAMLESS TRANSITIONS

SwitchCode does not require transition strips when used with any of our 2.5 mm LVT products, reducing installation time and costs.





Prosigns Tint 965 | Vertical Ashlar Installation  
Chromascope 620, 940



# Beyond Carbon Neutral



SINCE  
**2022**

All products carbon neutral

PLUS an additional 5% for a net-positive impact on the climate

**2040**

Net zero carbon emissions

We've signed The Climate Pledge to be net zero in emissions by 2040 and have already started major changes to reduce our carbon footprint.

**Neutral is not enough.**

With our holistic improvement of the life cycle of our flooring products— from full product transparency, to reduced water usage in manufacturing, to carbon neutrality and beyond—better is just the beginning.

THE  
CLIMATE  
PLEDGE



Better for our world means doing more to stop and reverse climate change.



Umpteen Tone 965  
Vertical Ashlar Installation




# Prosigns COLORWAYS

Prosigns appears as a series of intermittent lines with a color line of warm and cool neutrals. Prosigns Tint introduces accents from a palette inspired by popular colors from schools, colleges and universities.



949 Bravo



937 Charlie



848 Delta



979 Alpha



545 Echo


# Prosigns Tint COLORWAYS



946 Golf




935 Hotel



843 India



965 Foxtrot



542 Juliet




# Umpteen COLORWAYS

Umpteen and Umpteen Tone share the same palettes as Prosigns and Prosigns Tint, but with an added geometric design for a slight visual twist.




949 Bravo



937 Charlie



848 Delta



979 Alpha




545 Echo


# Umpteen Tone COLORWAYS



946 Golf



935 Hotel



843 India



965 Foxtrot



542 Juliet






## Show Your Spirit!


Incorporating your school's or organization's colors into your carpet selections is easy and efficient with Personal Studio. With low minimums and an extensive selection of yarn colors, users can quickly integrate their own school's colors in Prosign, Prosign Tint, Umpteen and Umpteen Tone and see instant results.



CLBL 949




DSPT 915



DSPT 916



CUSTOM Garnet, Gold



Personalize your own project now by visiting <https://ps.mohawkgroup.com>

**Mohawk Group** | *Personal Studio*<sup>™</sup>

p.s. was developed to provide you with a tool that will allow you to streamline your efforts and respond quickly. Find the perfect color, visualize in a room, photorealistic simulations and the ability to save your favorite personalized products per project.

# Specifications

- Prosigns** (BT592)
- Prosigns Tint** (BT593)
- Umpteen** (BT594)
- Umpteen Tone** (BT595)

## DESIGN

Size	24" x 24" (.6096m x .6096m)
Surface Appearance	Textured Patterned Loop
Fiber Type	Colorstrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	Quarter Turn / Vertical Ashlar / Multi-Directional
Colors Available	
Prosigns	5
Prosigns Tint	5
Umpteen	5
Umpteen Tone	5

## PERFORMANCE

Construction	Tufted
Gauge	1/12" (47.00 rows per 10cm)
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing Material	EcoFlex Matrix
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV


## SUSTAINABILITY

Certification	Living Product Challenge Petal Certified; Declare Red List Free
Indoor Air Quality	Green Label Plus Certified #1171
NSF 140	Gold
Carbon	Net Positive Carbon (neutral + 5%)
Water	Net Positive Water (neutral + 5%)

## SERVICE

Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static
------------	--

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

**These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.**

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit [www.mohawkgroup.com](http://www.mohawkgroup.com)



Produced with recycled materials

