



Taking Root

Book II: Transfiguration MycoTexture



Taking Root

Inspired by our deep connection to nature and the grown world, Taking Root explores design elements drawn from mycelium and mushrooms. This LVT collection includes three styles to support unique biophilic design strategies. Two of the styles, Transfiguration and MycoTexture, are featured in this book.

Transfiguration provides the aesthetic of polished concrete infused with early stages of underground mycelium growth. MycoTexture is inspired by the microscopic details and intricacies of structures found in mushrooms.




Learn more at mohawkgroup.com

Cover:
MycoTexture, 848 Sawdust and 555 Growth, Random
Curious Cluster, 585 Bottom of a Well, Brick Ashlar







Ultra Performance and Seamless Solutions for Any Project

Transfiguration and MycoTexture are both available in two platforms, offering a seamless transition to a variety of soft surfaces and helping you meet the needs of different projects. The products are designed with a 20 mil heavy commercial wear layer and our premium M-Force Ultra technology, which delivers a complete performance system for LVT.

M-Force™ Ultra

Taking Root features our M-Force Ultra technology providing exceptional scratch, stain and dent resistance, and easy maintenance for lasting beauty.

Q QUICKSHIP

All styles available through Mohawk Group's QuickShip and Ready to Ship programs. Visit mohawkgroup.com for availability and inventory.



All our flooring products go Beyond Carbon Neutral, meaning they are 100% carbon neutral plus an additional 5% carbon offset for a Net-Positive impact.



FLEX 2.5MM

A LIVING LOCAL STYLE

No transition strips needed between the 2.5mm platform and EcoFlex™ Matrix backed carpet tile products, reducing installation time and costs.

- Made in our Dalton, GA facility, where we reuse 100% of our post-industrial material
- May contribute toward LEED/WELL
- UL certified EPD
- No ortho-phthalates
- Floorscore® certified for low VOCs



FLEX 4.5MM

A LARGE AND LOCAL STYLE

No transition strips needed between the 4.5mm platform and EcoFlex™ ONE or EcoFlex™ NXT backed carpet tile products, reducing installation time and costs.

- Made in our Dalton, GA facility, where we reuse 100% of our post-industrial material
- May contribute toward LEED/WELL
- UL certified EPD
- No ortho-phthalates
- Floorscore® certified for low VOCs



Transfiguration, 969 Alter
Random



Mycotexture, 646 Earth
Random







Transfiguration COLORWAYS

In neutral colors that evoke concrete, Transfiguration features areas of biomorphic patterning inspired by mycelium networks. The subtle, organic forms are also reminiscent of the expressive turkey tail mushroom.



825 Reshape



828 Modify



859 Variation



929 Shift



969 Alter

MycoTexture COLORWAYS

MycoTexture finds visual inspiration in the branching and fusing of mycelium as well as the cellular structure of mushrooms. The colorways draw on natural mushroom dyes, echoing the sunbaked colors of our coordinating soft surface carpet collections.



539 Trunk



555 Growth



646 Earth



818 Sunlight



835 Heartwood



842 Mulch



848 Sawdust



868 Bark



949 Root



979 Topsoil



Mycotexture, 979 Topsoil
Random

Lindsey Holcomb



To explore the theme of Taking Root, we commissioned a work from Lindsey Holcomb, an artist with the ArtLifting platform. ArtLifting champions artists who are impacted by housing insecurity or disabilities.

A passionate artist and advocate, Lindsey is an inspiration for those living with Multiple Sclerosis and chronic illness. She creates works in a variety of mediums, from alcohol ink to cyanotype printing to encaustic. She is proudly neurodivergent, as mirrored by her style.

In *Above | Below*, Lindsey incorporates natural inks that she created with ingredients foraged from Pacific Northwest forests. She evokes a mycelium network through her use of white thread on a white background: “It invites the viewer to contemplate the intricacies of the natural world, both seen and unseen.” As Lindsey explains, “*Above | Below* is a celebration of the beauty and complexity of our dynamic environment, and a reminder of the importance of preserving and protecting it.”



Each time you specify from collections in our ArtLifting partnership, we're donating to Susan G. Komen through our Specify for a Cure program. Join us in leveraging the power of art to bring people together and uplift our communities.



M-Force™ Ultra

COMPLETE PERFORMANCE SYSTEM FOR LVT

M-Force Ultra is a combination of the finish layer, wear layer and design layer. We develop each layer individually for optimal performance, and then we bond the layers in a proprietary process that makes their performance exponentially greater together. As a result, your floor looks better longer, with superior protection against scratches, stains, dents and wear, all while providing a crisp, clear visual and easy maintenance.

PERFORMANCE FOR LIFE


- M-Force™ provides exceptional scratch, puncture and stain resistance for lasting beauty.
- Easy to clean and maintain, M-Force™ provides greater stain and soil protection.

WARRANTY

- M-Force Ultra flooring carries a limited 20-year commercial warranty.

M-Force™ Ultra

A synergy of three components bonded together into one high-performance flooring solution.



Specifications

Transfiguration - Flex 2.5mm (C2087)
 Transfiguration - Flex 4.5mm (C2088)
 MycoTexture - Flex 2.5mm (C2089)
 MycoTexture - Flex 4.5mm (C2090)

DESIGN

Product Type	Luxury Vinyl Tile - Flexible
Overall Thickness	2.5mm 4.5mm
Wear Layer	20 mil (0.5mm)
Finish	M-Force™ Ultra
Colors	
Transfiguration	5
MycoTexture	10
Size	
Actual	18" x 36"
Nominal	18" x 36"
Emboss	Overall
Bevel	Micro Bevel
Installation & Adhesive	Glue Down
Packaging	
Flex 2.5mm	64.9 oz per pc / 12 pcs per carton / 54 sq ft per carton
Flex 4.5mm	116.76 oz per pc / 7 pcs per carton / 31.5 sq ft per carton

For detailed adhesive and installation information visit mohawkgroup.com

PERFORMANCE

Construction	Commercial Flexible Luxury Vinyl Tile
Classification	ASTM F1700 - Class III, Type B - Embossed
Squareness	ASTM F2421 - Passes - $\pm 0.10"$ max
Size and Tolerance	ASTM F2421 - Passes - $\pm 0.016"/$ linear foot
Thickness	ASTM F386 - Passes, as specified $\pm .005"$
Flexibility	ASTM F137 - Passes - 1" mandrel
Dimensional Stability	ASTM F2199 - Passes - 0.020"/linear foot max
Static Load Limit	ASTM F970 - Passes, modified at 1000 psi
Residual Indentation	ASTM F1914 - Passes, Avg less than 8%, Max Single Reading 10%
Resistance to Chemicals	ASTM F925 - Passes - No more than a slight change
Resistance to Light	ASTM F1515 - Passes, $\Delta E \leq 8$
Resistance to Heat	ASTM F1514 - Passes, $\Delta E \leq 8$
Critical Radiant Flux	ASTM E648 - Class 1 (>0.45 W/cm ²)
Smoke Density	ASTM E662 - Meets, 450 or less

SUSTAINABILITY

Recycled Content	100% Pre-Consumer
Certification	FloorScore® Certified
Carbon	Net-Positive Carbon (Neutral +5%)

SERVICE

Warranties	Limited 20 Year M-Force™ Ultra Commercial
------------	---

For detailed warranty information visit mohawkgroup.com



