

PRODUCT SPECIFICATIONS

Construction	Glazed Porcelain
Use	Residential
Finish	Matte & Polished
Application(s)	Floor/Wall/Backsplash/Countertop
Edge	TruEdge™
Installation*	1/8"
Shade Variation	V3
D.C.O.F. (Slip Resistance)	Matte - ≥ 0.42 ; Polished - < 0.42
P.E.I. (Wear Resistance)	4
Scratch Hardness	Matte - 8; Polished - 6
Frost Resistance	Resistant



Sizes are Nominal. Dye lot & Texture variations are inherent characteristics of this product.

AVAILABLE SIZES



12" x 24"



12" x 12"



24" x 24"



2" x 2"
Matte Only



3" x 12" BN

*Recommended grout joint: 1/8" (3/16" when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)



PRODUCT SPECIFICATIONS

Construction	Glazed Porcelain
Use	Residential
Finish	Matte & Polished
Application(s)	Floor/Wall/Backsplash/Countertop
Edge	TruEdge™
Installation*	1/8"
Shade Variation	V3
D.C.O.F. (Slip Resistance)	Matte - ≥0.42; Polished - <0.42
P.E.I. (Wear Resistance)	4
Scratch Hardness	Matte - 8; Polished - 6
Frost Resistance	Resistant



Sizes are Nominal. Dye lot & Texture variations are inherent characteristics of this product.

AVAILABLE SIZES



12" x 24"



12" x 12"



24" x 24"



2" x 2"
Matte Only



3" x 12" BN

*Recommended grout joint: 1/8" (3/16" when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)




PRODUCT SPECIFICATIONS

Construction	Glazed Porcelain
Use	Residential
Finish	Matte & Polished
Application(s)	Floor/Wall/Backsplash/Countertop
Edge	TruEdge™
Installation*	1/8"
Shade Variation	V3
D.C.O.F. (Slip Resistance)	Matte - ≥ 0.42 ; Polished - < 0.42
P.E.I. (Wear Resistance)	4
Scratch Hardness	Matte - 8; Polished - 6
Frost Resistance	Resistant



Sizes are Nominal. Dye lot & Texture variations are inherent characteristics of this product.

AVAILABLE SIZES



*Recommended grout joint: 1/8" (3/16" when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)




PRODUCT SPECIFICATIONS

Construction	Glazed Porcelain
Use	Residential
Finish	Matte & Polished
Application(s)	Floor/Wall/Backsplash/Countertop
Edge	TruEdge™
Installation*	1/8"
Shade Variation	V3
D.C.O.F. (Slip Resistance)	Matte - ≥ 0.42 ; Polished - < 0.42
P.E.I. (Wear Resistance)	4
Scratch Hardness	Matte - 8; Polished - 6
Frost Resistance	Resistant



Sizes are Nominal. Dye lot & Texture variations are inherent characteristics of this product.

AVAILABLE SIZES



*Recommended grout joint: 1/8" (3/16" when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)



STYLE COLOR NAME	COLOR NUMBER	MASTER SIZE CODE	NOMINAL SIZE	BACKING	SF / CTN	PCS / CTN	LBS / CTN	UOM / PLT	UOM	PART NUMBER
Carrara White Polish	ES50G	0312G	3X12	BN	-	36.00	36.36	2880.00	PC	P17705
Carrara White Polish	ES50G	1212G	12X12	FT	12.22	13.00	52.54	586.56	SF	P17681
Carrara White Polish	ES50G	1224G	12X24	FT	17.01	9.00	63.99	544.32	SF	P17685
Carrara White Polish	ES50G	2424G	24X24	FT	15.21	4.00	64.88	365.09	SF	P17689
Carrara White Matte	ES50M	0312M	3X12	BN	-	36.00	36.36	2880.00	PC	P17709
Carrara White Matte	ES50M	1212M	12X12	FT	12.22	13.00	52.54	586.56	SF	P17693
Carrara White Matte	ES50M	1224M	12X24	FT	17.01	9.00	63.99	544.32	SF	P17697
Carrara White Matte	ES50M	2424M	24X24	FT	15.21	4.00	64.88	365.09	SF	P17701
Carrara White Matte	ES50M	22MSM	2X2	SH	-	10.00	40.42	450.00	SH	P17713
Golden Calacatta Polish	ES51G	0312G	3X12	BN	-	36.00	36.36	2880.00	PC	P17707
Golden Calacatta Polish	ES51G	1212G	12X12	FT	12.22	13.00	52.54	586.56	SF	P17683
Golden Calacatta Polish	ES51G	1224G	12X24	FT	17.01	9.00	63.99	544.32	SF	P17687
Golden Calacatta Polish	ES51G	2424G	24X24	FT	15.21	4.00	64.88	365.09	SF	P17691
Golden Calacatta Matte	ES51M	0312M	3X12	BN	-	36.00	36.36	2880.00	PC	P17711
Golden Calacatta Matte	ES51M	1212M	12X12	FT	12.22	13.00	52.54	586.56	SF	P17695
Golden Calacatta Matte	ES51M	1224M	12X24	FT	17.01	9.00	63.99	544.32	SF	P17699
Golden Calacatta Matte	ES51M	2424M	24X24	FT	15.21	4.00	64.88	365.09	SF	P17703
Golden Calacatta Matte	ES51M	22MSM	2X2	SH	-	10.00	40.42	450.00	SH	P17715
Diamond Grey Polish	ES52G	0312G	3X12	BN	-	36.00	36.36	2880.00	PC	P17706
Diamond Grey Polish	ES52G	1212G	12X12	FT	12.22	13.00	52.54	586.56	SF	P17682
Diamond Grey Polish	ES52G	1224G	12X24	FT	17.01	9.00	63.99	544.32	SF	P17686
Diamond Grey Polish	ES52G	2424G	24X24	FT	15.21	4.00	64.88	365.09	SF	P17690
Diamond Grey Matte	ES52M	0312M	3X12	BN	-	36.00	36.36	2880.00	PC	P17710
Diamond Grey Matte	ES52M	1212M	12X12	FT	12.22	13.00	52.54	586.56	SF	P17694
Diamond Grey Matte	ES52M	1224M	12X24	FT	17.01	9.00	63.99	544.32	SF	P17698
Diamond Grey Matte	ES52M	2424M	24X24	FT	15.21	4.00	64.88	365.09	SF	P17702
Diamond Grey Matte	ES52M	22MSM	2X2	SH	-	10.00	40.42	450.00	SH	P17714
Breccia Onyx Polish	ES53G	0312G	3X12	BN	-	36.00	36.36	2880.00	PC	P17704
Breccia Onyx Polish	ES53G	1212G	12X12	FT	12.22	13.00	52.54	586.56	SF	P17680
Breccia Onyx Polish	ES53G	1224G	12X24	FT	17.01	9.00	63.99	544.32	SF	P17684
Breccia Onyx Polish	ES53G	2424G	24X24	FT	15.21	4.00	64.88	365.09	SF	P17688
Breccia Onyx Matte	ES53M	0312M	3X12	BN	-	36.00	36.36	2880.00	PC	P17708
Breccia Onyx Matte	ES53M	1212M	12X12	FT	12.22	13.00	52.54	586.56	SF	P17692
Breccia Onyx Matte	ES53M	1224M	12X24	FT	17.01	9.00	63.99	544.32	SF	P17696
Breccia Onyx Matte	ES53M	2424M	24X24	FT	15.21	4.00	64.88	365.09	SF	P17700
Breccia Onyx Matte	ES53M	22MSM	2X2	SH	-	10.00	40.42	450.00	SH	P17712

FOR MORE INFORMATION, VISIT MOHAWKBUILD.COM