

Forest Lawn Collection





848 Caramel
Cover: 838 Portobello, MeanderingTrail 979 Granite



16 Grey Mist, 559 Cool Calm






Forest Lawn Collection

The Forest Lawn Collection by Aladdin Commercial offers 7.25" x 48" LVT planks designed for commercial interior spaces. This collection is a great choice for various commercial applications, as it features eight different wood-inspired visuals and is available in two different thickness options. This variety allows for greater flexibility in project budgets and provides more choices for creating seamless transitions between hard and soft surface flooring and coordinating with other products in any space.

Features

- 2.5 mm and 5.0 mm overall thicknesses
- 7.25" x 48" planks
- 20 mil wear layer
- Enhanced Urethane Finish
- FloorScore® Certified
- 10 Year Light Limited Commercial Warranty
- 25 Year Limited Residential Warranty



16 Grey Mist



222 Camel



232 Latte



711 Sandbar



838 Portobello



848 Caramel



868 Brindle



878 Sorrel

Specifications

LVT	Brand	Aladdin Commercial
	Collection	Forest Lawn
	Style Name / Number	Forest Lawn 2.5
	Product Type	LVT Flex
	Overall Gauge.....	2.5mm
	Wear Layer.....	20 mil (0.5mm)
	Finish	Enhanced Urethane
	Colors Available.....	8
	Size	7.25" x 48" (184.15mm x 1,219.2mm)
	Packaging	24 PCS/CTN
	SF/Cartron	58 sq. ft.
	Cartons/Pallet.....	55
	Weight / Carton	846.48 oz.
	Classification	(ASTM F1700) Type B - Embossed
	Squareness.....	(ASTM F 2421) Passes
	Size and Tolerance.....	Plank ASTM F2421 - Passes - $\pm 0.016''$ /linear foot
	Thickness.....	(ASTM F386) $\pm 0.005''$
	Flexibility	(ASTM F137) Passes
	Dimensional Stability.....	(ASTM F2199) Passes
	Static Load Limit.....	(ASTM F970) 1500 psi
	Residual Indentation.....	(ASTM F1914) Passes
	Resistance to Chemicals.....	(ASTM F925) Passes
	Resistance to Light.....	(ASTM F1515) Passes
	Resistance to Heat Flux	(ASTM E649) >0.45 W/cm ²
	Smoke Density	(ASTM E662) <450
	Installation Method	Glue Down
	Adhesive.....	M95.0 Resilient Flooring Adhesive, MS160 Spray or M700 Plus
	Optional Underlayment	Mohawk AccuSound™
	Certification.....	FloorScore® Certified
	Warranty	Limited 10 Year Light Commercial Warranty Limited 25 Year Residential Warranty

LVT	Brand	Aladdin Commercial
	Collection	Forest Lawn
	Style Name / Number	Forest Lawn 5.0
	Product Type	Luxury Vinyl Tile
	Overall Gauge.....	5mm
	Wear Layer.....	20 mil (0.5mm)
	Finish	Enhanced Urethane
	Colors Available.....	8
	Size	7.25" x 48" (184.15mm x 1,219.2mm)
	Packaging	10 PCS/CTN
	SF/Cartron	24.2 sq. ft.
	Cartons/Pallet.....	45
	Weight / Carton	740.7 oz.
	Classification	(ASTM F1700) Type B - Embossed
	Squareness.....	(ASTM F 2421) Passes
	Size and Tolerance.....	Plank ASTM F2421 - Passes - $\pm 0.016''$ /linear foot
	Thickness.....	(ASTM F386) $\pm 0.005''$
	Flexibility	(ASTM F137) Passes
	Dimensional Stability.....	(ASTM F2199) Passes
	Static Load Limit.....	(ASTM F970) 1500 psi
	Residual Indentation.....	(ASTM F1914) Passes
	Resistance to Chemicals.....	(ASTM F925) Passes
	Resistance to Light.....	(ASTM F1515) Passes
	Resistance to Heat Flux	(ASTM E649) >0.45 W/cm ²
	Smoke Density	(ASTM E662) <450
	Installation Method	Glue Down
	Adhesive.....	M95.0 Resilient Flooring Adhesive, MS160 Spray or M700 Plus
	Optional Underlayment	Mohawk AccuSound™
	Certification.....	FloorScore® Certified
	Warranty	Limited 10 Year Light Commercial Warranty Limited 25 Year Residential Warranty



Printed on FSC® certified paper

Aladdin™
COMMERCIAL

Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. The use of Mohawk branded adhesives is required to ensure optimum results and are the only approved adhesives warranted by Mohawk. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.AladdinCommercial.com I 800.233.4490

