



High Concepts

Graphic Touch, Smart Details, Start Right



Start Right 559 Empowering Way (Installation)
Cover: Graphic Touch 997 Starting New (Installation)





Meeting Room
→



EnviroStrand™ SD

EnviroStrand solution-dyed fiber aligns Mohawk Group's industry leadership in sustainability and design to create reliable, high performance, visually stunning carpet. Giving new purpose to discarded plastic bottles by turning them into PET carpet fiber, which requires less energy to manufacture, Mohawk Group utilizes a patented process that enhances the strength of the yarn while incorporating a multi-step purification process that ensures that the carpet resists dirt, grime and contaminants. EnviroStrand fiber is also offered in a flexible collection of color options that is used to produce new product styles.

PERFORMANCE

- An amazing range of style and color options available for design flexibility
- EnviroStrand™ SD is constructed with our patented technology, providing the ultimate innovation in PET carpet
- Mohawk Protection Plus Soil Resistant Technology
- Ease of maintenance

WARRANTY

- 10 Year Limited Warranty for: Wear, Static, Stain resistance, Colorfastness to Light, Colorfastness to Atmospheric Contaminants

SUSTAINABILITY

- Contains a minimum of 90% post-consumer recycled content
- Requires less energy to produce in the manufacturing process
- Through our patented process, Mohawk recycles 6.2 billion PET bottles every year. That equals about 45% of all plastic bottles collected in North America, and if placed end to end, the bottles would circle the earth 31.4 times
- CRI Green Label Plus® certified





Weldlok® STANDARD PERFORMANCE BACKING

Weldlok® is Mohawk Group's standard broadloom backing system specifically designed for commercial applications. The Weldlok backing is laminated to our products utilizing a commercial thermoset adhesive. This adhesive is designed to encapsulate and penetrate the carpet back stitch in the main application coat, while the second application coat secures the secondary backing to the carpet substrate for a cost effective performance standard.

PERFORMANCE

- Standard backing specifically designed for commercial applications
- Excellent pattern match capabilities
- For use with direct glue or stretch in installations
- 10 year Limited Warranty
- Excellent choice for most commercial environments

BUDGET


- Standard performance backing system for the most budget conscious projects

SUSTAINABILITY

- Recyclable
- A minimum of 45% recycled content*
- Certified Gold in accordance with NSF/ANSI 140
- CRI Green Label Plus certified
- May contribute to or comply with LEEDv4, Living Building Challenge and WELL Building Standard
- Declare Label, HPD and EPD information available
- Red List Free

SERVICE

- Products available through Quickship offering (up to 2,000 square yards within 10 business days)



*Recycled content claim third party verified by UL (Underwriters Laboratory)
Total recycled content of the product style varies by backing type, face weight and fiber type

Specifications

High Concepts
Graphic Touch, Smart Details, Start Right
Broadloom

DESIGN

Size	12' width (3.66 m)
Surface Appearance	Textured Patterned Loop
Fiber Type	Envirostrand® SD PET
Dye Method	Solution Dyed
Colors Available	7

PERFORMANCE

Construction	Tufted
Gauge	1/10 (39.37 rows per 10cm)
Soil Release Technology	Sentry Soil Protection
Backing Material	Weldlok®
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV

SUSTAINABILITY

Certification	Declare Red List Free
Indoor Air Quality	Green Label Plus Certified # 0350

SERVICE

Warranties	10 Year Limited Wear Warranty, 10 Year Limited Static Protection, 10 Year Limited Stain Resistance Warranty, 10 Year Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants
------------	--

Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com

recover

carpet recycling program

877-3RE-CYCL



Produced with recycled materials

Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
1-800-554-6637
mohawkgroup.com

Rev 0046_March/2019