

The expedition continues as man's quest for new frontiers delves into uncharted territory. Inspired by shifting planes of light and swirling celestial forms, the Expedition collection pushes the boundaries of commercial design. Blend intense colors and cool hues from the deep seas to the far reaches of the cosmos with traditional neutral tones to create unique visual language.



Cover: Digital Terrain, Seismic Wave, Gravitational 978 Mineral (Herringbone Installation)






An Infinite Number Of Possibilities

Use individual patterns or create color progressions. 8 colorways, 3 patterns, all available in 12" x 36" plank.









Matuto Plus Stone COORDINATING LYT

Named after the Filipino word for "teacher," Matuto Plus Stone features eyecatching colors that energize the space and stimulate creativity. Mix and match across the palette of the most popular school colors in the US – from fresh, youthful brights to an array of clean grounded neutrals.

Matuto Plus Stone Colorways



CONSTRUCTION

The 12"x 24" tiles are designed with a versatile concrete style visual and embossed texture, especially relevant in schools, healthcare settings and retail spaces.


PERFORMANCE

The 20 mil commercial wear layer coated with a M-Force™ Ultra finish provides durability and cleanability with a no-polish option that allows for costeffective maintenance.

COLOR

Mix and match across the palette of the most popular school colors in the US – from fresh, youthful brights to an array of clean grounded neutrals.





EcoFlex™ONE

ALL-IN-ONE FLOORING SOLUTION

Every element in the EcoFlex™ ONE construction has purpose, and combined they form the industry's leading modular carpet solution. The hydrophobic PET cushion, backing layers, and Duracolor Tricor fiber are engineered with your end-goals in mind: to optimize your investment, be sustainably made, and provide a better occupant experience.

KEY FEATURES

- Better Acoustics
- Enhanced Comfort & Safety
- Worry-Free Installation
- Simplified Maintenance
- NSF 140 Platinum
- Carbon Neutral +5%
- Adhesive Free
- Limited Lifetime Warranty

EcoFlex™ ONE is a unified solution to the wide range of needs in your spaces. This advanced backing system improves every aspect of comfort and acoustics while eliminating moisture testing—all with a lighter environmental footprint that is carbon neutral plus an additional 5% offset. Tested and proven, EcoFlex™ ONE is the holistic solution for human-centric environments.

EcoFlex™ ONE works with the FlexLok tab system to virtually eliminate harmful VOC's with an easy-to-use, odorless dry installation that replaces traditional wet spread adhesive methods.

Specifications

Expedition Collection
Digital Terrain GT341, Seismic Wave GT342, Gravitational GT343
Carpet Plank

DESIGN

Size 12" x 36" (.3048m x .9144m)
Surface Appearance Textured Patterned Loop

Fiber Type Duracolor® Tricor Premium Nylon with metallic Duracolor

Dye Method Solution Dyed

Installation Methods Monolithic, Monolithic Stepping, Half-Lap, Plank Half-Lap,

Brick Ashlar, Random, Herringbone, Basket Weave Colors Available 8

PERFORMANCE

Construction Tufted

Gauge 1/12" (47.00 rows per 10cm)
Stain Release Technology Permanent, Built into the Fiber

GSA Stain Release Rating Passes

Soil Release Technology EcoSentry Soil Protection

Backing Material EcoFlex™ ONE

Flammability ASTM E 648 - Class 1 (Glue Down)
Smoke Density ASTM E 662 - Less than 450
Static Propensity AATCC - 134 Under 3.5 KV

SUSTAINABILITY

Certification Living Product Challenge Petal Certified; Declared Red List Free

Indoor Air Quality Green Label Plus Certified #1171

NSF 140 Platinum


Carbon Net Positive Carbon (Neutral +5%)
Water Net Positive Water (Neutral +5%)

SERVICE

Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited

Duracolor Stain Warranty, Lifetime Static

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward defamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Duracolor by Mohawk Stain Resistant System gasses AATCC Test Method 175 combined with pre-abrasion meeting 6SA requirements for stain resistance. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is best) on the AATCC Red 40 Stain Scale. Carpet samples must first be exposed to 100 revolutions of the Taber abrader (1,000-gram weight per H-18 wheel) and then the abraded area must be stain tested using AATCC tested using AATCC tested using AATCC test method 175.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com







