



Healthy Environments

Medella Well



Healthy Environments

The #1 Specified PVC Free Healthcare Flooring Solution

With Healthy Environments, we draw on our innate connection to the natural world in order to create spaces for healing. As the industry's #1 specified flooring product, this collection is designed to comfort patients and their families with a soothing sense of natural forms and textures, while delivering the high performance and ease of cleaning that healthcare spaces require.

In PVC-free homogeneous resilient sheet, Medella Well combines evidence-based design, technology, and innovation to extend the quality of care in healing environments. The flooring is free of plasticizers, ortho-phthalates, halogens, isocyanates, and Red List Chemicals of Concern. Suiting the most demanding healthcare spaces, Medella Well delivers natural beauty as well, providing a contemporary terrazzo visual in a palette of soft neutrals and refreshing brights.

Learn more at [mohawkgroup.com](https://www.mohawkgroup.com)

Cover: Medella Well H6001 Cloudy Skies, H6010 Sea Lion







Medella Well

Healthy Environments homogeneous resilient sheet with M-Force™ Ultra installs with welded seams, creating a wall-to-wall impermeable flooring solution that supports healing spaces with superior infection control and moisture resistance. The broad palette can create nurturing environments and also offers pops of color that are ideal for way-finding or pediatric spaces.



PERFORMANCE FOR LIFE

Medella Well features M-Force™ Ultra technology providing exceptional abrasion, scratch, stain and slip resistance.



SUSTAINABLE

All Healthy Environments resilient sheet products are FloorScore certified and have an ASTM certified EPD for better indoor air quality. These products can be recycled through the Mohawk Group Recover program.



BEYOND CARBON NEUTRAL

This collection is Beyond Carbon Neutral, for a Net-Positive impact.

Declare.

RED LIST FREE

Medella Well is free of plasticizers, ortho-phthalates, halogens, isocyanates and Red List Chemicals of Concern.



BETTER TOGETHER

As part of our Specify for a Cure program, Mohawk Group will donate on your behalf to Susan G. Komen for qualifying specifications of this collection.







Medella Well

COLORWAYS



H6001 Cloudy Skies



H6002 White Sand



H6003 Lamb's Wool



H6004 Mirror Lake



H6005 Meadow



H6006 Wheat Field



H6007 Current



H6008 Dolphin



H6009 Rainstorm



H6010 Sea Lion



H6011 Summer Sun



H6012 Tiger Lily



H6013 Seaweed



H6014 Island Shore




H6015 Crosswind



H6016 Sea Wall



H6017 Calm Waters



H6018 Naval





M-Force™ Ultra FOR SHEET


Discover a hard surface flooring solution that delivers superior durability and stain resistance, ensuring ease of care for the life of the floor. Mohawk Group's Resilient Sheet Flooring with M-Force™ Ultra provides elegant design and performance solutions for healthcare spaces.

PERFORMANCE

- M-Force™ Ultra provides exceptional scratch, stain and slip resistance for lasting beauty.
- Easy to clean and maintain, M-Force™ Ultra provides greater stain and soil protection.
- Homogeneous Resilient construction provides enhanced protection from cuts or gouges to the product.

WATER RESISTANCE

- With welded seams and a water-repellent finish, Healthy Environments resilient styles create impermeable flooring systems.



Installation

Medella Well is designed to work across a variety of project applications and segments. Check out our recommended application guide by scanning the QR code.

IN-HOUSE CUT PROGRAM

- Medella Well can be cut to fit your needs with our in-house cut program
- No order minimums required

PROJECT SOLUTIONS

- MS160 spray adhesive can be used for projects where immediate occupancy is needed
- Medella Well can be flash covered for enhanced sanitary protection.

COMPREHENSIVE WARRANTIES

- Limited 10 Year Commercial Warranty
- Limited 10 Year Commercial Under Bed Warranty*



*When installed with approved adhesives. Visit Mohawkgroup.com for more information

Better for People and Planet

Our future depends on the work we do today. At Mohawk, commitment to our planet extends beyond just products and processes: it's how we challenge ourselves to do and be better every day, how we make decisions, how we reinvest in our people and our planet, and how we define what matters most as we work to deliver value for generations to come.

Declare.

Medella Well
Mohawk Industries, Inc.

Final Assembly: Wujiang, China
Life Expectancy: 35 Year(s)
End of Life Options: Landfill (100%)

Ingredients:

1,3-Benzenedicarboxylic acid, polymer with dimethyl 1,4-benzenedicarboxylate, 2,2-dimethyl-1,3-propanediol, 1,2-ethanediol and nonanedioic acid; Aluminum Trihydrate; 1,4-Benzenedicarboxylic acid, polymer with 1,4-butanediol and *is*-hydro-*is*-hydroxypoly(oxy-1,4-butanediol); Aluminum phenylphosphinate; Benzene, ethenyl-, polymer with 1,3-butadiene, hydrogenated; Melamine Polyphosphate; Calcium carbonate; Ethylene Maleic Anhydride Copolymer; Mineral Oil; Benzenepropanoic acid, 3,5-bis(1-dimethylethyl)-4-hydroxy-, 1,7-[2-[[3-[3,5-bis(1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy)methyl]-2-(hydroxymethyl)-1,3-propanediol] ester; EBS(Ethylene bis stearamide); Maleic Anhydride; Olefin lubricant; Pentaerythritol Tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate); Siloxanes and silicones, dimethyl, 3-aminopropyl terminated; UV-328; Butanedioic acid, dimethyl ester, polymer with 4-hydroxy-2,2,6,6-tetramethyl-1-piperidineethanol; HS-362FS; Hydrated silica; Methyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate; Water; Aluminum Oxide; Amorphous silica; Benzenepropanoic acid, 3,5-bis(1-dimethylethyl)-4-hydroxy-, octadecyl ester; Magnesium oxide (MgO); Polyethylene; Ethylenediamine; Stearic Acid

Living Building Challenge Criteria: Compliant

I-13 Red List:

<input checked="" type="checkbox"/> LBC Red List Free	% Disclosed: 100% at 100ppm
<input type="checkbox"/> LBC Red List Approved	VOC Content: Not Applicable
<input type="checkbox"/> Declared	

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Not Applicable

MHK-0041
EXP. 01 NOV 2023
Original Issue Date: 2022

FOR MORE INFORMATION VISIT www.livingfuture.org/declare
INTERNATIONAL LIVING FUTURE INSTITUTE™ [livingfuture.org/declare](http://www.livingfuture.org/declare)



Declare Red List Free Healthy Product Declaration

Mohawk Group is proud to provide products free of Red List chemicals with verified documentation of their impact throughout the lifecycle. Products that are better for the people using them.



ASTM Certified EPD

All Products Carbon Neutral Since 2022

PLUS an additional 5% for a net-positive impact on the climate.

Net Zero Carbon Emissions by 2040

We've signed The Climate Pledge to be net zero by 2040 and have already started major changes to reduce our carbon footprint.

Neutral Is Not Enough

With the holistic improvement of the life cycle of our flooring products – from full product transparency, to reduced water usage in manufacturing, to carbon neutrality and beyond – better is just the beginning.






Resilient Sheet Weld Rods


Mohawk Group's PVC-Free Weld Rods are recommended for Medella Well. The weld rods are offered in solid coordinating colorways and used for seaming, wayfinding or accenting commercial resilient sheet. For suggested color coordinates with Healthy Environments, view the recommended weld rod chart online. Final weld rod color selection is determined by specifier or end-user based on the flooring design.

HEAT WELD / COLD WELD


Optional heat welding or cold welding techniques can be used to create seamless, sanitary flooring that's easy to maintain. For weld rods place the order using "MWSWR" style number, followed by the Medella Well color number. Place order using "INFZC" for the Infuze Seam Sealer.



MWSWR Heat Weld



INFZC Cold Weld



Specifications

Medella Well (C2063)

DESIGN

Product Type	PVC Free Homogeneous Sheet
Width	6' 7" (2.0 m)
Overall Thickness	.080" (2.0 mm)
Finish	M-Force™ Ultra
Colors Available	18 Colors
Seaming Method	Mohawk Solid Heat Weld or Cold Weld
Packaging	Roll Length - Up to 98.4' (30 m), Approx. 4.88 lbs/SY (2.65 kg/sq.m)

PERFORMANCE

Construction	Commercial Grade PVC-Free Homogeneous Resilient Sheet
Classification	ASTM F1303 - Meets or Exceeds
Flexibility	ASTM F137 - Method A, Meets 38 mm
Thickness	ASTM F386 - Passes, as specified ± .005"
Static Load Limit	ASTM F970 - Passes, ≤ 0.1 mm
Residual Indentation	ASTM F1914 - Passes, ≤ 0.15 m
Dimensional Stability	ASTM 2199 - Meets, ≤ 0.4%
Resistance to Chemicals	ASTM F925 - Passes
Resistance to Light	ASTM F1515 - Passes, ΔE < 8
Resistance to Heat	ASTM F1514 - Passes, ΔE ≤ 8
Critical Radiant Flux	ASTM E648 - Meets, Class 1
Smoke Density	ASTM E662 - Meets, 450 or less

SUSTAINABILITY

Certification	Red List Free, Environmental Product Declaration, Healthy Product Declaration
Indoor Air Quality	FloorScore® Certified
Carbon	Net-Positive Carbon (Neutral +5%)

SERVICE

Warranties	Limited 10 Year Commercial Limited 10 Year Under Hospital Bed Warranty*
------------	----------------------------------------------------------------------------

**When installed with approved adhesives. For detailed adhesive and installation information visit mohawkgroup.com*

Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. The use of Mohawk Group approved adhesives is required to ensure optimum results and are the only adhesives warranted by Mohawk Group. Please contact your local Sales Representative for installation guidelines.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. **For current and complete specifications please visit mohawkgroup.com**





Mohawk Group

Mohawk Group
160 South Industrial Blvd.
Calhoun, GA. 30701
800.554.6637
mohawkgroup.com

C2063 12PG BROCHR LT