

Rendered Flax

## Rendered Flax

Harkening back to some of the earliest forms of interior textiles and linens, Rendered Flax draws you in and makes you feel wrapped in the warmth of home. Organic hatched visuals are paired with clean linear cloth that can be used together to create interiors that are soft and inviting while having all the enduring durability qualities of LVT. The palette ranges from warm earth to cool watery tones and is grounded in the primitive hues of natural interiors. It pairs perfectly with the leathery, color washed visuals from Large & Local Rugged Foundation.

Rendered Flax will work well for all segments and is perfect for spaces that require a touch of home.

Learn more at mohawkgroup.com



## Rendered Flax

Large & Local Rendered Flax is a 4.5 mm thick 6" x 48" plank LVT that provides flexibility of design with high performance. Featuring a 20 mil heavy commercial wear layer, our premium M-Force Ultra technology - a complete performance system for LVT, and sustainable manufacturing in our Dalton, GA resilient facility, designers can be proud of and confident in their specification.



### SEAMLESS

TRANSITIONS

No transition strips

needed when coordinating

Rendered Flax with any of

our EcoFlex NXT backed

PERFORMANCE FOR LIFE Rendered Flax features our M-Force Ultra technology providing exceptional scratch, stain and dent resistance, and easy maintenance for lasting beauty.



MADE IN THE USA

collection is proudly

our local economies.

manufactured in Dalton,

GA and helps to support

ADDITIONAL FEATURES

20-Year M-Force Ultra

Commercial Warranty

Floorscore Certified for

May Contribute toward

No Ortho-Phthalates

Low VOCs

LEED/WELL

Large and Local

### QUICKSHIP Select colors available through Mohawk Group's QuickShip and Ready to Ship programs. Visit mohawkgroup.com to view available colors

and inventories.

## 

SUSTAINABLE All commercial LVT manufactured in our Dalton, GA resilient facility utilizes our certified manufacturing recycling process to repurpose 100% of our post-industrial material into new product and divert it from landfills.







Π



## Rendered Flax LINEAR COLORWAYS

4.5mm LVT | 6" x 48"



# Rendered Flax COLORWAYS

4.5mm LVT | 6" x 48"



128 Beach Grass

415 Hemlock

698 Wild Indigo

938 Mountain Ash

961 Mist

919 Snowbank





Rendered Flax 95 Boreal

#### Mohawk Group

### M-Force<sup>TM</sup> COMPLETE PERFORMANCE SYSTEM FOR LVT

Staff moving equipment, students dragging chairs, employees spilling coffee-for all the life that goes on in your space, your floors will be protected with M-Force: the complete performance system that makes your floor look better longer.



### Performance for Life

You need a floor that beautifully supports all the life in your facility. And life doesn't stop where the industry testing standards stop. Foot traffic keeps walking, spills keep splashing, and heavy loads keep rolling. That's why we continually test M-Force floors to perform beyond the industry standards.

We work to exceed the standards, because M-Force works to ensure your floor looks better longer for everything that happens in your space. M-Force means you get performance for life.


### When Life Gets Extreme

For more specialized or extreme areas of use, ask your Mohawk Group rep about M-Force Ultra–we engineered M-Force Ultra to provide even greater durability against scratches, dents and wear, and even higher resistance to the toughest stains.

### **Three-Part Protection**

M-Force is a combination of the finish layer, wear layer and design layer. We develop each layer individually for optimal performance, and then we bond the layers in a proprietary process that makes their performance exponentially greater together.

As a result, your floor looks better longer, with superior protection against scratches, stains, dents and wear, all while providing a crisp, clear visual and easy maintenance.



### The M-Force Warranty

 M-Force flooring carries a limited 15-year commercial warranty.  M-Force Ultra flooring carries a limited 20-year commercial warranty.

## Elemental Edges FINISHING ACCESSORIES

At Mohawk Group we believe in providing project solutions that are easy to select and readily available. Elemental Edges is a complete portfolio of freeto-ship accessories for all your flooring installation and finishing needs. The program is offered in 14 QuickShip colors that coordinate perfectly with our full suite of soft and hard surface products.







### Stair Solutions

Universal Transitions

Q

Specify 12.5" regular tread or 20" integrated tread/riser, available in 48" and 72" lengths. Round and hammered finishes are available with standard square nose. All profiles are available with or without visually impaired strips.

### **CHOOSE FROM**

Stair Treads	Resilient Landing Tiles
Risers	Nosings



### **Architectural Wall Base**

Complement your space with the rich detail of Elemental Edges Architectural Wall Base, offered in a variety of designs, sizes and running line colors. Superior performance and durability allowing your project finishes to remain remarkable.

#### **AVAILABLE IN**

8 design profiles 14 color-coordinated options

### Specifications

Rendered Flax (C0192)

### DESIGN

Product Type Luxury Vinyl Tile - Flexible Size 6" x 48" Overall Thickness 4.5mm Wear Layer 20 mil (0.5mm) Finish M-Force<sup>™</sup> Ultra Edge Profile Micro Bevel Emboss Overall Colors Available 15 Colors Packaging 10 pcs/ctn Pieces per carton Square feet per carton 20 sqft/ctn Lbs per carton 34.15 lbs/ctn

\*For detailed warranty, adhesive and installation information visit mohawkgroup.com

#### PERFORMANCE

Construction	Commercial Grade Flexible LVT
Installation	Glue Down
Classification	ASTM F1700 - Class III, Type A - Smooth, Type B - Embossed
Squareness	ASTM F 2421 - Passes - ±0.10" max
Size and Tolerance	ASTM F2421 - Passes - ±0.16"/linear foot
Thickness	ASTM F386 - Passes - as specified ±0.005"
Flexability	ASTM F137 - Passes - 1" mandrel
Dimensional Stability	ASTM F2199 - Passes - 0.020"/linear foot max
Static Load Limit	ASTM F970 - Passes, modified at 1000 psi
Residual Indentation	ASTM F1914 - Passes - Average less than 8% maximum single reading 10%
Resistance to Chemicals	ASTM F925 - Passes - No more than a slight change
Resistance to Light	ASTM F1515 - Passes -∆E < 8
Resistance to Heat	ASTM F1514 - Passes - $\Delta E < 8$
Critical Radiant Flux	ASTM E648 - Class 1 (>0.45 W/cm <sup>2</sup> )
Smoke Density	ASTM E662 Part A - Less than 450
SUSTAINABILITY	
Certification	FloorScore <sup>®</sup> Certified
Manufacturing Location	Made in the USA
SERVICE	

Warranty

Limited 20-Year M-Force Ultra Warranty

Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the scams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors The performance of this product is not affected by such variation

#### For current and complete specifications please visit www.mohawkgroup.con



Seamlessly coordinate your wall base and Mohawk Group floor covering from our

#### **AVAILABLE IN**

**CHOOSE FROM** 

Adaptors

Wall Base

variety of QuickShip wall base offerings.

Installation Accessories

crack-proof, and won't fade, even in direct sunlight.

Rubber	<ul> <li>Coved or straight</li> </ul>	■ 1/8" gauge
■ Vinyl	4' lengths or 96' & 120'	■ .080" gauge
4" or 6" in height	rolls	(4" Cove vinyl)

Add a functional finishing touch to your coordinated color scheme with Mohawk Group installation accessories. Proprietary Rubber formulations are shrink and

Reducers

Cove Stick

QUICKSHIP		

IIP			



Mohawk Group 160 South Industrial Blvd. Calhoun, GA. 30701 800.554.6637 mohawkgroup.com

Mohawk Group

C0192 16PG BROCHR LT