Mohawk Group


Tenbrooke II Tile

Style Name Tenbrooke II Tile

Style Number BT400
Product Type Carpet Tile
Size 24" X 24"
Construction Tufted

Installation Brick Ashlar, Vertical Ashlar, Quarter Turn

Feature	Description
Minimum Sq Yard	No minimum
SQ Yrds per carton	10.67
Pounds per Carton	39.36
Backing Material	EcoFlex Matrix
Fiber Type	ColorStrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	Brick Ashlar, Vertical Ashlar, Quarter Turn
Stitches per Inch	7 (27.56 per 10cm)
Density	5684
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)
Surface Texture	Textured Heathered Loop



Recommended Installation Methods



Brick Ashlar





Brick Ashlar



Brick Ashlar



Quarter Turn



Vertical Ashlar

Colorways



Evening Shade

Color code: 589 Style number: BC398



Sage Leaf

Color code: 689
Style number: BC398



Black Sable

Color code: 719
Style number: BC398



Oat Straw

Color code: 837
Style number: BC398



Sandwashed Driftwood

Color code: 928
Style number: BC398



Distant Thunder

Color code: 948
Style number: BC398



Smoke Screen

Color code: 965 Style number: BC398



Stealth Jet

Color code: 978
Style number: BC398













Performance

Feature	Description
Gauge	1/10 (39.37 rows per 10 cm)
Foot Traffic Recommendation TARR	Heavy
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection















Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.059 kg CO2e/ft2
Embodied Carbon	1.18 kg CO2e/ft2
Total Recycled Content	48%
Pre-Consumer Recycled Content	48%
NSF 140	EcoFlex Matrix - NSF 140 Gold
Indoor Air Quality	GLP 1171
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex Matrix
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Recycling Program
Environmental Product Declaration	EPD EcoFlex Matrix
Health Product Declaration	HPD 2.1 EcoFlex Matrix - 1000 ppm
Environmental Claims Validation	EPD EcoFlex Matrix
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible
Living Product Challenge	Living Product Challenge Petal Certified

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static







