



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

1 • IDENTIFICATION

- **1.1. Product Identifier**
Product Name Performance Accessories MS160 Spray Resilient Adhesive
- **1.2. Relevant identified uses of the substance or mixture and uses advised against**
Recommended use Adhesives.
Restrictions on use No information available
- **1.3. Details of the supplier of the safety data sheet**
Responsible Party
Performance Accessories
160 South Industrial Blvd
Calhoun GA 30701
Telephone: (800) 325-7062
- **1.4. Emergency telephone number**
Telephone: (800) 424-9300 (CHEMTREC)
(703) 527-3887 (CHEMTREC International)
(706) 277-1300 (Industrial Health/Spill Emergency)
Email: ehs@trcc.com (Danny Welch)

2 • HAZARD(S) IDENTIFICATION

- **2.1. Classification of the substance or mixture**

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200	
---	--

Hazards not otherwise classified (HNOC)

2.2. Label Elements

EMERGENCY OVERVIEW

Warning

Contains gas under pressure; may explode if heated

Hazard Statements

The product contains no substances which at their given concentration, are considered to be hazardous to health



Appearance

Aerosol

Physical State

Liquid

Odor

Slight

Precautionary Statements - Prevention

Not Applicable



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

Precautionary Statements - Response

Not Applicable

Precautionary Statements - Disposal

Not Applicable

- 2.3. Other Information**

Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1.Substances**

Not Applicable hazardous ingredients

- 3.2. Mixtures**

The product contains no substances which at their given concentration, are considered to be hazardous to health.

4. FIRST-AID MEASURES

- 4.1. Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

- 4.2. Most important symptoms and effects, both acute and delayed**

Symptoms	No information available.
----------	---------------------------

- 4.3. Indication of any immediate medical attention and special treatment needed**

Note to physicians	Treat symptomatically.
--------------------	------------------------

5. FIRE-FIGHTING MEASURES

- 5.1. Extinguishing media**



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

Suitable Extinguishing Media	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known.

• **5.2. Special hazards arising from the substance or mixture**

Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.

• **5.3. Advice for firefighters**

Special protective equipment for fire-fighters	As in any fire, wear pressure-demand, self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Exposure to decomposition products may be a hazard to health.
---	--

6. ACCIDENTAL RELEASE MEASURES

• **6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions	Remove all possible sources of ignition in the surrounding area. Contents under pressure. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
-----------------------------	---

• **6.2. Environmental precautions**

Environmental precautions	Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological Information.
----------------------------------	---

• **6.3. Methods and material for containment and cleaning up**

Methods for containment	Stop leak if you can do it without risk.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

• **7.1. Precautions for safe handling**



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019

Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Use only in well-ventilated areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.
--------------------------------	---

• **7.2. Conditions for safe storage, including any incompatibilities**

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Recommended storage temperature. 50 - 95 °F. Observe local regulations / instructions for storage of pressurized containers. Keep from freezing.
Materials to avoid	No information available.

• **7.3 Specific end use(s)**

Specific Use(s)	Adhesives.
------------------------	------------

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

• **8.1. Control parameters**

Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

• **8.2. Exposure controls**

Appropriate engineering controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
-----------------------------	--

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Avoid contact with eyes.
Skin and body protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

• **9.1. Information on basic physical and chemical properties**



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

Physical state	Liquid
Appearance	Aerosol
Color	White
Odor	Slight
Odor threshold	No information available

Property	Values	Remarks • Method
pH	7.0 - 8.5	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	> 100 °C / 212 °F	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air Upper flammability or explosive limits lower flammability or explosive limits	No data available No data available	None known
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Dispersible	None known
Solubility(ies) in other solvents	Not determined	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

• **9.2. Other information**

Explosive properties	No information available
Oxidizing properties	No information available
Solvent content (%)	No information available
Solid content (%)	61-63
Softening Point	No information available
Molecular weight	No information available



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

VOC Content (%)	No information available
Density	0.983 g/cm ³
Bulk density	No information available

10. STABILITY AND REACTIVITY

- 10.1. Reactivity

Reactivity	None under normal use conditions..
-------------------	------------------------------------

- 10.2. Chemical stability

Chemical stability	Stable under normal conditions.
---------------------------	---------------------------------

- 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
---	-------------------------------

- 10.4. Conditions to avoid

Conditions to avoid	Heating causes rise in pressure with risk of bursting.
----------------------------	--

- 10.5. Incompatible materials

Incompatible materials	No information available.
-------------------------------	---------------------------

- 10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO ₂). Hydrocarbons.
---	---

11. TOXICOLOGICAL INFORMATION

- 11.1. Information on toxicological effects

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
----------	---------------------------

Delayed and Immeadiate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No information available.
Target Organ Effects	No information available.
Aspiration hazard	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, OSHA, IARC or NTP at or above 0.1 wt%.

12. ECOLOGICAL INFORMATION

- 12.1. Toxicity

Toxicity	No information available
----------	--------------------------

- 12.2. Persistence and degradability

Persistence and degradability	No information available
-------------------------------	--------------------------

- 12.3. Bioaccumulative potential

Bioaccumulative potential	No information available
---------------------------	--------------------------

- 12.4. Mobility in soil



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

Mobility in soil	No information available
-------------------------	--------------------------

Other adverse effects

Other adverse effects	No information available
------------------------------	--------------------------

13. DISPOSAL CONSIDERATIONS

- 13.1. Waste treatment methods**

Disposal of Wastes	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations

14. TRANSPORT INFORMATION

- NOTE:** The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition)The information shown here, may not always agree with the bill of lading shipping description for the material

- DOT**

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.2
Description	UN1950, Aerosols, 2.2
Emergency Response Guide Number	126

- IATA**

UN Number	UN1950
Proper Shipping Name	Aerosols, non-flammable
Transport hazard class(es)	2.2
ERG Code	2L
Special Provisions	A145, A167, A98, A802
Description	UN1950, Aerosols, non-flammable, 2.2

IMDG



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

UN Number	UN1950
UN proper shipping name	Aerosols
Transport hazard class(es)	2.2
EmS-No.	F-D, S-U
Special Provisions	63,190, 277, 327, 344, 381, 959
Description	UN1950, Aerosols, 2.2

15. REGULATORY INFORMATION

- International Inventories**

TSCA	Listed
DSL	Not Listed

- Legend:**

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory

DSL- Canadian Domestic Substances List

Listed- The components of this product are either listed or exempt from listing on inventory.

Not Listed- One or more components of this product are not listed on inventory.

- US Federal Regulations**

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	Yes
Reactive Hazard	No

- Europe**

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59

16. OTHER INFORMATION

- Further Information**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.

In accordance with OSHA 29 CFR 1910.1200

Performance Accessories MS160 Spray Resilient Adhesive

Revision Date - 02/01/2024

Revision Number 2

Date Created - 04/30/2019-

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.