

In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Date - 01/29/2024

Date Created - 06/09/2020-

1 • IDENTIFICATION

1.1. Product Identifier

Revision Number 2

Product Name Performance Accessories NuBroadlok Edge Sealer

Other means of identification

Product identifier 30855626, 30855627

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive

No information available Restrictions on use

1.3. Details of the supplier of the safety data sheet

Resposible Party Performance Accessories 160 South Industrial Blvd Calhoun GA 30701

Telephone: (800) 325-7062

1.4. Emergency telephone number

Telephone: (800) 424-9300 (CHEMTREC)

(703) 527-3887 (CHEMTREC International)

(706) 277-1300 (Industrial Health/Spill Emergency)

ehs@trcc.com (Danny Welch) Email:

2 • HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture

Skin sensitization Category 1

Hazards not otherwise classified (HNOC)

2.2. Label Elements

EMERGENCY OVERVIEW

Warning

Hazard Statements

May cause an allergic skin reaction



Appearance Paste **Physical state** Liquid Odor Characteristic

Precautionary Statements - Prevention



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Date - 01/29/2024

Revision Number 2 Da

Date Created - 06/09/2020-

Avoid breathing dust/fume/gas/mist/vapors/spray, Contaminated work clothing should not be allowed out of the workplace, Wear protective gloves

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown acute toxicity

69 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Mixture

MIXTURE

Chemical name	CAS No	Weight-%
Rubber, natural	9006-04-6	40 - 70

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. May cause sensitization by skin contact. In the case of skin irritation or allergic reactions see a physician. This product contains NATURAL RUBBER LATEX. Studies show that natural rubber latex can cause allergic reactions in some individuals. Such allergic reactions are capable of being immediate for HIGHLY SENSITIZED individuals.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

4.3. Indication of any immediate medical attention and special treatment needed



In accordance with OSHA 29 CFR 1910.1200

Revision Date - 01/29/2024

Date Created - 06/09/2020-

Performance Accessories NuBroadlok Edge Sealer Revision Number 2

Note to physicians	May cause sensitization by skin contact. Treat symptomatically
--------------------	--

• 4.4. Reference to Other Sections

Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
	Section 11: TOXICOLOGY INFORMATION

5. FIRE-FIGHTING MEASURES

• 5.1. Extinguishing media

Suitable Extinguishing Media	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known.

• 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.

• 5.3. Advice for firefighters

Special protective equipment	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or
for fire-fighters	equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

• 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Stop leak if you can do it without risk. Avoid contact with skin, eyes or clothing. Wash thoroughly after
	handling.

6.2. Environmental precautions

Environmental precautions	Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological Information.
Environmental precautions	Neep people away from and apwind of spin/leak. See Section 12 for additional Ecological information.

• 6.3. Methods and material for containment and cleaning up



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Date - 01/29/2024

Revision Number 2

Date Created - 06/09/2020-

Methods for containment	Stop leak if you can do it without risk. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Use personal protective equipment as required. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and
	safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.
	Wash hands thoroughly after handling. Do not reuse container.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep in properly labeled containers. Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.
Incompatible materials	No information available.

7.3 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY
	Section 13: DISPOSAL CONSIDERATIONS

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

F C d. di	
Exposure Guidelines	
Exposure duractifies	

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Rubber, natural 9006-04-6	TWA: 0.0001 mg/m3 inhalable allergenic proteins inhalable particulate matter S*	-	-

US - EN



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Number 2

Revision Date - 01/29/2024 Date Created - 06/09/2020-

Chemical name	Argentina	Brazil	Mexico	Venezuela
Rubber, natural 9006-04-6	-	TWA: 0.0001 mg/m ³	TWA: 0.001 mg/m ³	TWA: 0.001 mg/m ³

• 8.2. Exposure controls

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Avoid contact with eyes.	
Hand protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers	
Skin and body protection	No special protective equipment required.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General hygiene considerations	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid prolonged or repeated contact with skin. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

• 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Color	Beige
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
рН	8.0 - 9.0	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	100 °C / 212 °F	



In accordance with OSHA 29 CFR 1910.1200

Revision Date - 01/29/2024

Date Created - 06/09/2020-

Performance Accessories NuBroadlok Edge Sealer **Revision Number 2**

Evaporation rate	No data available	None known
Flammability (solid, gas)	Not applicable for liquids	
Flammability Limit in Air Upper flammability or explosive limits lower flammability or explosive limits	No data available No data available	None known
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	Insoluble	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

9.2. Other information

Explosive properties	No information available
Oxidizing properties	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Softening Point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	1.140 g/cm ³
Bulk density	No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity None under normal use conditions.		
--	--	--

10.2. Chemical stability



In accordance with OSHA 29 CFR 1910.1200

Revision Date - 01/29/2024

Performance Accessories NuBroadlok Edge Sealer

Revision Number 2 Date Created - 06/09/2020-

Chemical stability	Stable under normal conditions.	
--------------------	---------------------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

10.4. Conditions to avoid

Condition	s to avoid	Extremes of temperature and direct sunlight. Keep from freezing.
Contantion	3 to avoid	Extremes of temperature and uncersamight. Reep from necessing.

10.5. Incompatible materials

Incompatible materials	No information available.
Incompatible materials	No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon monoxide Carbon dioxide (CO2) Hydrocarbons
----------------------------------	---

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	May cause sensitization by skin contact.
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
Symptoms	NO IIIOIIIatioii availabie.

Delayed and Immeadiate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	May cause sensitization by skin contact. Respiratory sensitization only applies to solid (dust) rubber, where respirable particulate matter of allergenic proteins is possible. Due to the product form, respiratory sensitization is not likely.

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, OSHA, IARC or NTP at or above 0.1 wt%.



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Number 2

Revision Date - 01/29/2024

Date Created - 06/09/2020-

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	No information available.
Interactive effects	No information available.

12. ECOLOGICAL INFORMATION

• 12.1. Toxicity

Frotoxicity	No information available.
LCOLOXICITY	No information available.

12.2. Persistence and degradability

Persistence and degradability	No information available.	
-------------------------------	---------------------------	--

12.3. Bioaccumulative potential

Bioaccumulation	No information available.
-----------------	---------------------------

12.4. Mobility in soil

Mobility	No information available.
Other adverse effects	

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Other adverse effects

Waste from residues/unused products	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

No information available.



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Date - 01/29/2024

Revision Number 2

Date Created - 06/09/2020-

14. TRANSPORT INFORMATION

• Transport information

NOTE: Keep from freezing

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Listed
DSL	Not Listed

• Legend:

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory

DSL- Canadian Domestic Substances List

Listed- The components of this product are either listed or exempt from listing on inventory.

Not Listed- One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DBP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. OTHER INFORMATION

• Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)



In accordance with OSHA 29 CFR 1910.1200

Performance Accessories NuBroadlok Edge Sealer

Revision Date - 01/29/2024

Revision Number 2

Date Created - 06/09/2020-

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 29-Jan-2024

Revision note SDS sections updated, 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.