

In accordance with OSHA 29 CFR 1910.1200

Revision Date - 05/04/2023

Date Created - 05/26/2018

NUBROADLOK Seam Sealer

Revision Number 2

1 • IDENTIFICATION

• 1.1. Product Identifier

Product Name NUBROADLOK Seam Sealer

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants
Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Resposible PartyPerformance Accessories
160 South Industrial Blvd

Calhoun GA 30701

Telephone: (800) 325-7062

• 1.4. Emergency telephone number

Telephone: (800) 424-9300 (CHEMTREC)

(703) 527-3887 (CHEMTREC International)

(706) 277-1300 (Industrial Health/Spill Emergency)

Email: ehs@trcc.com (Danny Welch)

2 • HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture avvording to OSHA 29 CFR 1910.1200

Hazards not otherwise classified (HNOC)

2.2. Label Elements

EMERGENCY OVERVIEW

Warning

Hazard Statements



Appearance Viscous Physical state Liquid Odor Characteristic

Precautionary Statements - Prevention



In accordance with OSHA 29 CFR 1910.1200

NUBROADLOK Seam Sealer

Revision Date - 05/04/2023

Date Created - 05/26/2018

Revision Number 2

Not Applicable

Precautionary Statements - Response

Not Applicable

Precautionary Statements - Disposal

Not Applicable

2.3. Other Information

Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Depending on molding type, all parts may NOT be used.

• 3.1. Substances

Mixture

MIXTURE

Chemical name	CAS No	Weight-%
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	1 - 5

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.	
Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician	
Ingestion	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.	

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.	
------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

AL C. I. C.	T	
Note to physicians	Ireat symptomatically.	
inote to physicians	incat symptomatically.	

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media



In accordance with OSHA 29 CFR 1910.1200

NUBROADLOK Seam Sealer

Revision Date - 05/04/2023

Revision Number 2 Date Created - 05/26/2018

Suitable Extinguishing Media Large Fire	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None Known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.

5.3. Advice for firefighters

Special protective equipment	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or
for fire-fighters	equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with eyes and skin.
Other information	Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.
	See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling



In accordance with OSHA 29 CFR 1910.1200

Revision Date - 05/04/2023

NUBROADLOK Seam Sealer

Revision Number 2 Date Created - 05/26/2018

Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate
	ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not reuse container.

• 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep fromfreezing
--------------------	--

7.3 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY
	Section 13: DISPOSAL CONSIDERATIONS

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

• 8.1. Control parameters

. This product, as supplied, does not contain any hazardous materials with occupational
exposure limits established by the region specific regulatory bodies.

8.2. Exposure controls

Appropriate engineering controls

Engineering controls	Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined
	areas. Use explosion-proof ventilating equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Skin and body protection Wear suitable protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties



In accordance with OSHA 29 CFR 1910.1200

Revision Date - 05/04/2023

Date Created - 05/26/2018

NUBROADLOK Seam Sealer Revision Number 2

Physical state	Liquid
Appearance	Viscous Llquid
Color	White
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
рН	4.0 - 6.0	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	>100 °C / > 212 °F	
Evaporation rate	No data available	None known
Flammability (solid, gas)	Not applicable for liquids	
Flammability Limit in Air Upper flammability or explosive limits lower flammability or explosive limits	No data available No data available	None known
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

• 9.2. Other information

Explosive properties	No information available
Oxidizing properties	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Softening Point	No information available
Molecular weight	No information available



In accordance with OSHA 29 CFR 1910.1200

NUBROADLOK Seam Sealer

Revision Date - 05/04/2023

Revision Number 2

Date Created - 05/26/2018

VOC Content (%)	No information available
Liquid Density	1.005 g/cm ³
Bulk density	No information available

10. STABILITY AND REACTIVITY

• 10.1. Reactivity

Reactivity	None under normal use conditions.	
------------	-----------------------------------	--

10.2. Chemical stability

Chemical stability	Stable under normal conditions.
onomical stability	otable and in initial conditions.

• 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
1 03318111ty 01 Huzuru0u3 reactions	None under normal processing.

10.4. Conditions to avoid

Conditions to avoid	Extremes of temperature and direct sunlight. Keep from freezing.
---------------------	--

10.5. Incompatible materials

Incompatible materials	No information available
------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
I liazaruous uecomposition products	Carbon inonoxide. Carbon dioxide (CO2). Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

• 11.1. Information on toxicological effects

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available
7	

The following values are calculated based on chapter 3.1 of the GHS document.

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.



In accordance with OSHA 29 CFR 1910.1200

Revision Date - 05/04/2023

Date Created - 05/26/2018

NUBROADLOK Seam Sealer

Revision Number 2

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, OSHA, IARC or NTP at or above 0.1 wt%.

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Method	Species	Results	
IARC (International Agency for Research on Cancer)	Human evidence	Group 3 - Not Classifiable as to Carcinogenicity in Humans	

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	No information available.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. ECOLOGICAL INFORMATION

- 12.1. Toxicity
- 12.2. Persistence and degradability

Persistence and degradability	No information available.
-------------------------------	---------------------------

12.3. Bioaccumulative potential

Bioaccumulation	No information available.
-----------------	---------------------------



In accordance with OSHA 29 CFR 1910.1200

NUBROADLOK Seam Sealer

Revision Number 2

Revision Date - 05/04/2023 Date Created - 05/26/2018

• 12.4. Mobility in soil

Mobility	No information available.
Other adverse effects	
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

• 13.1. Waste treatment methods

Waste from residues/unused products	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

• Transport information

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Listed
DSL	Listed

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories



In accordance with OSHA 29 CFR 1910.1200

NUBROADLOK Seam Sealer

Revision Date - 05/04/2023

Revision Number 2 Date Created - 05/26/2018

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 04-May-2023

Revision note SDS sections updated, 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.