

SURFACESEAL SAFETY DATA SHEET

Performance Accessories SurfaceSeal

Revision Number 3

1 • IDENTIFICATION

- 1.1. Product Identifier
 Product Name
 Other means of identification
 Product identifier
 30855799
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
 Recommended use
 Restrictions on use
 No information available
- 1.3. Details of the supplier of the safety data sheet Resposible Party Performance Accessories 160 South Industrial Blvd Calhoun GA 30701 Telephone: (800) 325-7062
- **1.4. Emergency telephone number** Telephone: (800) 424-9300 (CHEMTREC) (703) 527-3887 (CHEMTREC International) (706) 277-1300 (Industrial Health/Spill Emergency) Email: ehs@trcc.com (Danny Welch)

2 • HAZARD(S) IDENTIFICATION

• 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200	
---	--

Hazards not otherwise classified (HNOC) 2.2. Label Elements

		EMER	GENCY OVERVIEW		
Warning					
Hazard Stateme	nts				
	substance or mixture IA 29 CFR 1910.1200.				
Appearance	Paste	Physical state	Liquid	Odor	Characteristic

In accordance with OSHA 29 CFR 1910.1200 Revision Date - 02/09/2024 Date Created - 07/17/2019-



In accordance with OSHA 29 CFR 1910.1200 Revision Date - 02/09/2024 Date Created - 07/17/2019-

Performance Accessories SurfaceSeal

Revision Number 3

Precautionary Statements - Prevention Not Applicable Precautionary Statements - Response Not Applicable Precautionary Statements - Disposal Not Applicable 2.3. Other Information Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

• 3.1. Substances

Mixture

	INIATORE	
Chemical name	CAS No	Weight-%
Feldspar	68476-25-5	15 - 40
Quartz	14808-60-7	1 - 5

MIVTIDE

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician
Ingestion	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	No information available.

• 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Trea

Treat symptomatically.

5. FIRE-FIGHTING MEASURES



Performance Accessories SurfaceSeal

Revision Number 3

Revision Date - 02/09/2024 Date Created - 07/17/2019-

• 5.1. Extinguishing media

Suitable Extinguishing Media	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known.

• 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.

• 5.3. Advice for firefighters

Special protective equipment	As in any fire, wear pressure-demand, self-contained breathing apparatus
for fire-fighters	(MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

• 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid contact with eyes and skin.

• 6.2. Environmental precautions

Environ	mental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.
		See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non- combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

7. HANDLING AND STORAGE

• 7.1. Precautions for safe handling



Revision Date - 02/09/2024

Date Created - 07/17/2019-

Performance Accessories SurfaceSeal

Revision Number 3

Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not reuse
container.

• 7.2. Conditions for safe storage, including any incompatibilities

Reep containers rightly closed in a cool, wer ventilated place. Reep norm reezing.	Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.
--	--------------------	--

• 7.3 Specific end use(s)

Specific Use(s)	Adhesives.	

• 7.4 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY
	Section 13: DISPOSAL CONSIDERATIONS

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

• 8.1. Control parameters

Exposure Guidelines	This product contains substances which in their raw state are powder form, however in this product they are
	in non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Feldspar 68476-25-5	2 mg/m ³ (Respirable fraction)-	15 mg/m3 (Total Dust) 5 mg/m3 (Respirable dust fraction)	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	 TWA: 50 μg/m³ TWA: 50 μg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO2 + 5) mppcf TWA respirable fraction: (10)/(%SiO2 + 2) mg/m 3 TWA respirable fraction 	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust

Chemical name	Argentina	Mexico	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³

• 8.2. Exposure controls



SURFACESEAL SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

Revision Date - 02/09/2024

Date Created - 07/17/2019-

Performance Accessories SurfaceSeal

Revision Number 3

Appropriate engineering controls

Engineering controls	Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined
	areas. Use explosion-proof ventilating equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Hand protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers	
Skin and body protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General hygiene considerations	Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

• 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Color	Yellow
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
рН	7.5 - 8.5	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	> 100 °C / 212 °F	
Evaporation rate	No data available	None known
Flammability (solid, gas)	Not applicable for liquids	
Flammability Limit in Air Upper flammability or explosive limits lower flammability or explosive limits	No data available No data available	None known
Vapor pressure	No data available	None known



SURFACESEAL SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

Performance Accessories SurfaceSeal

Revision Number 3

Revision Date - 02/09/2024 Date Created - 07/17/2019-

Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

• 9.2. Other information

Explosive properties	No information available	
Oxidizing properties	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Softening Point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	1.4 g/cm ³	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

• 10.1. Reactivity

	Reactivity	No information available.
--	------------	---------------------------

• 10.2. Chemical stability

Chemical stability	Stable under normal conditions.
--------------------	---------------------------------

• 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.

• 10.4. Conditions to avoid



Performance Accessories SurfaceSeal

Revision Number 3

SURFACESEAL SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

Revision Date - 02/09/2024

Date Created - 07/17/2019-

	Conditions to avoid	Keep from freezing. Extremes of temperature and direct sunlight.
• 10.5. Incompatible materials		
	Incompatible materials	None known based on information supplied.

• 10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Hydrocarbons

11. TOXICOLOGICAL INFORMATION

• 11.1. Information on toxicological effects

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion Based on available data, the classification criteria are not met.	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
----------	---------------------------

Acute toxicity Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>20000 mg/kg	-	-

Delayed and Immeadiate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	May cause sensitization by skin contact.

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

The table below indicates whether each agency has listed any ingredient as a carcinogen.



Performance Accessories SurfaceSeal

Revision Number 3

Date Created - 07/17/2019-

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	Α2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	
A2 - Suspected Human Carcinogen	
IARC (International Agency for Research on Cancer)	
Group 1 - Carcinogenic to Humans	
NTP (National Toxicology Program)	
Known - Known Carcinogen	
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	
X - Present	
Quartz (14808-60-7)	

Method	Species	Results
IARC (International Agency for Research on Cancer)	Human evidence	Carcinogenic

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	No information available.
Interactive effects	No information available.

12. ECOLOGICAL INFORMATION

• 12.1. Toxicity

Ecotoxicity	No information available.

• 12.2. Persistence and degradability

Persistence and degradability No information available.

• 12.3. Bioaccumulative potential



Performance Accessories SurfaceSeal

Revision Number 3

Revision Date	- 02/09/2024
Date Created	- 07/17/2019-

Bioaccumulation	There is no data for this product.	
12.4. Mobility in soil		
Mobility	No information available.	

Other adverse effects	
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

• 13.1. Waste treatment methods

Waste from residues/unused products	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

• Transport information

NOTE: Keep from freezing

DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

• International Inventories

TSCA	Listed
DSL	Not Listed

• Legend:

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory
DSL- Canadian Domestic Substances List
Listed- The components of this product are either listed or exempt from listing on inventory.
Not Listed- One or more components of this product are not listed on inventory.

•

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are



Revision Date - 02/09/2024

Date Created - 07/17/2019-

Performance Accessories SurfaceSeal

Revision Number 3

subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No	SARA 313- Threshold Values%
Feldspar	68476-25-5	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. OTHER INFORMATION

• Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average) STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value *	Skin designation
Prepared By	Product Safety & Regulatory Affairs.	
Revision date	09-Feb-2024	
Revision note	No information available.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.