



COLOR SHOWN: LIMEWASH OAK | 722

LIDDEN BROOK

Experience the beauty of Lidden Brook, a design that blends classic European white oak with historic band-sawn character. Distinct cathedral graining is highlighted in a range of warm trending neutrals to create a unique combination of traditional wood and contemporary flair.

PRODUCT FEATURES

PERFORMANCE PROMISE

Our comprehensive warranty promises your laminate floor will perform every step of the way.

WORRY-FREE FLOORING

Pergo® Elements flooring protects against pet accidents, scratches, fading, and water and features a premium attached pad for comfort.

NATURAL STYLING

Pergo flooring features neutral colors, subtle shading, and premium texture to complement any space.

PRODUCT SPECIFICATIONS

Construction	Laminated Wood
Installation	Uniclic®
Thickness	1/2" (nominal 15/32");
.....	10 mm + 2 mm Attached Pad
Attached Pad	Yes
Plank Size	7-1/2" W x 54-11/32" L
Texture	EIR
AC Rating	AC4
Edge Profile	GenuEdge®
Sq Ft/Carton	22.58
Warranties	Limited Lifetime Residential
.....	5 YR Limited Light Commercial

PREFERRED BENEFITS

LIFETIME PET SCRATCH WARRANTY

Lifetime pet scratch protection for your flooring.

LIFETIME PET STAIN WARRANTY

Lifetime pet stain protection for your flooring.

WETPROTECT® WATERPROOF WARRANTY

Lifetime surface and subfloor waterproof warranty.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

PREMIUM ATTACHED PAD

Foam pad for thermal insulation, cushioning, and sound barrier.



LIMEWASH OAK | 722



BLUSH FIELD OAK | 142



TAWNY MEADOW OAK | 148



RYE FIELD OAK | 258



RYE STALK OAK | 859



MUSHROOM OAK | 968



The Perfect Finish

Performance Accessories® products offer all of the solutions you need — on, above, and beneath the floor — for a perfectly completed project.

Available Universal Trims:

- Quarter Round (RMQND-WHITE)
- Wall Base (RMBSP-WHITE)
- Stair Riser (RISR-WHITE)


Installation Essentials (Cleaners and Tools):

- PerimeterSeal® Waterproofing Technology (PSTPR-4IN)
- ScentStop™ Bio-Enzymatic Odor Remover (RSTOP)

Recommended Underlayments:

- Platinum™ (LU39)
- Gold (LU38)
- RealSound® (LU10A)
- MoistureGuard® (LU8A)
- MoistureBarrier™ (VU40R)


The 5-in-1 transition allows you to utilize a single trim for five different applications.




T-MOLDING



HARD SURFACE
REDUCER



END MOLDING



CARPET
TRANSITION



STAIR NOSE*

PERFORMANCE
ACCESSORIES

Give your Pergo Elements floors a perfectly finished look with these color-coordinated solutions:

INVENTORY STYLE - COLOR	COLOR NAME	MULTIFUNCTIONAL 5-IN-1 TRANSITION	QUARTER ROUND	OVERLAP STAIR NOSE	FLUSH STAIR NOSE	TRUEMATCH™ FLUSH STAIR NOSE
PSR15-722	LIMEWASH OAK	MINC5-08049	RMQND-08049	RMSNP-08049	MFSNB-08049	TMSRE-V0219
PSR15-142	BLUSH FIELD OAK	MINC5-08078	RMQND-08078	RMSNP-08078	MFSNB-08078	TMSRE-V0220
PSR15-148	TAWNY MEADOW OAK	MINC5-08079	RMQND-08079	RMSNP-08079	MFSNB-08079	TMSRE-V0221
PSR15-258	RYE FIELD OAK	MINC5-08080	RMQND-08080	RMSNP-08080	MFSNB-08080	TMSRE-V0222
PSR15-859	RYE STALK OAK	MINC5-08081	RMQND-08081	RMSNP-08081	MFSNB-08081	TMSRE-V0223
PSR15-968	MUSHROOM OAK	MINC5-08082	RMQND-08082	RMSNP-08082	MFSNB-08082	TMSRE-V0224

*Stair nose assembly requires additional purchase of the aluminum track (5BASE-03).

FOR MORE INFORMATION, VISIT PERGO.COM.