

PRODUCT FEATURES

CONVENIENT SELECTIONS

Practical products with local inventory to quickly transform any living space.

MODERN DESIGN

A curated assortment of stylish decors in contemporary color palettes.

MAXIMUM PERFORMANCE

Trusted performance complete with waterproof, stain, wear, fade, and scratch protection.

PRODUCT SPECIFICATIONS

Construction.....	Laminated Wood
Installation.....	Uniclic®
Thickness... 1/2" (nominal 15/32"); 10 mm + 2 mm Attached Pad	
Plank Size	7-1/2" W x 54-11/32" L
Texture	EIR
AC Rating.....	AC4
Edge Profile	GenuEdge®
Sq Ft/Carton	22.58
Sq Ft/Pallet.....	1,354.70
Cartons/Pallet.....	60
Attached Underlayment	Yes
Warranties	Limited Lifetime Residential
	5 YR Light to Medium Commercial

ADDITIONAL BENEFITS

LIFETIME WATERPROOF WARRANTY

WetProtect® technology provides a lifetime surface and subfloor waterproof warranty — for the right kind of waterproof.

LIFETIME PET STAIN WARRANTY

Pet stain protection for your flooring.

LIFETIME PET SCRATCH WARRANTY

Pet scratch protection for your flooring.


REALISTIC DESIGNS

GenuEdge® Technology enables the surface design and color to "roll over" the edge for the most realistic plank looks.



COLOR SHOWN: BURROW OAK | UP5881

PLEASE NOTE: INSTALLED FLOORING MAY VARY FROM PRINTED IMAGE OR SAMPLE.




TAPIOCA OAK
UPB5880



BURROW OAK
UPB5881




TANNIN OAK
UPB5882



HUTIA OAK
UPB5883

PERFORMANCE ACCESSORIES

INVENTORY STYLE NUMBER	COLOR NAME	MULTIFUNCTIONAL 5-IN-1	5-IN-1 BASE	OVERLAP STAIR NOSE	FLUSH STAIR NOSE	WALL BASE	QUARTER ROUND	PERIMETERSEAL TAPE
39571	Tapioca Oak	DINC5-03285	DBASE-3	DMSNP-03285	MFSDDB-03285	DMBSP-WHITE	DQND-03285	PSTPD-4IN
39571	Burrow Oak	DINC5-06318	DBASE-3	DMSNP-06318	MFSDDB-06318	DMBSP-WHITE	DQND-06318	PSTPD-4IN
39571	Tannin Oak	DINC5-06319	DBASE-3	DMSNP-06319	MFSDDB-06319	DMBSP-WHITE	DQND-06319	PSTPD-4IN
39571	Hutia Oak	DINC5-06320	DBASE-3	DMSNP-06320	MFSDDB-06320	DMBSP-WHITE	DQND-06320	PSTPD-4IN



PERIMETERSEAL TAPE

PerimeterSeal tape seals the perimeter of a room, protecting both the flooring's surface at the perimeter and the subfloor.



WATERPROOF QUARTER ROUND†

These waterproof moldings cover the expansion space between the floor and wall and provide a water-tight seal.



QUARTER ROUND

These prefinished moldings cover the expansion space between the floor and the wall.



FLUSH STAIR NOSE

The flush stair nose creates a smooth and flush finish on the edges of steps where the flooring meets the transition.



OVERLAP STAIR NOSE

The overlap stair nose creates a transition to the edge of the step by overlapping the flooring on the back end instead of being flush.




WALL BASE†

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.

† Available in white only.

The multifunctional 5-in-1 molding allows you to utilize a single transition to create five different applications.




CARPET TRANSITION

The carpet transition provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

The T-molding is used to transition between flooring of equal heights and in doorways.



END MOLDING

The end molding can be used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths, and sliding glass doors.



HARD SURFACE REDUCER

The hard surface reducer connects two floors of different heights.



STAIR NOSE*

The stair nose application provides a complete stair solution for both flush mount and overlap applications.

*Stair nose assembly requires additional purchase of the aluminum track (SBASE).