



COLOSSIA | 39280







COLOSSIA | 39280

PRODUCT FEATURES

INSPIRED BY NATURE

NatureTEK® flooring captures the authentic character and texture of wood, offering high-end looks at an affordable price to fit any budget.

BUILT TO PERFORM

Designed for strength and durability, NatureTEK floors resist scratches, stains, fading, and pet accidents — and with most products locally stocked, you can upgrade your space fast.

WATERPROOF TEKNOLOGY

Spills, splashes, and pet messes are no match for NatureTEK flooring. It features water-tight joints and a waterproof surface to protect both your floor and subfloor.

PRODUCT SPECIFICATIONS

Construction	Laminated Wood
Installation Method	Uniclic®
Thickness	3/8" (nominal 25/64"); 10 mm
	9-7/16" W x 80-1/2" L
	EIR
AC Rating	AC4
Sq Ft/Carton	26.48
Cartons/Pallet	1,376.92
Sq Ft/Pallet	52
Attached Underlayment	No
WarrantiesLifetime S	Surface & Subfloor Waterproof
	Limited Lifetime Residential5 YR Light Commercial

PLUS BENEFITS

LIFETIME WETPROTECT® WARRANTY

Protection for the surface and subfloor.

LIFETIME PET WARRANTY

Pet stain and scratch protection for the flooring.

GENUEDGE TECHNOLOGY®

Realistically designed edge treatment for a natural, organic wood look.

UNICLIC® TECHNOLOGY

Glueless locking system for quick, easy installation.



GRAIN OAK UP5877



GARNER OAK UC3924



HONEYCOMB OAK UPB3545



DENALI OAK UC3926



NOMAD OAK UPB3571



ASHEN OAK



PROVIDENCE OAK UC4043



CLOUDBURST OAK UPB3862



DRIED CLAY OAK UP5878



RUSSET OAK UPB3551













COLOSSIA | 39280



The 5-in-1 transition allows you to utilize a single trim for five different applications.







HARD SURFACE



END MOLDING



CARPET TRANSITION



STAIR NOSE*

The Perfect Finish

Performance Accessories® products offer all of the solutions you need — on, above, and beneath the floor — for a perfectly completed project.

Available Universal Trims:

- Quarter Round (DQND-WHITE)
- · Wall Base (DMBSP-WHITE)
- Stair Riser (DRISR-WHITE)

Installation Essentials (Cleaners and Tools):

- PerimeterSeal® Waterproofing Technology (PSTPD-4IN)
- ScentStop™ Bio-Enzymatic Odor Remover (DSTOP)

Recommended Underlayments:

- Platinum[™] (LU39D)
- · Gold (LU38D)
- RealSound® (LU10D)
- MoistureGuard® (LU8AD)
- MoistureBarrier[™] (VU40D)

PERFORMANCE ACCESSORIES

Give your floors a perfectly finished look with these color-coordinated solutions:

INVENTORY STYLE - COLOR	COLOR NAME	MULTIFUNCTIONAL 5-IN-1 TRANSITION	QUARTER ROUND	OVERLAP STAIR NOSE	FLUSH STAIR NOSE
39280-UP5877	Grain Oak	DINC5-06317	DQND-06316	DMSNP-06316	MFSDB-06317
39280-UC3926	Denali Oak	DINC5-03977	DQND-03977	DMSNP-03977	MFSDB-03977
39280-UC4043	Providence Oak	DINC5-03272	DQND-03272	DMSNP-03272	MFSDB-03272
39280-UP5878	Dried Clay Oak	DINC5-05924	DQND-05924	DMSNP-05924	MFSDB-05924
39280-UC3924	Garner Oak	DINC5-03726	DQND-03726	DMSNP-03726	MFSDB-03726
39280-UPB3571	Nomad Oak	DINC5-08190	DQND-08190	DMSNP-08190	MFSDB-08190
39280-UPB3862	Cloudburst Oak	DINC5-08191	DQND-08191	DMSNP-08191	MFSDB-08191
39280-UPB3551	Russet Oak	DINC5-08192	DQND-08192	DMSNP-08192	MFSDB-08192
39280-UPB3545	Honeycomb Oak	DINC5-08193	DQND-08193	DMSNP-08193	MFSDB-08193
39280-UPB3552	Ashen Oak	DINC5-08194	DQND-08194	DMSNP-08194	MFSDB-08194

*Stair nose assembly requires additional purchase of the aluminum track (DBASE-03).

FOR MORE INFORMATION, VISIT US.QUICK-STEP.COM