

PRODUCT FEATURES

BEAUTY OF HARDWOOD

NatureTEK® offers the beauty of hardwood with innovative performance TEKnology.

ENHANCED SCRATCH PROTECTION

NatureTEK® provides up to four times more scratch protection than other products on the market.

FADE RESISTANCE

NatureTEK® offers long-lasting brilliance that resists fading and preserves wood tones for years to come.

PRODUCT SPECIFICATIONS

Construction	Laminated Wood
Installation	Uniclic®
Thickness ..	1/2"(nominal 15/32"); 10 mm+2 mm Attached Pad
Plank Size	7-1/2" W x 54-11/32" L
Texture	Natural Authentic
AC Rating	AC4
Edge Profile	GenuEdge®
Sq Ft/Cartron	19.76
Warranties	Lifetime Surface & Subfloor Waterproof
	Limited Lifetime Residential
	5 YR Light to Medium Commercial

ADDITIONAL BENEFITS

LIFETIME WATERPROOF WARRANTY

WetProtect® TEKnology provides a lifetime surface and subfloor waterproof warranty — for the right kind of waterproof.

REALISTIC DESIGNS

GenuEdge® TEKnology enables the surface design and color to “roll over” the edge for the most realistic plank looks.

STEAM MOP

Worry-free flooring that resists moisture damage — allowing for quick, effective cleaning.

COMFORT UNDERFOOT

Featuring a 2 mm attached pad that simplifies installation and reduces noise.

WetProtect
THE RIGHT KIND OF WATERPROOF

GenuEdge
TECHNOLOGY

UNICLIC
PATENTED TECHNOLOGY

Made in the
USA
with globally sourced materials



COLOR SHOWN: FAWN OAK NATURAL | UP5187

PLEASE NOTE: INSTALLED FLOORING MAY VARY FROM PRINTED IMAGE OR SAMPLE.



ROCKY RIVER OAK
UP5424



REQUISITE OAK
UP5426



FAWN OAK NATURAL
UP5187



RUSSET OAK
UP5423

PERFORMANCE ACCESSORIES

INVENTORY STYLE NUMBER	COLOR NAME	5-IN-1	5-IN-1 BASE	OVERLAP STAIR NOSE	FLUSH STAIR NOSE	WALL BASE	QUARTER ROUND	WATERPROOF QUARTER ROUND FOR WETPROTECT® FLOORS
39549	Rocky River Oak	DINC5-05398	DBASE-3	DMSNP-05398	MFSDB-05398	DMBSP-WHITE	DQND-05398	DWPQR-WHITE
39549	Requisite Oak	DINC5-05426	DBASE-3	DMSNP-05426	MFSDB-05426	DMBSP-WHITE	DQND-05426	DWPQR-WHITE
39549	Fawn Oak Natural	DINC5-05396	DBASE-3	DMSNP-05396	MFSDB-05396	DMBSP-WHITE	DQND-05396	DWPQR-WHITE
39549	Russet Oak	DINC5-05397	DBASE-3	DMSNP-05397	MFSDB-05397	DMBSP-WHITE	DQND-05397	DWPQR-WHITE



OVERLAP STAIR NOSE

The overlap stair nose creates a transition to the edge of the step by overlapping the flooring on the back end instead of being flush.




WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



QUARTER ROUND

These prefinished moldings cover the expansion space between the floor and the wall.



FLUSH STAIR NOSE


The flush stair nose creates a smooth and flush finish on the edges of steps where the flooring meets the transition.



WATERPROOF QUARTER ROUND FOR WETPROTECT® FLOORS

These waterproof moldings cover the expansion space between the floor and wall and provide a water-tight seal.

The multifunctional 5-in-1 molding allows you to utilize a single transition to create five different applications.




CARPET TRANSITION

The carpet transition provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

The T-molding is used to transition between flooring of equal heights and in doorways.



END MOLDING

The end molding can be used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths, and sliding glass doors.



HARD SURFACE REDUCER

The hard surface reducer connects two floors of different heights.



STAIR NOSE*

The stair nose application provides a complete stair solution for both flush mount and overlap applications.

*Stair nose assembly requires additional purchase of the aluminum track (SBASE).