

NatureTEK^{SELECT}

PALISADES PARK | 39562

PRODUCT FEATURES

CONVENIENT SELECTIONS

Practical products with local inventory to quickly transform any living space.

MODERN DESIGN

A curated assortment of stylish decors in contemporary color palettes.

MAXIMUM PERFORMANCE

Trusted performance complete with waterproof, stain, wear, fade, and scratch protection.

PRODUCT SPECIFICATIONS

Construction	Laminated Wood
Installation	Uniclic®
Thickness 1/2" (nominal 15	5/32"); 10 mm + 2 mm Attached Pad
Plank Size	7-1/2" W x 47-1/4" L
Texture	Varies by SKU
AC Rating	AC4
Edge Profile	Milled
	19.63
Sq Ft/Pallet	1,177.80
Cartons/Pallet	60
Attached Underlayment	Yes
Warranties	Limited Lifetime Residential
	5 YR Light to Medium Commercial

ADDITIONAL BENEFITS

10-YEAR WATERPROOF WARRANTY

NatureTEK® Select protects against everyday spills and pet accidents.

10-YEAR PET STAIN WARRANTYPet stain protection for your flooring.

10-YEAR PET SCRATCH WARRANTY

Pet scratch protection for your flooring.







PALISADES PARK



WHISPERING WOODS US6563 TEXTURE | ALLOVER



VAPOR TRAILSUS6559
TEXTURE | ALLOVER



PAMPAS GRASS US4217 TEXTURE | ALLOVER



DRIFTSCAPE TAN US6549 TEXTURE | ALLOVER



GOLDEN NEST OAK US5856 TEXTURE | ALLOVER



SONORAN BEIGE US6564 TEXTURE | EIR



PORTLAND TAUPE US6561 TEXTURE | EIR



SMOKEY TAUPE US6562 TEXTURE | EIR



BROWN THRASHER OAK US4897 TEXTURE | ALLOVER



PALISADES PARK

PERFORMANCE ACCESSORIES

INVENTORY STYLE NUMBER	COLOR NAME	MULTIFUNCTIONAL 5-IN-1	5-IN-1 BASE	OVERLAP STAIR NOSE	FLUSH STAIR NOSE	WALL BASE	QUARTER ROUND	PERIMETERSEAL TAPE
39562	Whispering Woods	DINC5-07427	DBASE-3	DMSNP-07427	MFSDB-07427	DMBSP-WHITE	DQND-07427	PSTPD-4IN
39562	Vapor Trails	DINC5-07423	DBASE-3	DMSNP-07423	MFSDB-07423	DMBSP-WHITE	DQND-07423	PSTPD-4IN
39562	Pampas Grass	DINC5-07429	DBASE-3	DMSNP-07429	MFSDB-07429	DMBSP-WHITE	DQND-07429	PSTPD-4IN
39562	Driftscape Tan	DINC5-06758	DBASE-3	DMSNP-06758	MFSDB-06758	DMBSP-WHITE	DQND-06758	PSTPD-4IN
39562	Golden Nest Oak	DINC5-06315	DBASE-3	DMSNP-06315	MFSDB-06315	DMBSP-WHITE	DQND-06315	PSTPD-4IN
39562	Sonoran Beige	DINC5-07428	DBASE-3	DMSNP-07428	MFSDB-07428	DMBSP-WHITE	DQND-07428	PSTPD-4IN
39562	Portland Taupe	DINC5-07425	DBASE-3	DMSNP-07425	MFSDB-07425	DMBSP-WHITE	DQND-07425	PSTPD-4IN
39562	Smokey Taupe	DINC5-07426	DBASE-3	DMSNP-07426	MFSDB-07426	DMBSP-WHITE	DQND-07426	PSTPD-4IN
39562	Brown Thrasher Oak	DINC5-05927	DBASE-3	DMSNP-05927	MFSDB-05927	DMBSP-WHITE	DQND-05927	PSTPD-4IN



PERIMETERSEAL TAPE

PerimeterSeal tape seals the perimeter of a room, protecting both the flooring's surface at the perimeter and the subfloor.



WATERPROOF QUARTER ROUND[†]

These waterproof moldings cover the expansion space between the floor and wall and provide a water-tight seal.



QUARTER ROUND

These prefinished moldings cover the expansion space between the floor and the wall.



FLUSH STAIR NOSE

The flush stair nose creates a smooth and flush finish on the edges of steps where the flooring meets the transition.



OVERLAP STAIR NOSE

The overlap stair nose creates a transition to the edge of the step by overlapping the flooring on the back end instead of being flush.



WALL BASE[†]

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



The multifunctional 5-in-1 molding allows you to utilize a single transition to create five different applications.



CARPET TRANSITION

The carpet transition provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

The T-molding is used to transition between flooring of equal heights and in doorways.



END MOLDING

The end molding can be used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths, and sliding glass doors.



HARD SURFACE REDUCER

The hard surface reducer connects two floors of different heights.



STAIR NOSE*

The stair nose application provides a complete stair solution for both flush mount and overlap applications.

*Stair nose assembly requires additional purchase of the aluminum track (5BASE).