

## PRODUCT FEATURES

### CONVENIENT SELECTIONS

Practical products with local inventory to quickly transform any living space.

### MODERN DESIGN

A curated assortment of stylish decors in contemporary color palettes.

### MAXIMUM PERFORMANCE

Trusted performance complete with waterproof, stain, wear, fade, and scratch protection.

## PRODUCT SPECIFICATIONS

Construction.....	Laminated Wood
Installation.....	Uniclic®
Thickness.....	1/2" (nominal 15/32"); 12 mm
Plank Size.....	7-1/2" W x 54-11/32" L
Texture.....	Varies by SKU
AC Rating.....	AC4
Edge Profile.....	Milled
Sq Ft/Carton.....	16.93
Sq Ft/Pallet.....	846.69
Cartons/Pallet.....	50
Attached Underlayment.....	No
Warranties.....	Limited Lifetime Residential
	5 YR Light to Medium Commercial

## ADDITIONAL BENEFITS

### 10-YEAR WATERPROOF WARRANTY

NatureTEK® Select protects against everyday spills and pet accidents.

### 10-YEAR PET STAIN WARRANTY

Pet stain protection for your flooring.

### 10-YEAR PET SCRATCH WARRANTY

Pet scratch protection for your flooring.



COLOR SHOWN: HEATHERED OAK | UF1574W

PLEASE NOTE: INSTALLED FLOORING MAY VARY FROM PRINTED IMAGE OR SAMPLE.





**HEATHERED OAK**  
UF1574W  
TEXTURE | EIR



**MALTED TAWNY OAK**  
UF1548W  
TEXTURE | EIR



**WHITE WASH OAK**  
UF1667W  
TEXTURE | ALLOVER



**HAMILTON OAK**  
UF4204W  
TEXTURE | EIR



**MOCHA OAK**  
UF1578W  
TEXTURE | EIR



**JEFFERSON OAK**  
UF4202W  
TEXTURE | EIR



**FLINT OAK**  
UF1575W  
TEXTURE | ALLOVER

## PERFORMANCE ACCESSORIES

INVENTORY STYLE NUMBER	COLOR NAME	MULTIFUNCTIONAL 5-IN-1	5-IN-1 BASE	OVERLAP STAIR NOSE	FLUSH STAIR NOSE	WALL BASE	QUARTER ROUND	PERIMETERSEAL™ TAPE
39512-1574W	Heathered Oak	DINC5-07938	DBASE-4	DMSNP-07938	MFSDC-07938	DMBSP-WHITE	DQND-07938	PSTPD-4IN
39512-1548W	Malted Tawny Oak	DINC5-02803	DBASE-4	DMSNP-02803	MFSDC-02803	DMBSP-WHITE	DQND-04718	PSTPD-4IN
39512-1667W	White Wash Oak	DINC5-07940	DBASE-4	DMSNP-07940	MFSDC-07940	DMBSP-WHITE	DQND-07940	PSTPD-4IN
39512-4204W	Hamilton Oak	DINC5-07939	DBASE-4	DMSNP-07939	MFSDC-07939	DMBSP-WHITE	DQND-07939	PSTPD-4IN
39512-1578W	Mocha Oak	DINC5-06679	DBASE-4	DMSNP-06679	MFSDC-06679	DMBSP-WHITE	DQND-06679	PSTPD-4IN
39512-4202W	Jefferson Oak	DINC5-07941	DBASE-4	DMSNP-07941	MFSDC-07941	DMBSP-WHITE	DQND-07941	PSTPD-4IN
39512-1575W	Flint Oak	DINC5-02820	DBASE-4	DMSNP-02820	MFSDC-02820	DMBSP-WHITE	DQND-02863	PSTPD-4IN



### PERIMETERSEAL TAPE

PerimeterSeal tape seals the perimeter of a room, protecting both the flooring's surface at the perimeter and the subfloor.




### OVERLAP STAIR NOSE

The overlap stair nose creates a transition to the edge of the step by overlapping the flooring on the back end instead of being flush.



### QUARTER ROUND

These prefinished moldings cover the expansion space between the floor and the wall.



### FLUSH STAIR NOSE

The flush stair nose creates a smooth and flush finish on the edges of steps where the flooring meets the transition.




### WALL BASE\*

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.


\*Available in white only.

The multifunctional 5-in-1 molding allows you to utilize a single transition to create five different applications.




### CARPET TRANSITION

The carpet transition provides a smooth transition between your hard surface floor and carpet.



### T-MOLDING

The T-molding is used to transition between flooring of equal heights and in doorways.



### END MOLDING

The end molding can be used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths, and sliding glass doors.



### HARD SURFACE REDUCER

The hard surface reducer connects two floors of different heights.



### STAIR NOSE\*\*

The stair nose application provides a complete stair solution for both flush mount and overlap applications.

\*\*Stair nose assembly requires additional purchase of the aluminum track (BBASE).