











Trex Elevations

COMPONENT	DESCRIPTION	ITEM NUMBER
Track	 1-1/4" x 8" x 12'—Track 1-1/4" x 8" x 16'—Track 1-1/4" x 8" x 20'—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam	 2" x 8" x 12'—Beam 2" x 8" x 16'—Beam 2" x 8" x 20'—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist	 1-5/8" x 8" x 8'—Joist 1-5/8" x 8" x 9'—Joist 1-5/8" x 8" x 10'—Joist 1-5/8" x 8" x 11'—Joist 1-5/8" x 8" x 12'—Joist 1-5/8" x 8" x 13'—Joist 1-5/8" x 8" x 14'—Joist 1-5/8" x 8" x 15'—Joist 1-5/8" x 8" x 16'—Joist 1-5/8" x 8" x 17'—Joist 1-5/8" x 8" x 18'—Joist 1-5/8" x 8" x 19'—Joist 1-5/8" x 8" x 20'—Joist	CG020808EJ50 CG020809EJ50 CG020810EJ50 CG020811EJ50 CG020812EJ50 CG020813EJ50 CG020814EJ50 CG020815EJ50 CG020816EJ50 CG020817EJ50 CG020818EJ50 CG020819EJ50 CG020820EJ50
Beam End Cap	 2-1/8" x 8-1/8"—Beam End Cap (40/box)	ELVENDCAP40
Adjustable Mid-Span Block	 10 sets	ELVMIDSPANBLOCK
Adjustable Beam Block	 10 sets	ELVBEAMBLOCK
Deck Support Post	 3-1/2" x 3-1/2" x 10'—Deck Support Post 5-1/2" x 5-1/2" x 10'—Deck Support Post	www.trexdeckpost.com
Elevations Universal Connector Clip (glass-filled nylon)	 50 sq. ft. (4.6 sq. m) box	ELVUNIVCLIP
Elevations Start Clip (stainless steel)	 400 sq. ft. (37.2 sq. m) bag	ELVSTARTCLIP



- A. Beam
- B. Joist
- C. Track (Ledger)
- D. Deck Support Post

Trex Elevations Approved Spray Paint

Quest Specialty Chemicals
Raabe Color-Match Paint



To order, call 1-800-966-7580




Trex Decking, Porch Flooring & Fascia

PROFILE	DESCRIPTION	ITEM NUMBER	COLORS																			
1" Square Edge Board [1" x 5.5" (25 mm x 140 mm) actual dimensions] [.875" x 5.5" (22 mm x 140 mm) Select actual dimensions]	1 x 6 x 12' Transcend 1 x 6 x 16' Transcend 1 x 6 x 20' Transcend 1 x 6 x 12' Enhance 1 x 6 x 16' Enhance 1 x 6 x 20' Enhance 7/8 x 6 x 12' Select 7/8 x 6 x 16' Select 7/8 x 6 x 20' Select	XX010612TS48 XX010616TS48 XX010620TS48 XX010612ES48 XX010616ES48 XX010620ES48 XX010612SS64 XX010616SS64 XX010620SS64	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB																			
																						
					1" Grooved Edge Board [1" x 5.5" (25 mm x 140 mm) actual dimensions] [.875" x 5.5" (22 mm x 140 mm) Select actual dimensions]	1 x 6 x 12' Transcend 1 x 6 x 16' Transcend 1 x 6 x 20' Transcend 1 x 6 x 12' Enhance 1 x 6 x 16' Enhance 1 x 6 x 20' Enhance 7/8 x 6 x 12' Select 7/8 x 6 x 16' Select 7/8 x 6 x 20' Select	XX010612TG48 XX010616TG48 XX010620TG48 XX010612EG48 XX010616EG48 XX010620EG48 XX010612SG64 XX010616SG64 XX010620SG64	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB														
																						
										1" Grooved Porch Floor Board [1" x 4.25" (25 mm x 108 mm) actual face dimensions; 1" x 4.5" (25 mm x 114 mm) actual overall dimensions] Can also be used for decking applications.	1 x 4.5 x 12' Transcend Porch 1 x 4.5 x 16' Transcend Porch	XX010512TP60 XX010516TP60	GP, SR									
																						
															1" x 8" Fascia [.75" x 7.25" x 12' (19 mm x 184 mm x 3.66 m) actual dimensions; .75" x 7.25" x 18' (19 mm x 184 mm x 5.49 m) actual dimensions]	1 x 8 x 12' Transcend 1 x 8 x 12' Enhance 1 x 8 x 12' Select 1 x 8 x 12' Universal White 1 x 8 x 18' TrexTrim	XX010812TS60 XX010812ES60 XX010812SS60 WW010812ES60 WT010818B	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE SMOOTH WHITE				
																						
																				1" x 12" Fascia [.75" x 11.25" x 12' (19 mm x 286 mm x 3.66 m) actual dimensions]	1 x 12 x 12' Transcend 1 x 12 x 12' Enhance 1 x 12 x 12' Select 1 x 12 x 12' Universal White 1 x 12 x 12' TrexTrim	XX011212TS40 XX011212ES40 XX011212SS40 WW011212ES40 WT011212B24
																						
	2" Square Edge Board [actual dimensions: Transcend 2x4: 1.375" x 3.5" (35 mm x 89 mm) Transcend 2x6: 1.375" x 5.5" (35 mm x 140 mm) Select 2x6: 1.375" x 5.5" (35 mm x 140 mm)]	2 x 4 x 16' Transcend 2 x 6 x 12' Transcend 2 x 6 x 16' Transcend 2 x 6 x 20' Transcend 2 x 6 x 12' Select 2 x 6 x 16' Select 2 x 6 x 20' Select	XX020416TS48 XX020612TS32 XX020616TS32 XX020620TS32 XX020612SS32 XX020616SS32 XX020620SS32	FP, GP, TH, VL HG, IM, LR, SR, TT MB, PG, SD, WB																		
																						

XX = COLOR PREFIX:	HG Havana Gold	SR Spiced Rum	GP Gravel Path	VL Vintage Lantern	SD Saddle	BD Beach Dune
	IM Island Mist	TT Tiki Torch	RS Rope Swing	MB Madeira	WG Winchester Grey	CS Clam Shell
	LR Lava Rock	FP Fire Pit	TH Tree House	PG Pebble Grey	WB Woodland Brown	

TREX HIDEAWAY HIDDEN FASTENING SYSTEM	DESCRIPTION	ITEM NUMBER
Connector Clip (stainless steel)		50 sq. ft. (4.6 m ²) box 500 sq. ft. (46.5 m ²) bucket 500 sq. ft. (46.5 m ²) bucket with collated pneumatic screws
Gun Pail		CONNECTCLIP CLIPPAIL GUNCLIP
Start Clip (stainless steel)		400 sq. ft. (37 m ²) bag STARTERCLIP
Universal Starter Clip		400 sq. ft. (37 m ²) bag UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)		50 sq. ft. (4.6 m ²) box 500 sq. ft. (46.5 m ²) bucket UNIVCONCLIP DA00002
Router Bit		Router Bit ROUTBIT







RAILING— a lot easier than it looks

Selecting the right railing is pretty easy, but each Trex railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the left depicts each railing system's components.

Trex Post Sleeves, Caps & Skirts

○ These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve  Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.	4" x 4" x 39" Post Sleeve <i>[4.45" x 4.45" x 40" (113 mm x 113 mm x 1016 mm) external dimensions]</i>	XX040439APS
		4" x 4" x 108" Post Sleeve <i>[4.45" x 4.45" x 108" (113 mm x 113 mm x 2743 mm) external dimensions]</i>	XX0404108APS
		6" x 6" x 39" Post Sleeve <i>[5.5" x 5.5" x 39" (140 mm x 140 mm x 991 mm) external dimensions]</i>	WT060639APS
		6" x 6" x 108" Post Sleeve <i>[5.5" x 5.5" x 108" (140 mm x 140 mm x 2743 mm) external dimensions]</i>	WT0606108APS
2a	Post Sleeve Cap  Also available with LED lighting. See page 39.	Flat 4" x 4" Post Sleeve Cap (12/box) Pyramid 4" x 4" Post Sleeve Cap (12/box) <i>[4.55" x 4.55" (114 mm x 114 mm) internal dimensions]</i>	XXSQCAP4X4 XXPYCAP4X4
		Flat 6" x 6" Post Sleeve Cap (12/box) Pyramid 6" x 6" Post Sleeve Cap (12/box) <i>[5.6" x 5.6" (142 mm x 142 mm) internal dimensions]</i>	WTSQCAP6X6 WTPYCAP6X6
2b	Post Sleeve Skirt 	4" x 4" Post Sleeve Skirt (12/box) <i>[4.55" x 4.55" (114 mm x 114 mm) internal dimensions]</i>	XXSKIRT4X4
		6" x 6" Post Sleeve Skirt (12/box) <i>[5.6" x 5.6" (142 mm x 142 mm) internal dimensions]</i>	WTSKIRT6X6
ACCESSORY	Post Mount	Post Surface Mount for 36" (914 mm) Rail Height (1/box) Post Surface Mount for 42" (1067 mm) Rail Height (1/box) Post Surface Mount Hardware—Concrete (10 kits/box) Post Surface Mount Hardware—Wood (10 kits/box)	POSTMOUNT36 POSTMOUNT42 POSTHDWCONC POSTHDWWOOD
ACCESSORY	Foot Block 	Adjustable Foot Blocks (50/box)—White Adjustable Foot Blocks (50/box)—Colored	RWFTBLK XXFTBLK

XX = COLOR PREFIX:

WT Classic White
BK Charcoal Black

FP Fire Pit
GP Gravel Path

RS Rope Swing
TH Tree House

VL Vintage Lantern

Trex Transcend Railing

- Transcend is either a 5-step or 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2). Then choose each component separately for a custom design (5-step).


STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
------	-----------	-------------	-------------

3a

Top & Bottom Rails

In this step, two rails (1 top, 1 bottom) must be selected.

3b



Crown

Universal

6' Crown Top Rail	XXCROWNTR06
8' Crown Top Rail	XXCROWNTR08
6' Universal Top/Bottom Rail	XXUNIVTBR06
8' Universal Top/Bottom Rail	XXUNIVTBR08

[6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]

4

Balusters/Spindles

See chart below for number of balusters needed to complete each railing section.



BALUSTER TYPE	PER 6' SECTION	PER 8' SECTION
Square & Colonial (Horizontal application)	13	18
Square & Colonial (Stair application)	11	15
Aluminum (Horizontal application)	15	20
Aluminum (Stair application)	12	16

Aluminum balusters are available in Charcoal Black, Classic White and Bronze only (BK, WT, BZ).

Square Balusters for 36" Rail Height (16/pack) [1.418" x 1.418" x 30.375" (36 mm x 36 mm x 772 mm) actual dimensions]	XX020230SBK
Square Balusters for 42" Rail Height (16/pack) [1.418" x 1.418" x 36.375" (36 mm x 36 mm x 924 mm) actual dimensions]	XX020236SBK
Colonial Spindles for 36" Rail Height (16/pack) [1.418" x 1.418" x 30.375" (36 mm x 36 mm x 772 mm) actual dimensions]	WT020230CSP
Colonial Spindles for 42" Rail Height (16/pack) [1.418" x 1.418" x 36.375" (36 mm x 36 mm x 924 mm) actual dimensions]	WT020236CSP
Round Aluminum Balusters for 36" Rail Height (20/pack) [.75" x 30.25" (19 mm x 768 mm) actual dimensions]	XXTA30RBK
Round Aluminum Balusters For 42" Rail Height (20/pack) [.75" x 36.25" (19 mm x 921 mm) actual dimensions]	XXTA36RBK
Square Aluminum Balusters for 36" Rail Height (20/pack) [.75" x 30.25" (19 mm x 768 mm) actual dimensions]	XXTA30SBK
Square Aluminum Balusters For 42" Rail Height (20/pack) [.75" x 36.25" (19 mm x 921 mm) actual dimensions]	XXTA36SBK

5

Accessory Infill Kit

- » 2 Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware

[6' Rail: 67.5" (1715 mm) actual length;
8' Rail: 91.5" (2324 mm) actual length]

6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal	XXSQHIK06
6' Accessory Infill Kit for Square/Colonial Balusters—Stair	XXSQSIK06
8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal	XXSQHIK08
8' Accessory Infill Kit for Square/Colonial Balusters—Stair	XXSQSIK08
6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06
6' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06
8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK08
8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK08
6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXASBHIK06
6' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBSIK06
8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXASBHIK08
8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBSIK08
6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06

ACCESSORY

Transcend Accessories

All accessories include a quantity of 12 per box unless otherwise noted.

Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
Mounting Hardware for Cut Rails—Stair	XXSTACCYKIT
Transcend RSB Bracket Pack—Horizontal (24/box)	TSHBRACKET
Transcend RSB Bracket Pack—Stair (24/box)	TSSBRACKET
0 Degree Rail Gasket Pack—Horizontal	XX00HGASK
0 Degree Rail Gasket Pack—Stair	XX00SGASK
22.5 Degree Gasket Pack (for Crown/Universal/Bevel)	XX22HGASK
45 Degree Birdsmouth Gasket Pack (for 4 x 4 Crown/Universal)	XX45RSBADAPK
45 Degree Gasket Pack (for 4 x 4 or 6 x 6 Bevel)	XX45BEVGASK
45 Degree Gasket Pack (for 6 X 6 Crown/Universal)	WT45HGASK

- Or simply choose a rail & baluster kit in Classic White (3-step).

3

Rail & Baluster Kit

- » Crown Top Rail
- » Universal Bottom Rail
- » Square Balusters
- » Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware



Available in Classic White only.

6' x 36" Rail & Baluster Kit—Horizontal	WT0636HRK
6' x 36" Rail & Baluster Kit—Stair	WT0636SRK
8' x 36" Rail & Baluster Kit—Horizontal	WT0836HRK
8' x 36" Rail & Baluster Kit—Stair	WT0836SRK

[6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]

XX = COLOR PREFIX:

WT Classic White
BK Charcoal Black

FP Fire Pit
GP Gravel Path

RS Rope Swing
TH Tree House

VL Vintage Lantern
BZ Bronze (aluminum only)

Trex Select Railing

● **Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).**

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Square Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White only.	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair	WT0636HSELK WT0636SSELK
		8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]	WT0836HSELK WT0836SSELK
ACCESSORY	Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) 45 Degree Adapter Kit (10 kits/box)	WTHSEL CUT WTSSEL CUT WTSEL45ADP



Trex Aluminum Gates


COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit Available in all Aluminum colors.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36" (914mm); 42" Rail: 42" (1067mm). Actual width is 47.5" (1207mm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts	BKGATEHW



Trex Aluminum ADA Compliant Handrail

All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com.

COMPONENT	ITEM NUMBER
Corner Mount	XXALADAICORNER
Post Return ("Candy Cane")	XXALADA18OCCANE
5 Degree Elbow	XXALADA05ELB
31 Degree Elbow	XXALADA31ELB
34 Degree Elbow	XXALADA34ELB
36 Degree Elbow	XXALADA36ELB
90 Degree Elbow	XXALADA90ELB
Collar	XXALADACL
Rail End Cap	XXALADACAP
90 Degree Wall Return	XXALADA90WR
Wall Mount	XXALADAWMNT
4" Internal Connector	XXALINTCONN
1 3/8" x 8' Hand Rail	XXALADARAIL8



XX = COLOR PREFIX:

BK Charcoal Black



BZ Bronze

WT Classic White

Aluminum railing has a textured finish.

Trex Reveal Aluminum Railing

● Choose either Reveal posts or Trex post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER	
1+2	<p>Aluminum Post with Cap & Skirt</p> <p>Aluminum Crossover Post</p> <p>Reveal aluminum posts fulfill steps 1 & 2. If using Trex post sleeves, refer to page 35.</p> <p>Aluminum posts can only be used with the Trex Reveal line.</p> 	2" x 2" x 37" Post w. Cap & Skirt—Horizontal <i>[2" x 2" x 37" (51 mm x 51 mm x 940 mm) actual dimensions]</i>	XXAL020237AP	
		2" x 2" x 43" Post w. Cap & Skirt—Horizontal <i>[2" x 2" x 43" (51 mm x 51 mm x 1092 mm) actual dimensions]</i>	XXAL020243AP	
		2" x 2" x 53" Post w. Cap & Skirt—Stair (cut-to-length) <i>[2" x 2" x 53" (51 mm x 51 mm x 1346 mm) actual dimensions]</i>	XXAL020253AP	
		2" x 2" x 36" Crossover Post—Horizontal (includes crossover bracket) <i>[2" x 2" x 36" (51 mm x 51 mm x 914 mm) actual dimensions]</i>	XXAL020236CP	
		2" x 2" x 42" Crossover Post—Horizontal (includes crossover bracket) <i>[2" x 2" x 42" (51 mm x 51 mm x 1067 mm) actual dimensions]</i>	XXAL020242CP	
		2.5" x 2.5" x 37" Post w. Cap & Skirt—Horizontal (IRC Compliant) <i>[2.5" x 2.5" x 37" (64 mm x 64 mm x 940 mm) actual dimensions]</i>	XXAL252537RCAP	
		2.5" x 2.5" x 43" Post w. Cap & Skirt—Horizontal (IRC Compliant) <i>[2.5" x 2.5" x 43" (64 mm x 64 mm x 1092 mm) actual dimensions]</i>	XXAL252543RCAP	
		2.5" x 2.5" x 53" Post w. Cap & Skirt—Stair (IRC Compliant) <i>[2.5" x 2.5" x 53" (64 mm x 64 mm x 1346 mm) actual dimensions]</i>	XXAL252553RCAP	
		Aluminum Mounting Plate and Hardware	2.5" Post only	ALPOSTHWDECK
		3	<p>Rail & Baluster Kit</p> <ul style="list-style-type: none"> » Top Rail » Bottom Rail » Balusters » Mounting & Support Hardware 	6' x 36" Rail Kit w. Square Balusters—Horizontal
6' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636SRK			
8' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0836HRK			
8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0836SRK			
6' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK			
6' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642SRK			
8' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0842HRK			
8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842SRK			
6' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0636HRK			
6' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636SRK			
8' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0836HRK			
8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0836SRK			
6' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0642HRK			
6' x 42" Rail Kit w. Round Balusters—Stair	XXAR0642SRK			
8' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0842HRK			
8' x 42" Rail Kit w. Round Balusters—Stair	XXAR0842SRK			
<p>Dimensions above are actuals. See below for metrics.</p> <p><i>[6' x 36": 72" x 36" (1829 mm x 914 mm) actual dimensions]</i></p> <p><i>[8' x 36": 96" x 36" (2438 mm x 914 mm) actual dimensions]</i></p> <p><i>[6' x 42": 72" x 42" (1829 mm x 1067 mm) actual dimensions]</i></p> <p><i>[8' x 42": 96" x 42" (2438 mm x 1067 mm) actual dimensions]</i></p>				
ACCESSORY	<p>Reveal Accessories</p>	Fixed Bracket—Horizontal (4/pack)	XXFHBKTAL	
		Fixed Bracket—Stair (4/pack)	XXFSBKTAL	
		Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)	XXSWHBKTAL	
		Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXSWSBKTAL	
		Crossover Bracket—Horizontal (1/pack)	XXFHCBKTAL	
		Swivel Crossover Bracket—Stair (1/pack)	XXSWSCBKTAL	
		Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCPDSWBKTAL	
		Aluminum Footblock	XXALFTBLK	
		Touch-up Pen	XXTOUCHUPPEN	

XX = COLOR PREFIX:










BK Charcoal Black

BZ Bronze

WT Classic White

Aluminum railing has a textured finish.

Trex Outdoor Lighting

LIGHTING & DESCRIPTION	ITEM NUMBER		
LANDSCAPE LIGHTING			
<p>Rounded Path Light</p> <p>Stepped Path Light</p> <p>Well Light</p> <p>Multifunction Light</p> <p>Spotlight*</p>	 <p>BKRDPATH2PK, BZRDPATH2PK</p> <p>BKSPATH2PK, BZSPATH2PK</p> <p>BKWELL, BZWELL</p> <p>BKMULTI, BZMULTI</p> <p>BKSPOT, BZSPOT</p> <p><small>*Includes: 36v Step-up Transformer & Female to Female Adapter</small></p>		
DECK LIGHTING			
<p>Pyramid or Flat Post Cap Light</p> <ul style="list-style-type: none"> » 4" x 4" LED Post Cap Light [4.55" x 4.55" (114 mm x 114 mm) internal dimensions] » 5'6" (1.68 m) Male LightHub Lead 	 <table border="0"> <tr> <td data-bbox="1015 619 1185 829"> <p>PYRAMID CAPS</p> <p>BKPYLEDCAP4X4C</p> <p>WTPYLEDCAP4X4C</p> <p>FPPYLEDCAP4X4C</p> <p>THPYLEDCAP4X4C</p> <p>VLPYLEDCAP4X4C</p> <p>GPPYLEDCAP4X4C</p> <p>RSPYLEDCAP4X4C</p> </td> <td data-bbox="1258 619 1429 829"> <p>FLAT CAPS</p> <p>BKSQLEDCAP4X4C</p> <p>WTSQLEDCAP4X4C</p> <p>FPSQLEDCAP4X4C</p> <p>THSQLEDCAP4X4C</p> <p>VLSQLEDCAP4X4C</p> <p>GPSQLEDCAP4X4C</p> <p>RSSQLEDCAP4X4C</p> </td> </tr> </table>	<p>PYRAMID CAPS</p> <p>BKPYLEDCAP4X4C</p> <p>WTPYLEDCAP4X4C</p> <p>FPPYLEDCAP4X4C</p> <p>THPYLEDCAP4X4C</p> <p>VLPYLEDCAP4X4C</p> <p>GPPYLEDCAP4X4C</p> <p>RSPYLEDCAP4X4C</p>	<p>FLAT CAPS</p> <p>BKSQLEDCAP4X4C</p> <p>WTSQLEDCAP4X4C</p> <p>FPSQLEDCAP4X4C</p> <p>THSQLEDCAP4X4C</p> <p>VLSQLEDCAP4X4C</p> <p>GPSQLEDCAP4X4C</p> <p>RSSQLEDCAP4X4C</p>
<p>PYRAMID CAPS</p> <p>BKPYLEDCAP4X4C</p> <p>WTPYLEDCAP4X4C</p> <p>FPPYLEDCAP4X4C</p> <p>THPYLEDCAP4X4C</p> <p>VLPYLEDCAP4X4C</p> <p>GPPYLEDCAP4X4C</p> <p>RSPYLEDCAP4X4C</p>	<p>FLAT CAPS</p> <p>BKSQLEDCAP4X4C</p> <p>WTSQLEDCAP4X4C</p> <p>FPSQLEDCAP4X4C</p> <p>THSQLEDCAP4X4C</p> <p>VLSQLEDCAP4X4C</p> <p>GPSQLEDCAP4X4C</p> <p>RSSQLEDCAP4X4C</p>		
<p>Deck Rail Light</p> <ul style="list-style-type: none"> » LED Deck Rail Light [2.75" (70 mm) OD] » 5'6" (1.68 m) Male LightHub Lead 	 <p>TEXTURED CHARCOAL BLACK: BKLAMPLEDC</p> <p>TEXTURED BRONZE: BZLAMPLEDC</p> <p>TEXTURED CLASSIC WHITE: WTLAMPLEDC</p>		
<p>LED Riser Lights</p> <ul style="list-style-type: none"> » 4 LED Riser Lights [1.25" (32 mm) OD] » 5'6" (1.68 m) Male LightHub Lead 	 <p>TEXTURED CHARCOAL BLACK: BKRISERLED4PKC</p> <p>TEXTURED BRONZE: BZRISERLED4PKC</p> <p>TEXTURED CLASSIC WHITE: WTRISERLED4PKC</p>		
<p>Recessed Deck Lights</p> <ul style="list-style-type: none"> » 4 LED Recessed Lights [1" (25 mm) OD] » 5'6" (1.68 m) Male LightHub Lead 	 <p>RECESSLED4PKC</p>		
ACCESSORIES			
<p>Transformer with Timer</p> <ul style="list-style-type: none"> » Output Voltage: 12VDC » Output Power: 60W or 30W » Output Current: 5A or 2.5A » Photo Activated Timer » 20 ft. (6.10 m) LightHub Wire Extension Cable <p>5-Way Transformer Splitter</p>	 <p>5A, 60W: DLTRANSFORMER</p> <p>2.5A, 30W: 25DLTRANSFORMER</p> <p>DL5TFPLIT1PK</p>		
<p>Dimmer</p> <ul style="list-style-type: none"> » Single Channel with Remote 	 <p>DLDIMMER</p>		
<p>1" (25 mm) Forstner Bit—Pack of 6</p>	 <p>DLBIT6PK</p>		
<p>LightHub Accessories</p> <ul style="list-style-type: none"> » 6-Way Splitter » 5 ft. (1.52 m) Wire Extension Cable » 10 ft. (3.05 m) Wire Extension Cable » 20 ft. (6.10 m) Wire Extension Cable » 40 ft. (12.2 m) Wire Extension Cable » 60 ft. (18.29 m) Wire Extension Cable » Female to Female Adapter 	 <p>DL6SPLIT4PK</p> <p>DL5FTWR4PK</p> <p>DL10FTWR4PK</p> <p>DL20FTWR4PK</p> <p>DL40FTWR2PK</p> <p>DL60FTWR1PK</p> <p>DLFADAP6PK</p>		