

# Trex Elevations

COMPONENT	DESCRIPTION	ITEM NUMBER
<b>FRAMING COMPONENTS</b>		
<p><b>Track</b></p> <p><i>Actual dimensions:</i> 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)</p> 	<p>1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track</p>	<p>CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60</p>
<p><b>Beam</b></p> <p><i>Actual dimensions:</i> 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)</p> 	<p>2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam</p>	<p>CG020812EB20 CG020816EB20 CG020820EB20</p>
<p><b>Joist</b></p> <p><i>Actual dimensions:</i> 1.625 in x 8 in x 12 ft / 16 ft / 20 ft (41 mm x 203 mm x 365 cm / 487 cm / 609 cm) <i>Additional lengths are available by special order.</i></p> 	<p>1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist</p>	<p>CG020812EJ50 CG020816EJ50 CG020820EJ50</p>
<p><b>Beam End Cap</b></p> 	<p>2.125 in x 8.125 in—Beam End Cap (40/box) <i>[2.125 in x 8.125 in (53 mm x 206 mm) actual dimensions]</i></p>	<p>ELVENDCAP40</p>
<p><b>Adjustable Mid-Span Block</b></p> 	<p>4 in x 9.875 in (10 sets) <i>[4 in x 9.875 in (101 mm x 250 mm) actual dimensions]</i></p>	<p>ELVMIDSPANBLOCK</p>
<p><b>Adjustable Beam Block</b></p> 	<p>5 in x 9.875 in (10 sets) <i>[5 in x 9.875 in (127 mm x 250 mm) actual dimensions]</i></p>	<p>ELVBEAMBLOCK</p>
<p><b>Deck Support Post</b></p> <p><i>Actual dimensions:</i> 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)</p> 	<p>3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post</p>	<p><a href="http://www.trexdeckpost.com">www.trexdeckpost.com</a></p>
<p><b>Elevations Universal Connector Clip</b> (glass-filled nylon with stainless steel screw)</p> 	<p>50 sq. ft (4.6 sq. m) box</p>	<p>ELVUNIVCLIP</p>
<p><b>Elevations Start Clip</b> (stainless steel with stainless steel screw)</p> 	<p>400 sq. ft (37.2 sq. m) bag</p>	<p>ELVSTARTCLIP</p>
<p><b>Elevations-Approved Spray Paint</b> Net weight 12 oz.</p> 	<p>Available in <b>Elevations grey</b> only.</p>	<p>1-800-966-7580</p>
<b>RAILING COMPONENTS</b> (for use with Trex Elevations)		
<p><b>Joist Mount Post with Cap &amp; Skirt</b></p> 	<p>2.5" x 2.5" x 63" <i>[2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]</i></p>	<p>XXJMNTPOST63</p>
<p><b>Elevations Rail Post Blocking</b></p>	<p>10/box</p>	<p>ELVRAILPOSTBLOCK</p>
<p><b>Elevations Fascia Mount Kit</b> (for use with Elevations steel framing)</p>	<p>For use with Joist Mount Reveal Railing Post only.</p>	<p>XXFMNTELEV</p>

XX = COLOR PREFIX:




BK Charcoal Black

BZ Bronze






WT Classic White


Powder-coated products have a textured finish.

# Trex Decking, Porch Flooring & Fascia

PROFILE	DESCRIPTION	ITEM NUMBER	COLORS	
<b>1" Square-Edge Board</b> <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)		1 x 6 x 12' Transcend 1 x 6 x 16' Transcend 1 x 6 x 20' Transcend 1 x 6 x 12' Enhance 1 x 6 x 16' Enhance 1 x 6 x 20' Enhance 7/8 x 6 x 12' Select 7/8 x 6 x 16' Select 7/8 x 6 x 20' Select	XX010612TS48 XX010616TS48 XX010620TS48 XX010612ES48 XX010616ES48 XX010620ES48 XX010612SS64 XX010616SS64 XX010620SS64	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB
<b>1" Grooved-Edge Board</b> <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)		1 x 6 x 12' Transcend 1 x 6 x 16' Transcend 1 x 6 x 20' Transcend 1 x 6 x 12' Enhance 1 x 6 x 16' Enhance 1 x 6 x 20' Enhance 7/8 x 6 x 12' Select 7/8 x 6 x 16' Select 7/8 x 6 x 20' Select	XX010612TG48 XX010616TG48 XX010620TG48 XX010612EG48 XX010616EG48 XX010620EG48 XX010612SG64 XX010616SG64 XX010620SG64	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB
<b>1" Grooved Porch Floor Board</b> <i>Actual dimensions:</i> .94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm) Can also be used for decking applications.		1 x 4.5 x 12' Transcend Porch 1 x 4.5 x 16' Transcend Porch	XX010512TP60 XX010516TP60	GP, SR
<b>1" x 8" Fascia</b> <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .7 in x 7.25 in x 12 ft (17 mm x 184 mm x 365 cm)		1 x 8 x 12' Transcend 1 x 8 x 12' Enhance 1 x 8 x 12' Select 1 x 8 x 12' Universal White	XX010812TS60 XX010812ES60 XX010812SS60 WW010812ES60	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
<b>1" x 12" Fascia</b> <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .7 in x 11.375 in x 12 ft (17 mm x 288 mm x 365 cm)		1 x 12 x 12' Transcend 1 x 12 x 12' Enhance 1 x 12 x 12' Select 1 x 12 x 12' Universal White	XX011212TS40 XX011212ES40 XX011212SS40 WW011212ES40	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
<b>2" Square-Edge Board</b> <i>Actual dimensions:</i> Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)		2 x 4 x 16' Transcend 2 x 6 x 12' Transcend 2 x 6 x 16' Transcend 2 x 6 x 20' Transcend 2 x 6 x 12' Select 2 x 6 x 16' Select 2 x 6 x 20' Select	XX020416TS48 XX020612TS32 XX020616TS32 XX020620TS32 XX020612SS32 XX020616SS32 XX020620SS32	FP, GP, TH, VL HG, IM, LR, SR, TT MB, PG, SD, WB

XX = COLOR PREFIX: HG Havana Gold IM Island Mist LR Lava Rock SR Spiced Rum TT Tiki Torch FP Fire Pit GP Gravel Path RS Rope Swing TH Tree House VL Vintage Lantern MB Madeira PG Pebble Grey SD Saddle WG Winchester Grey WB Woodland Brown BD Beach Dune CS Clam Shell
---

TREX HIDEAWAY HIDDEN FASTENING SYSTEM	DESCRIPTION	ITEM NUMBER	
Connector Clip (stainless steel)		50 sq. ft (4.6 m <sup>2</sup> ) box 500 sq. ft (46.5 m <sup>2</sup> ) bucket 500 sq. ft (46.5 m <sup>2</sup> ) bucket with collated pneumatic screws	CONNECTCLIP CLIPPAIL GUNCLIP
Gun Pail		400 sq. ft (37 m <sup>2</sup> ) bag	UNIVSTARTCLIP
Universal Starter Clip		50 sq. ft (4.6 m <sup>2</sup> ) box 500 sq. ft (46.5 m <sup>2</sup> ) bucket	UNIVCONCLIP DA00002
Universal Fastener (glass-filled nylon)		Router Bit	ROUTBIT
Router Bit		500 sq. ft (46.5 m <sup>2</sup> ) - 900 clips (150 strips) 250 sq. ft (23.25 m <sup>2</sup> ) - 450 Clips (75 strips)	UNIVGUNCLIP UNIVGUNCLIPO1









## RAILING— a lot easier than it looks

Selecting the right railing is pretty easy, but each Trex railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the left depicts each railing system's components.

## Trex Post Sleeves, Caps & Skirts

○ These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve 	4" x 4" x 39" Post Sleeve <i>[4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions]</i>	XX040439APS
		4" x 4" x 108" Post Sleeve <i>[4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]</i>	XX0404108APS
		6" x 6" x 39" Post Sleeve <i>[5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions]</i>	WT060639APS
		6" x 6" x 108" Post Sleeve <i>[5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]</i>	WT0606108APS
Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.			
2a	Post Sleeve Cap 	Flat 4" x 4" Post Sleeve Cap (12/box) Pyramid 4" x 4" Post Sleeve Cap (12/box) <i>[4.45 in x 4.45 in (115 mm x 115 mm) internal dimensions]</i>	XXSQCAP4X4 XXPYCAP4X4
		Flat 6" x 6" Post Sleeve Cap (12/box) Pyramid 6" x 6" Post Sleeve Cap (12/box) <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	WTSQCAP6X6 WTPYCAP6X6
Also available with LED lighting. See page 44.			
2b	Post Sleeve Skirt 	4" x 4" Post Sleeve Skirt (12/box) <i>[4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]</i>	XXSKIRT4X4
		6" x 6" Post Sleeve Skirt (12/box) <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	WTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4 x 4 composite post sleeve) 	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT36
		Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT42
		Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve) 	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	CPJMNTPOST63
ACCESSORY	Foot Block 	Adjustable Foot Blocks (50/box)—White Adjustable Foot Blocks (50/box)—Colored	RWFTBLK XXFTBLK

XX = COLOR PREFIX: WT Classic White FP Fire Pit RS Rope Swing VL Vintage Lantern  
BK Charcoal Black GP Gravel Path TH Tree House

# Trex Transcend Railing

- **Transcend is either a 5-step or 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2). Then choose each component separately for a custom design (5-step).**


STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
------	-----------	-------------	-------------

**3a**

## Top & Bottom Rails

In this step, two rails (1 top, 1 bottom) must be selected.

**3b**



Crown

Universal

6' Crown Top Rail  
8' Crown Top Rail

XXCROWNTR06  
XXCROWNTR08

6' Universal Top/Bottom Rail  
8' Universal Top/Bottom Rail

XXUNIVTBR06  
XXUNIVTBR08

[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]

**4**

## Balusters/Spindles

See chart below for number of balusters needed to complete each railing section.



BALUSTER TYPE	PER 6' SECTION	PER 8' SECTION
Square & Colonial (Horizontal application)	13	18
Square & Colonial (Stair application)	11	15
Aluminum (Horizontal application)	15	20
Aluminum (Stair application)	12	16

Aluminum balusters are available in Charcoal Black, Classic White and Bronze only (BK, WT, BZ).

Square Balusters for 36" Rail Height (16/pack)  
[1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]

Square Balusters for 42" Rail Height (16/pack)  
[1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]

Colonial Spindles for 36" Rail Height (16/pack)  
[1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]

Colonial Spindles for 42" Rail Height (16/pack)  
[1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]

Round Aluminum Balusters for 36" Rail Height (20/pack)  
[.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]

Round Aluminum Balusters for 42" Rail Height (20/pack)  
[.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]

Square Aluminum Balusters for 36" Rail Height (20/pack)  
[.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]

Square Aluminum Balusters for 42" Rail Height (20/pack)  
[.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]

XX020230SBK  
XX020236SBK  
WT020230CSP  
WT020236CSP  
XXTA30RBK  
XXTA36RBK  
XXTA30SBK  
XXTA36SBK

**5**

## Accessory Infill Kit

- » 2 Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware

[6' Rail: 67.5 in (171 cm) actual length;  
8' Rail: 91.5 in (232 cm) actual length]

6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal  
6' Accessory Infill Kit for Square/Colonial Balusters—Stair  
8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal  
8' Accessory Infill Kit for Square/Colonial Balusters—Stair

6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal  
6' Accessory Infill Kit for Round Aluminum Balusters—Stair  
8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal  
8' Accessory Infill Kit for Round Aluminum Balusters—Stair

6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal  
6' Accessory Infill Kit for Square Aluminum Balusters—Stair  
8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal  
8' Accessory Infill Kit for Square Aluminum Balusters—Stair

6' Glass Panel Accessory Kit [Glass panel mounting hardware; **glass panel not included**]

XXSQHIK06  
XXSQSIK06  
XXSQHIK08  
XXSQSIK08  
XXRDHIK06  
XXRDSIK06  
XXRDHIK08  
XXRDSIK08  
XXASBHIK06  
XXASBSIK06  
XXASBHIK08  
XXASBSIK08  
XXGLIK06

## ACCESSORY

## Transcend Accessories

All accessories include a quantity of 12 per box unless otherwise noted.

Mounting Hardware for Cut Rails—Horizontal  
Mounting Hardware for Cut Rails—Stair  
Transcend RSB Bracket Pack—Horizontal (24/box)  
Transcend RSB Bracket Pack—Stair (24/box)  
0 Degree Rail Gasket Pack—Horizontal  
0 Degree Rail Gasket Pack—Stair  
22.5 Degree Gasket Pack  
45 Degree Birdsmouth Gasket Pack (for 4 x 4)  
45 Degree Gasket Pack (for 6 x 6)

XXHZACCYKIT  
XXSTACCYKIT  
TSHBRACKET  
TSSBRACKET  
XX00HGASK  
XX00SGASK  
XX22HGASK  
XX45RSBADAPK  
WT45HGASK

- **Or simply choose a rail & baluster kit in Classic White (3-step).**

**3**

## Rail & Baluster Kit

- » Crown Top Rail
- » Universal Bottom Rail
- » Square Balusters
- » Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware



Available in Classic White only.

6' x 36" Rail & Baluster Kit—Horizontal  
6' x 36" Rail & Baluster Kit—Stair

WT0636HRK  
WT0636SRK

8' x 36" Rail & Baluster Kit—Horizontal  
8' x 36" Rail & Baluster Kit—Stair

WT0836HRK  
WT0836SRK

[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm);  
8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]

# Trex Select Railing

● **Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).**

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	<b>Rail &amp; Baluster Kit</b> » Top Rail » Bottom Rail » Square Balusters » Adjustable Foot Block » Hardware Pack  Available in <b>Classic White only</b> .	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair	WT0636HSELK WT0636SSELK
		8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair  <i>[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm);                      8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]</i>	WT0836HSELK WT0836SSELK
<b>ACCESSORY</b>	<b>Select Accessories</b>	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) 45 Degree Adapter Kit (10 kits/box)	WTHSEL CUT WTSSEL CUT WTSEL45ADP



# Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM NUMBER
<b>Gate Rail Kit</b>  Available in all <b>Aluminum colors</b> .	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening  <i>[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm)                      Actual width is 47.5 in (120 cm) but can be cut to fit any width.]</i>	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE


<b>Hardware Pack</b>  	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts	BKGATEHW
------------------------------	--	----------



# Trex Aluminum ADA Compliant Handrail

All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit [trex.com](http://trex.com).

COMPONENT	ITEM NUMBER
Corner Mount	XXALADAICORNER
Post Return ("Candy Cane")	XXALADA180CCANE
5 Degree Elbow	XXALADA05ELB
31 Degree Elbow	XXALADA31ELB
34 Degree Elbow	XXALADA34ELB
36 Degree Elbow	XXALADA36ELB
90 Degree Elbow	XXALADA90ELB
Collar	XXALADACL R
Rail End Cap	XXALADACAP
90 Degree Wall Return	XXALADA90WR
Wall Mount	XXALADAWMNT
4 in (101 mm) Internal Connector	XXALINTCONN
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8





# Trex Reveal Aluminum Railing

● Choose either Reveal posts or Trex post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1+2	Aluminum Post with Cap & Skirt	2.5" x 2.5" x 37" Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions]</i>	XXAL252537RCAP
	Aluminum Crossover Post	2.5" x 2.5" x 43" Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]</i>	XXAL252543RCAP
		2.5" x 2.5" x 53" Post—Stair (IRC Compliant) <i>[2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions]</i>	XXAL252553RCAP
		2.5" x 2.5" x 36" Crossover Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions]</i>	XXAL252536RCCP
		2.5" x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions]</i>	XXAL252542RCCP
	IRC Surface Mount Hardware	Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts</i>	ALPOSTHWDECK
		Concrete Post Mount Kit	ALPOSTHWCONC
	Aluminum Joist Mount Post with Cap and Skirt	2.5" x 2.5" x 63" <i>[2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]</i>	XXJMNTPOST63
	Reveal Fascia Mount Kit (for use with wood framing)	For use with Joist Mount Reveal Railing Post only.	XXFMNTWOOD
	3	Rail & Baluster Kit	6' x 36" Rail Kit w. Square Balusters—Horizontal
» Top Rail		6' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636SRK
» Bottom Rail		8' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0836HRK
» Balusters		8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0836SRK
» Mounting & Support Hardware		6' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK
		6' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642SRK
		8' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0842HRK
		8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842SRK
		6' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0636HRK
		6' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636SRK
		8' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0836HRK
		8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0836SRK
		6' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0642HRK
		6' x 42" Rail Kit w. Round Balusters—Stair	XXAR0642SRK
		8' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0842HRK
	8' x 42" Rail Kit w. Round Balusters—Stair	XXAR0842SRK	
	6' x 36" Reveal Assembled Panel (Square)—Horizontal*	BKAS0636HRPNL	
	8' x 36" Reveal Assembled Panel (Square)—Horizontal*	BKAS0836HRPNL	
	6' x 42" Reveal Assembled Panel (Square)—Horizontal*	BKAS0642HRPNL	
	8' x 42" Reveal Assembled Panel (Square)—Horizontal*	BKAS0842HRPNL	
	<i>*Does not include hardware</i>		
	<b>Dimensions above are actuals. See below for metrics.</b> <i>[6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions]</i> <i>[8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]</i> <i>[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]</i> <i>[8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]</i>		
ACCESSORY	Reveal Accessories	Fixed Bracket—Horizontal (4/pack)	XXFHBKTAL
		Fixed Bracket—Stair (4/pack)	XXFSBKTAL
		Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)	XXSWHBKTAL
		Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXSWSBKTAL
		2.5" Horizontal Crossover Bracket (1/pack)	XX25FHCBKTAL
		2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25RCSWSCBKTAL
		Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCPDSWBKTAL
		Aluminum Footblock	XXALFTBLK
		Touch-up Pen	XXTOUCHUPPEN

XX = COLOR PREFIX:

BK Charcoal Black

BZ Bronze

WT Classic White

Aluminum railing has a textured finish.

# Trex Outdoor Lighting

## LIGHTING & DESCRIPTION

## ITEM NUMBER

### LANDSCAPE LIGHTING

- Rounded Path Light
- Stepped Path Light
- Well Light
- Multifunction Light
- Spotlight\*



- BKRDPATH2PK, BZRDPATH2PK
- BKSPATH2PK, BZSPATH2PK
- BKWELL, BZWELL
- BKMULTI, BZMULTI
- BKSPOT, BZSPOT

\*Includes: 36v Step-up Transformer & Female to Female Adapter

### DECK LIGHTING

#### Pyramid or Flat Post Cap Light

- » 4" x 4" LED Post Cap Light  
*[4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions]*  
Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead



#### Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light  
*[2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions]*  
Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

#### PYRAMID CAPS

- BKPYLEDCAP4X4C
- WTPYLEDCAP4X4C
- FPPYLEDCAP4X4C
- THPYLEDCAP4X4C
- VLPYLEDCAP4X4C
- GPPYLEDCAP4X4C
- RSPYLEDCAP4X4C

#### FLAT CAPS

- BKSQLEDCAP4X4C
- WTSQLEDCAP4X4C
- FPSQLEDCAP4X4C
- THSQLEDCAP4X4C
- VLSQLEDCAP4X4C
- GPSQLEDCAP4X4C
- RSSQLEDCAP4X4C
- TEXTURED CHARCOAL BLACK: BKALCAPLED25
- TEXTURED BRONZE: BZALCAPLED25
- TEXTURED WHITE: WTALCAPLED25

#### Deck Rail Light

- » LED Deck Rail Light  
*[2.75 in (69 mm) OD]*
- » 5.5 ft (1.67 m) Male LightHub Lead



- TEXTURED CHARCOAL BLACK: BKLAMPLEDC
- TEXTURED BRONZE: BZLAMPLEDC
- TEXTURED CLASSIC WHITE: WTLAMPLEDC

#### Wedge Deck Rail Light

- » LED Wedge Deck Rail Light  
*[1.875 in wide x 3 in high (47mm x 76mm) actual dimensions]*  
Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead



- TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED
- TEXTURED BRONZE: BZALPOSTLAMPLED
- TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

#### LED Riser Lights

- » 4 LED Riser Lights  
*[1.25 in (31 mm) OD]*
- » 5.5 ft (1.67 m) Male LightHub Lead



- TEXTURED CHARCOAL BLACK: BKRISERLED4PKC
- TEXTURED BRONZE: BZRISERLED4PKC
- TEXTURED CLASSIC WHITE: WTRISERLED4PKC

#### Recessed Deck Lights

- » 4 LED Recessed Lights  
*[1 in (25 mm) OD]*
- » 5.5 ft (1.67 m) Male LightHub Lead



- RECESSLED4PKC

### ACCESSORIES

#### Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub Wire Extension Cable



- 8.3A, 100W: 83DLTRANSFORMER
- 2.5A, 30W: 25DLTRANSFORMER

#### Multi-zone Transformer Adapter



- DL5TFSPPLIT1PK

#### Dimmer

- » Single Channel with Remote



- DLDIMMER

#### 1 in (25 mm) Forstner Bit—Pack of 6



- DLBIT6PK

#### LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



- DL3SPLIT6PK
- DL6SPLIT4PK
- DL5FTWR4PK
- DL10FTWR4PK
- DL20FTWR4PK
- DL40FTWR2PK
- DL60FTWR1PK
- DLFADAP6PK