

The Trex logo is positioned in the upper left corner of the image. It features the word "Trex" in a bold, sans-serif font, with a registered trademark symbol (®) to its upper right. The logo is set against a white rectangular background that partially overlaps the porch railing and the green-painted ceiling of the porch.

Trex®

MEET THE GREATEST ADVANCE IN
PORCH TECHNOLOGY since the rocking chair

TrexTranscend®
PORCH FLOORING & RAILING SYSTEM



FRONT COVER AND THIS PAGE:

flooring: Gravel Path

railing: Classic White with Colonial balusters

ceiling: TrexTrim™ beadboard

furniture: Yacht Club Rocker in Charcoal Black


The most luxurious WELCOME MAT around



For nearly 20 years, Trex® has inspired people to harness all the possibilities of the great outdoors in the most luxurious, stress-free spaces around. And because we've brought so much glory to the back deck, this year we're venturing out front with a new option: the Trex Transcend® Porch Flooring & Railing System.

This shady perch is the age-old way to commune with the neighborhood, and because it's Transcend, it features revolutionary, low maintenance (and earth-friendly) engineering. That means all the beauty and none of the bother of old-fashioned wood or bland concrete.


Which is great news. Because Trex porches aren't just porches. They're breakfast nooks and living rooms. Reading spots and lookout towers. In short, a new outdoor basecamp for that little slice of the block that shouts, c'mon in.



A HOME just outside of home

Introducing the Trex Transcend® Porch
Flooring & Railing System

flooring: Gravel Path
railing: Classic White with
Colonial balusters
ceiling: TrexTrim™ beadboard
furniture: Yacht Club Rocker
in Charcoal Black



flooring: Fire Pit



The Trex Transcend Porch Flooring & Railing System features a natural, wood-like grain pattern in a luxurious, satin finish that shows off each saturated color.

Hassle-free outdoor living MOVES OUT FRONT

Luckily, outdoor spaces come in all shapes, sizes...and places. While a deck that's tucked out back is great for a quiet escape, a front porch is designed to do exactly the opposite. And so far, we know you've been designing them yourselves, with a few decking boards here, a length of railing there, whatever it takes to give your clients that luxurious transom between the buzz of the neighborhood and the quiet of their homes.


With the new Trex Transcend® Porch Flooring & Railing System, we've revolutionized the old front stoop with an easy-to-build system of premier porch components that couples all the nostalgia of outdoor living with virtually none of the maintenance. The fade and stain resistant finish is classic Transcend, the number-one brand of high-performance decking and railing. And it works and cuts just like traditional wood—no special tools required. Plus, Trex uses 95 percent recycled materials, so as usual, a Transcend Porch is a project you can feel good about.

It all adds up to the loveliest (and easiest) open-air living room you'll ever build.



SPICED RUM

warm umber hue feels rich and earthy; adds an equatorial touch to even the most traditional home




GRAVEL PATH

the pristine grey of a gentrified carriage path, perfect for a Cape Cod feel



FIRE PIT

where spicy barbecue meets a fiery sunset; nice with rustic architecture



Indoor look, outdoor feel

The Trex Transcend® Porch Flooring & Railing System finishes smooth and virtually gap-free thanks to our smart floor board profile and our innovative Trex Hideaway® Universal Hidden Fasteners. Each fastener clips tightly underneath the board for a seamless, hardwood-floor look that conveniently allows for drainage. The result is a truly indoor-outdoor feel. No bowing, no creaks, no warping...just season after season of relaxation from the leader in outdoor living.



railing: Classic White with Colonial balusters

ENJOY TREX® FROM PORCH TO POST (and everywhere in between)

We make it easy to pair the elegance and durability of your new Trex Transcend porch with a full line of matching Transcend Railings and Posts. The modular construction of this railing and post system offers unique design flexibility and an endless mix of choices.

TRANSCEND RAILING & POST FEATURES:

- » A strong, sturdy look and feel
- » No vibrating, squeaking or rattling like vinyl railings
- » Quick and easy assembly

STYLE CHOICES INCLUDE:

- » Modern square balusters in any of the classic Transcend Decking colors
- » Traditional painted-look spindles in Classic White
- » Contemporary round aluminum balusters in Charcoal Black
- » Artful newel and porch posts in Classic White



ALWAYS GREEN: Trex Transcend® Railing is made of Fibrex® material, which contains 40% reclaimed wood fiber by weight.

"Fibrex" is a trademark of, and is used by TREX Company, Inc. under a license with, Andersen Corporation.

TrexTrim™

Trex® can truly finish your porch – corner-to-corner – with the latest in ultra-low maintenance materials. With all the same profiles as traditional wood trim (and none of the headaches), TrexTrim™ combines effortlessly with other Trex products for the ultimate worry-free, live-it-up outdoor oasis. No rotting, no fading, no splitting.

Plus, with bonuses like our exclusive Release Film and SmoothEdge® advantage, TrexTrim stays as bright, crisp and beautiful as the day it was installed. And it's all backed by our 25-year limited residential warranty.

BEADBOARD


- » High-fashion surface shape
- » Ideal for porch ceilings
- » Available in v-groove and reversible edge center bead

COVE PROFILES

- » Use quarter round to seamlessly finish where porch meets house
- » Often used in combination with other trim to create beautiful compound mouldings

CASING PROFILES

- » Apply Ogee Nose (Base Cap) to openings such as doors, windows and archways
- » Used to cover the gap between the wall and the frame
- » Helps define the style of a home



TrexTrim is available in Standard, Builder and Moulding Profiles. Explore all the options at [trex.com](https://www.trex.com) or see pg. 11.

trim: Beadboard, Ogee Nose and Cornerboard



Trex Transcend®

PORCH FLOORING & RAILING SYSTEM

Trex Transcend® Porch System is just that— a comprehensive system of premier porch components with endless mix and match color options. Get creative with our perfect complement railing and post selections in six great colors for your one-of-a-kind porch design.

HIGH PERFORMANCE

- » No sanding, staining or painting, ever
- » Mold and mildew resistant
- » Washes clean with occasional soap and water
- » Backed by the Trex Transcend 25-year fade and stain warranty

SUPERIOR STYLE AND BEAUTY

- » Ups the curb appeal of any home
- » Features a rich, saturated color palette
- » Looks like hardwood flooring with virtually gap-free floor boards and Trex Hideaway® Universal Hidden Fasteners
- » Includes three Transcend colors for mixing and matching: Brazilian hardwood-like Spiced Rum, rich Fire Pit and our classic Gravel Path
- » Creates a seamless look with coordinated post and railing options

EASY TO WORK WITH

- » Builds and cuts like a traditional wood porch—no special tools required
- » Lightweight and easy to handle
- » Works seamlessly with TrexTrim wherever porch meets house

TREX THROUGH AND THROUGH

- » Uses 95 percent recycled materials, including plastic shopping bags, reclaimed wood and sawdust
- » All system components are American Disability Association slip-compliant
- » Illuminate your evenings with the subtle warmth of Trex DeckLighting™

Complete outdoor living. Compliments of Trex.

TREX DECKLIGHTING™—Sophisticated, understated silhouettes to softly illuminate your outdoor living room

TREXTRIM™ — Fascia, Beadboard and Moulding for a refined, polished finish

TREX OUTDOOR FURNITURE™ — Beautifully crafted, splinter-free furniture in several versatile collections

Like Trex Transcend in Spiced Rum and Lava Rock, the Porch System meets all Urban Wildlife fire resistance standards, including the ASTM E84 Class B fire-resistance railing required by the California State Fire Marshall.

flooring: Gravel Path
railing: Classic White with square balusters
furniture: Rockport Club Arm Chair, Settee, side table and coffee table in Charcoal Black





We revolutionized the rocking chair, too. Because what's the point of a hassle-free porch if you have nowhere to relax and enjoy it from? Welcome to the ultimate in low-maintenance lounging: **Trex OutdoorFurniture™**. Inviting rocking chairs, classic porch swings, handsome side tables—each piece is superbly crafted with a splinter-free finish for smooth, elegant ease. And all from 90 percent recycled material. Plus, there's no staining, sealing, painting or refinishing—ever.



View the complete collection at [trexfurniture.com](https://www.trex.com/outdoor-furniture)



LOOKING OUT AT THE WORLD and knowing you've done your part to protect it.

Spending time outdoors feels a lot better when you're helping to preserve the outdoors. Our company was built upon green principles and values, from our innovative materials to our sustainable processes.

RECYCLED MATERIALS

At Trex, we reuse as smartly as possible, creating innovative new products from not-so-new beginnings.

- » Trex saves around 600 million pounds of plastic and wood scrap from landfills every year
- » Trex is the largest plastic bag recycler in the United States, with 7 out of every 10 recycled grocery bags ending up at Trex (about 2 billion bags per year)
- » Trex hasn't felled one tree in all our years in the decking and railing business. Instead, we use what others don't, including:
 - » Reclaimed wood from woodworking operations
 - » Used pallets
 - » Sawdust (upwards of 300 million pounds a year)

AS GREEN AS IT GETS

Trex is recognized as an industry-leading green proponent.

- » Trex is the first company in the wood-alternative decking industry to receive an International Code Council Evaluation Service® (ICC-ES)* SAVE Verification for Recycled Content. This independent third party verification confirms that, with a minimum of 95.4% recycled content, Trex composite products really are as green as it gets.



- » Trex Transcend Porches contribute to a building's enviable LEED points. The Leadership in Energy and Environmental Design Green Building Rating System is the nationally accepted benchmark for the design, construction and operation of high-performance green buildings.

*ICC-ES is a subsidiary of the International Code Council. For more information about ICC-ES, visit icc-es.org; excludes TrexEscapes®






SEE HOW TREX TRANSCEND®, WELL, TRANSCENDS THE COMPETITION



Trex stands behind the beauty and durability of Transcend so loyally, we offer a **Trex Transcend® 25-Year Limited Fade and Stain Warranty**. A guarantee that's frankly unheard of with any other kind of outdoor product left to the weather's (and your lifestyle's) whims.

For decades to come, you can count on the unparalleled fade and stain fighting performance of your Transcend Porch, complete with effortless and enduring beauty that's sure to invite a second glance. Find out more about the Trex Transcend 25-Year Limited Fade and Stain Warranty at trex.com/warranty.

* will not change more than 5 Delta E (CIE) units (virtually imperceptible to the eye)



PORCH FLOORING & TREX DECKLIGHTING™





FLOORING	ITEM NUMBER	DESCRIPTION
1" Grooved Porch Floor Board Actual face dimension: 1" x 4.25" (2.54 cm x 10.80 cm) Actual overall dimension: 1" x 4.5" (2.54 cm x 11.43 cm) 	XX010510TP48 XX010512TP48 XX010516TP48	1 x 4.25 x 10' (2.54 cm x 10.80 cm x 3 m) 1 x 4.25 x 12' (2.54 cm x 10.80 cm x 3.66 m) 1 x 4.25 x 16' (2.54 cm x 10.80 cm x 4.88 m)
Universal Clip (glass-filled nylon) 	UNIVCONCLIP DA00002	50 sq. ft. (4.6 sq. m) box 500 sq. ft. (46.4 sq. m) bucket

XX= INSERT COLOR PREFIX

FP—Fire Pit

GP—Gravel Path

SR—Spiced Rum

COLORS	TREX DECKLIGHTING	ITEM NUMBER	DESCRIPTION
<div>SMOOTH</div> <div>CHARCOAL BLACK</div>	LED Riser (4 Pack) 	Black: BKRISERLED4PK Bronze: BZRISERLED4PK White: WTRISERLED4PK	» 4 LED Riser Lights (1.25", 3.18 cm OD) » 8 Gel Filled Wire Nuts <i>Note: Wire not included with kit.</i>
<div>HAMMERED</div> <div>CHARCOAL BLACK</div>	Recessed Deck Light (4 Pack) 	RECESSLED4PK	» 4 LED Recessed Lights (1", 2.54 cm OD) » 8 Gel Filled Wire Nuts <i>Note: Wire not included with kit.</i>
<div>SMOOTH</div> <div>CLASSIC WHITE</div>	Transformer with Timer 	DLTRANSFORMER	» Output Voltage: 12VDC » Output Power: 60W » Output Current: 5A » Photo activated timer » Supports up to 60 lights
<div>HAMMERED</div> <div>CLASSIC WHITE</div>	Forstner Bit 	DLBIT6PK	» 1" (2.54 cm) » Pack of 6
<div>SMOOTH</div> <div>BRONZE</div>	Gel Filled Wire Nuts 	DLWIRENUT10PK	Pack of 10
<div>HAMMERED</div> <div>BRONZE</div>	18 GA/2 Wire 	DLWIRE100FT	100 ft. (30.48 m) spool

TREX FASCIA & TREXTRIM

TRANSCEND FASCIA		ITEM NUMBER	DESCRIPTION
<p>1" x 8' (2.54 cm x 2.44 m) Fascia</p> <p>Actual Dimensions: .75" x 7.25" x 12' (1.90 cm x 18.42 cm x 3.66m)</p> 		XX010812TS60	1 x 8 x 12' (2.54 cm x 20.32 cm x 3.66 m)– Fascia
<p>1" x 12' (2.54 cm x 3.66 m) Fascia</p> <p>Actual Dimensions: Transcend/Smooth .75" x 11.375" x 12' (1.90 cm x 28.89 cm x 3.66m)</p> 		XX011212TS40	1 x 12 x 12' (2.54 cm x 30.48 cm x 3.66 m)– Fascia

XX= INSERT COLOR PREFIX	FP— Fire Pit	GP— Gravel Path	SR— Spiced Rum
-------------------------	--------------	-----------------	----------------

TREXTRIM STANDARD PROFILES		ITEM NUMBER	DESCRIPTION
TRIMBOARD	<p>1" x 8" Trimboard</p> <p>Actual Dimensions: .75" x 7.25" x 18' (1.90 cm x 18.42 cm x 5.49 m)</p> 	WT010818B WW010818B	1 x 8 x 18' – Smooth 1 x 8 x 18' – Woodgrain
	<p>1" x 12" Trimboard</p> <p>Actual Dimensions: .75" x 11.25" x 18' (1.90 cm x 28.57 cm x 5.49 m)</p> 	WT011218B WW011218B	1 x12 x 18' – Smooth 1 x 12 x 18' – Woodgrain
BEADBOARD	<p>3.5" x 18' Beadboard Ceiling</p> <p>Actual Dimensions: .5" x 3.5" x 18' (1.27 cm x 8.89 cm x 5.49 m)</p> 	WTH0418BB	.5 x 3.5 x 18' – Smooth Available via special order
	<p>5.5" x 18' Beadboard Ceiling</p> <p>Actual Dimensions: .5" x 5.5" x 18' (1.27 cm x 13.97 cm x 5.49 m)</p> 	WTH0618BB	.5 x 5.5 x 18' – Smooth

TREXTRIM MOULDING PROFILES		ITEM NUMBER	DESCRIPTION
CROWN	<p>4" Crown 5" Crown 6" Crown Ram Crown Solid Crown</p> 	WT04CROWN300 WT05CROWN180 WT06CROWN180 WTRAMS210 WTSOLID120	5/8" x 3-5/8" x 16' – Smooth 11/16" x 4-5/8" x 16' – Smooth 5/8" x 5-1/4" x 16' – Smooth 1-13/32" x 2" x 16' – Smooth 1-1/8" x 2-1/4" x 16' – Smooth
CASING	<p>Ogee Nose (Base Cap) Brick Mould Back Band Rake Moulding</p> 	WTBASECAP1080 WTBRICK252 WTBACKBAND160 WTRAKE300	11/16" x 1-1/8" x 16' – Smooth 1-1/4" x 2" x 17' – Smooth 1-3/8" x 1-3/8" x 16' – Smooth 1-1/16" x 2" x 16' – Smooth
COVE	<p>Bed Moulding Scotia Cove Quarter Round</p> 	WTBED750 WTSCOTIA750 WTQROUND750	1-1/4" x 1-1/4" x 16' – Smooth 3/4" x 3/4" x 16' – Smooth 3/4" x 3/4" x 16' – Smooth
ADDITIONAL	<p>Drip Cap Shingle Mould Historic Sill Transom Sill Nose</p> 	WTDRIPCAP600 WTSHINGLE600 WTHISTORIC200 WTTRANSOM240	11/16" x 1-5/8" x 16' – Smooth 11/16" x 1-5/8" x 16' – Smooth 2" x 1-3/4" x 16' – Smooth 1-1/2" x 1-1/4" x 16' – Smooth

TREX TRANSCEND® RAILING & POSTS

STEP 1

RAILING

Post Sleeve/
Newel Post/
Porch Post



Note: 4 x 4 Porch Post has a load bearing capacity of 2500 lbs;
5 x 5 Porch Post has a load bearing capacity of 5000 lbs.
Questions? Consult question@trex.com

STEP 2

Post Mount



Post Sleeve Skirt/
Porch Post Skirt



STEP 3

Railings



STEP 4

Balusters/
Spindles



STEP 5

Post Sleeve Cap



Foot Block



ITEM NUMBER

XX040439APS
XX0404108APS

WT060639APS
WT060696APS

WT040448NP
WT0404108TPR
WT0505108TPR

POSTMOUNT36
POSTMOUNT42
POSTHDWCONC
POSTHDWWOOD

XXSKIRT4X4
WTSKIRT6X6
WTSQCAP4X4TPR
WTSQCAP5X5TPR

XX06HRK
XX08HRK
XX06SRK
XX08SRK
XX06HURK
XX08HURK
XX06SURK
XX08SURK
WT0636HRK
WT0636SRK
WT0836HRK
WT0836SRK
WT0636HPK
BKTOPCAP

XX020230SBK
XX020236SBK
WT020230CSP
WT020236CSP
BK3Q30RBK
BK3Q36RBK
XXBALSPACER
XXBALSPACESTR
XXHSPCR08
XXSSPCR08

XXSQCAP4X4
XXPYCAP4X4
WTSQCAP6X6
WTPYCAP6X6

XXFTBLK

DESCRIPTION

4" x 4" x 39" (10.16 cm x 10.16 cm x 99.06 cm) Post Sleeve
4" x 4" x 108" (10.16 cm x 10.16 cm x 2.74 m) Post Sleeve
[Each 4x4 (10.16 cm x 10.16 cm) Post Sleeve includes a corrugated TrexExpress™ Railing Assembly Tool]
6" x 6" x 39" (15.24 cm x 15.24 cm x 99.06 cm) Post Sleeve
6" x 6" x 96" (15.24 cm x 15.24 cm x 2.44 m) Post Sleeve
[Each 6x6 (15.24 cm x 15.24 cm) Post Sleeve fits over a 4x4 (10.16 cm x 10.16 cm) pressure treated post]
4" x 4" x 48" (10.16 cm x 10.16 cm x 1.22 m) Newel Post
4" x 4" x 108" (10.16 cm x 10.16 cm x 2.74 m) Porch Post
5" x 5" x 108" (12.70 cm x 12.70 cm x 2.74 m) Porch Post

36" (91.44 cm) Post Surface Mount
42" (1.07 m) Post Surface Mount
Post Surface Mount Hardware - Concrete (10 kits/box)
Post Surface Mount Hardware - Wood (10 kits/box)

4" x 4" (10.16 cm x 10.16 cm) Post Sleeve Skirt
6" x 6" (15.24 cm x 15.24 cm) Post Sleeve Skirt
4" x 4" (10.16 cm x 10.16 cm) Post Skirt (32/box)
5" x 5" (12.70 cm x 12.70 cm) Post Skirt (60/box)

6' (1.83 m) Top & Bottom Rail Kit
8' (2.44 m) Top & Bottom Rail Kit
6' (1.83 m) Top & Bottom Stair Rail Kit
8' (2.44 m) Top & Bottom Stair Rail Kit
6' (1.83 m) Universal Rail Kit
8' (2.44 m) Universal Rail Kit
6' (1.83 m) Universal Stair Rail Kit
8' (2.44 m) Universal Stair Rail Kit
6' x 36" (1.83 m x 91.44 cm) Complete Rail Kit—Horizontal
6' x 36" (1.83 m x 91.44 cm) Complete Rail Kit—Stair
8' x 36" (2.44 m x 91.44 cm) Complete Rail Kit—Horizontal
8' x 36" (2.44 m x 91.44 cm) Complete Rail Kit—Stair
6' x 36" (1.83 m x 91.44 cm) Glass Panel Rail Kit
91.5" (232.41 cm) Railing Top Cap

[Actual length of 6' rail is 67.5" (1.71 m). Actual length of 8' rail is 91.5" (2.32 m)]

30" (76.20 cm) Square Baluster Kit (16/kit)
36" (91.44 cm) Square Baluster Kit (16/kit)
30" (76.20 cm) Colonial Spindle Kit (16/kit)
36" (91.44 cm) Colonial Spindle Kit (16/kit)
30" x 3/4" (76.20 cm x 19 mm) Contemporary Baluster Kit (10/kit)
36" x 3/4" (91.44 cm x 19 mm) Contemporary Baluster Kit (10/kit)
Contemporary Baluster Spacer—Level
Contemporary Baluster Spacer—Stairs
Square Hole Baluster Spacer—Level
Square Hole Baluster Spacer—Stairs

Flat 4" x 4" (10.16 cm x 10.16 cm) Post Sleeve Cap
Pyramid 4" x 4" (10.16 cm x 10.16 cm) Post Sleeve Cap
Flat 6" x 6" (15.24 cm x 15.24 cm) Post Sleeve Cap
Pyramid 6" x 6" (15.24 cm x 15.24 cm) Post Sleeve Cap

Replacement Adjustable Foot Block (50/box)

Note: Color prefix for Foot Block in Classic White is RW, not WT as with all other Transcend Railing elements.

TREX TRANSCEND® RAILING KITS

RAILING KITS

TOP & BOTTOM RAIL KIT

- » Standard Top Rail
- » Standard Bottom Rail
- » Adjustable Foot Block
- » Square Hole Baluster Spacers
- » Mounting Hardware



item number

XX06HRK
XX08HRK
XX06SRK
XX08SRK

description

6' (1.83 m) Top & Bottom Rail Kit
8' (2.44 m) Top & Bottom Rail Kit
6' (1.83 m) Top & Bottom Stair Rail Kit
8' (2.44 m) Top & Bottom Stair Rail Kit

UNIVERSAL TOP & BOTTOM RAIL KIT

- » 2 Standard Bottom Rails
- » Adjustable Foot Block
- » Square Hole Baluster Spacers
- » Mounting Hardware



item number


XX06HURK
XX08HURK
XX06SURK
XX08SURK

description

6' (1.83 m) Universal Rail Kit
8' (2.44 m) Universal Rail Kit
6' (1.83 m) Universal Stair Rail Kit
8' (2.44 m) Universal Stair Rail Kit

COMPLETE TOP & BOTTOM RAIL KIT

- » Standard Top Rail
- » Standard Bottom Rail
- » Adjustable Foot Block
- » Square Hole Baluster Spacers
- » Balusters
- » Mounting Hardware



item number

WT0636HRK
WT0636SRK
WT0836HRK
WT0836SRK

description

6' x 36" (1.83 m x 91.44 cm) Complete Rail Kit—Horizontal
6' x 36" (1.83 m x 91.44 cm) Complete Rail Kit—Stair
8' x 36" (2.44 m x 91.44 cm) Complete Rail Kit—Horizontal
8' x 36" (2.44 m x 91.44 cm) Complete Rail Kit—Stair

XX= INSERT COLOR PREFIX

WT—Classic White

BK—Charcoal Black

FP—Fire Pit

TH—Tree House

GP—Gravel Path

VL—Vintage Lantern

RAILING SELECTION TOOLS

RAILING SELECTION GUIDE (WHAT YOU'LL NEED)

1. Rail Post Sleeve (1 per railing section)
2. Post Sleeve Skirt (1 per post sleeve)
3. Railing Kit (1 top rail & 1 bottom rail per section)
4. Balusters or Spindles (see chart below)
5. Post Sleeve Cap (1 per post sleeve)

NUMBER OF RAILING BALUSTERS REQUIRED

BALUSTER TYPE	PER 6' SECTION (1.83 m)	PER 8' SECTION (2.44 m)
Square & Colonial (Horizontal Application)	13	18
Square & Colonial (Stair Application)	11	15
Architectural (Horizontal Application)	15	19
Architectural (Stair Application)	12	16
Contemporary (Horizontal Application)	16	20
Contemporary (Stair Application)	13	16

TREX TRANSCEND® 25-YEAR LIMITED RESIDENTIAL FADE & STAIN WARRANTY

For a period of twenty-five (25) years from the date of original purchase, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user residential purchaser (the "Purchaser") that Trex Transcend® decking (the "Product") will perform, under normal residential use and service conditions, as follows:

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners after no more than one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal residential deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Residential Purchaser: For purposes of this warranty, a "residential purchaser" shall refer to an individual residential homeowner.

Standard Trex Company Limited Residential Warranty: This warranty is in addition to the standard Trex Company Limited Residential Warranty that applies to all Trex products.

Transferability: This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

Exclusions from Warranty Coverage:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 250 degrees) or may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint Or Other Materials Applied to Trex Transcend Decking: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal residential use, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above (25 years after date of original purchase), a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that

is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. **THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

This warranty shall only be applicable and enforceable in the United States of America and Canada.

TREX TRANSCEND® 10-YEAR LIMITED COMMERCIAL FADE & STAIN WARRANTY

For a period of ten (10) years from the date of original purchase, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user commercial purchaser

(the "Purchaser") that Trex Transcend® decking (the "Product") will perform, under normal commercial use and service conditions, as follows:

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, grease, sodas and other food and beverage related items that would typically be present on a deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners after no more than one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal commercial deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Commercial Purchaser: For purposes of this warranty, a "commercial purchaser" shall refer to any purchaser other than an individual residential homeowner.

Standard Trex Company Limited Commercial Warranty: This warranty is in addition to the standard Trex Company Limited Commercial Warranty that applies to all Trex products.

Transferability: This warranty may be transferred to subsequent buyers of the property upon which the Product was originally installed.

Exclusions from Warranty Coverage:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 250 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of

the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint Or Other Materials Applied to Trex Transcend Decking: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal commercial use, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, any transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above (10 years after date of original purchase), a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design

and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

This warranty shall only be applicable and enforceable in the United States of America and Canada.

TREX® LIMITED RESIDENTIAL WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original residential purchaser ("Purchaser") that, for a period of twenty-five (25) years from the date of original purchase, under normal residential use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a) with respect to Trex DeckLighting™, the term of the warranty for the LED lights and housing shall be seven (7) years, the term of the warranty for the dimmer, timer and transformer shall be three (3) years, in each case provided that a Trex transformer is used, and any other parts or accessories shall not be warranted, (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, and (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first 5 years; and 50% replacement for the next 5 years.

For purposes of this warranty, a "residential purchaser" shall refer to an individual residential homeowner.

This warranty shall not cover and Trex shall not be responsible for costs and expenses incurred with respect to the removal of defective Trex products or the installation of replacement materials, including but not limited to labor and freight.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal residential use, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

This warranty shall only be applicable and enforceable in the United States of America and Canada.

Copyright © 2011 Trex Company, Inc.

TREX® LIMITED COMMERCIAL WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-user commercial purchaser (“Purchaser”) that, for a period of ten (10) years from the date of original commercial purchase, under normal commercial use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex’s sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a) with respect to Trex DeckLighting™, the term of the warranty for the LED lights and housing shall be seven (7) years, the term of the warranty for the dimmer, timer and transformer shall be three (3) years, in each case provided that a Trex transformer is used, and any other parts or accessories shall not be warranted, (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, and (c) with respect to Trex Decorative Balusters, the limited warranty herein covering the paint coating shall be prorated in the following manner: 100% replacement for the first 5 years; and 50% replacement for the next 5 years.

For purposes of this warranty, a “commercial purchaser” shall refer to any purchaser other than an individual residential homeowner.

This warranty shall not cover and Trex shall not be responsible for costs and expenses incurred with respect to the removal of defective Trex products or the installation of replacement materials, including but not limited to labor and freight.

This warranty may be transferred to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or any transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal commercial use, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, any transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX’S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

This warranty shall only be applicable and enforceable in the United States of America and Canada.

Copyright © 2011 Trex Company, Inc.



flooring: Gravel Path

railing: Classic White with Colonial balusters

ceiling: TrexTrim™ beadboard

furniture: Yacht Club Rocker and Swing
in Charcoal Black

Trex Transcend®

PORCH FLOORING & RAILING SYSTEM

Visit **trex.com** or call **1-800-BUY-TREX**

©2011 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, Trex Transcend®, Trex DeckLighting™, Trex OutdoorFurniture™, TrexTrim™, Trex Hideaway®, SmoothEdge® and TrexExpress™ are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia. Trex® OutdoorFurniture™ is manufactured and distributed by Poly-Wood, Inc. Trex® and Trex OutdoorFurniture™ are trademarks of, and used by Poly-Wood, Inc. under a license with, Trex Company, Inc.

TPLTBRO0211